



Twincur EB

Alpha Professional Tools® recognizes the continued growth of the engineered stone/quartz surfacing market and the increased need for abrasives designed for use on automated machinery. Alpha® also recognizes the popularity of the full bullnose edge treatment and the need for an abrasive to accomplish this design feature. To fulfill this need in the industry, Alpha® introduces Twincur EB, a set of abrasives specifically developed to polish bullnose edges on engineered stone using automated edge polishing machines. Twincur EB fits on the 5" snail lock adapter commonly used on single and multiple head machines. Fabricators of engineered stone will appreciate the ease of operation and the fast, consistent results they will achieve with these abrasives. Twincur EB is designed for high quality performance and longevity. If you work with engineered stone/quartz surfacing and automated edge polishing equipment, Twincur EB is the abrasive



| PART NO. | GRIT | SIZE | BOND TYPE |
|----------|------|------|-----------|
| EB40200R | 200 | 4" | RESIN |
| EB40500R | 500 | 4" | RESIN |
| EB41000R | 1000 | 4" | RESIN |
| EB42000R | 2000 | 4" | RESIN |
| EB43000R | 3000 | 4" | RESIN |

| PART NO. | GRIT | SIZE | BOND TYPE |
|-----------|---------|------|----------------|
| EB50200R | 200 | 5" | RESIN |
| EB50500R | 500 | 5" | RESIN |
| EB51000R | 1000 | 5" | RESIN |
| EB52000R | 2000 | 5" | RESIN |
| EB53000R | 3000 | 5" | RESIN |
| EB51000LC | 1000 | 5" | LC RESIN |
| EB52000LC | 2000 | 5" | LC RESIN |
| SFAT-5/8 | ADAPTER | 5" | 5/8"-11 THREAD |
| | | | |

| 3 TYPES OF P | 3 TYPES OF POLISH AVAILABLE FROM TWINCUR EB 5" | | | | | |
|--------------------------------------------------------------------------------------------|------------------------------------------------|-------------------|--|--|--|--|
| REGULAR POLISH | HIGH GLOSS POLISH | SNAKE-SKIN POLISH | | | | |
| EB50200R | EB50200R | EB50200R | | | | |
| EB50500R | EB50500R | EB50500R | | | | |
| EB50500R | EB51000R | EB50500R | | | | |
| EB51000R | EB52000R | EB51000LC | | | | |
| EB52000R | EB53000R | EB52000LC | | | | |
| Twincur EB abrasives use 2.2 - 2.5 BAR pressure, LC abrasives may be used up to 3.0 BAR pr | | | | | | |

| PART NO. | GRIT | SIZE | BOND TYPE |
|----------|------|------|-----------|
| EB60200R | 200 | 6" | RESIN |
| EB60500R | 500 | 6" | RESIN |
| EB61000R | 1000 | 6" | RESIN |
| EB62000R | 2000 | 6" | RESIN |
| EB63000R | 3000 | 6" | RESIN |

Alpha Professional Tools