

Alpha[®] Pneumatic 8" Gear Action Sander/Polisher



Part No: GDSA-08 Version 1




Safety Warning: Always wear eye and respiratory protection as well as proper personal safety equipment when using this product. Comply with ANSI B7.1 and OSHA requirements.



103 Bauer Drive, Oakland, NJ 07436 • 800-648-7229 • Fax: 800-286-0114 www.alpha-tools.com 8" Gear Action Sander/Polisher

Part No.: GDSA-08



1 68-6138A01 Housing 32 51208 Spring Ming	Index No.	Parts No.	Description	Index No.	Parts No.	Description	
1138A02 Rear Body 33 OR01007105 O-Ring(3) 220003 Air Inlet 34 30107 O-Ring(3) 23205 Varbottle Lever 34 30107 Spring Pin 2138A05 Valve Stem 36 60319 Retaining Ring(2) 2138A05 Valve Stem 37 68-6138A37 Balancer 2138A05 Valve Stem 37 68-6138A37 Balancer 2138A10 Requilator 40 80202 Spring Pin 2138A11 Screw(2) (M4x40) 41 5D-619256 Side Handle 2138A11 Gasket 41 5D-619256 Side Handle 2138A12 Screw(2) (M4x10) 44 65-1200 Ball Bearing(2) 2138A13 Screw(2) (M4x10) 44 65-1200 Side Ball 2138A13 Screw(2) (M4x10) 44 65-1200 Spring Pin 2138A13 Screw(2) (M4x10) 45 PN02001308 Pin 2138A13	1	68-6138A01	Housing	32	51208	Spring	
220003 Air Inlet 34 30107 ORing 132A04 Throttle Lever 35 30102 Spring Pin 133A06 Valve Stem 36 68-6138A37 Balancer 133A06 Valve Stem 36 68-6138A37 Balancer 220007 Screw 37 68-6138A37 Balancer 238A08 Plug(2) 38 0700900105 O-Ring(2) 238A10 Regulator 39 0700600200 O-Ring(2) 138A11 Gastet 41 50-619256 State Handle 133A13 Screw(2) (M4x10) 43 40130 O-Ring(2) 133A13 Screw(2) (M4x10) 45 PN02001308 Pin 133A14 Rear End Plate 43 40130 Nasher(2) State Bal 133A15 Screw(2) (M4x10) 45 PN02001308 Pin 133A14 Rear End Plate 51 60-613308 Nasher(2) 133A15 Screw(2) (M5x16)	2	68-6138A02	Rear Body	33	OR01007105	O-Ring(3)	(10.7×1.5)
1132A04 Throttle Lever 35 30102 Spring Pin 133A05 Valve Stem 36 60319 Retaining Ring(2) 133A05 Valve Stem 36 60319 Retaining Ring(2) 133A06 Valve Stem 37 6.6-61383.7 Batancer 25007 Screw 39 OR00600200 O-Ring(2) 233A10 Rubber Ring 40 80202 Spring Pin 133A10 Regulator 41 80202 Spring Pin 133A11 Gasulator 43 40130 O-Ring(2) 133A12 Screw(2) (M4x10) 44 051220 Ball Bearing(2) 133A13 Screw(2) (M4x10) 44 051220 Ball Bearing(2) 133A15 Rotor 47 40145 Spring Pin 133A15 Rotor 47 40145 Spring Pin 133A15 Rotor 47 40145 Spring Pin 133A14 Rear End Plate 51 605000200 Spring Pin </td <td>e</td> <td>6T-620003</td> <td>Air Inlet</td> <td>34</td> <td>30107</td> <td>O-Ring</td> <td>(3.9x1.9)</td>	e	6T-620003	Air Inlet	34	30107	O-Ring	(3.9x1.9)
1138A05 Valve Stem 36 60319 Retaining Ring(2) 5138A06 Valve 37 68-6138A37 Balancer 52007 Screw 33 0R00090105 O.Ring(2) 52007 Screw 33 0R00000105 O.Ring(2) 5138A09 Rubber Ring 40 80202 Spring Pin 5138A10 Regulator 41 5D-619256 Side Handle 5138A12 Screw(2) (M4x40) 43 0130 O-Ring(2) 5138A13 Screw(2) (M4x40) 45 PN02001308 Pin 5138A15 Rotor 44 051220 Ball Bearing(2) 5238A14 Rear End Plate 45 PN02001308 Pin 5138A15 Rotor Blade(5) 44 0317-14 Spring Pin 5138A15 Rotor Bladearing Steel Ball 43 53 Steel Ball 5138A16 Rotor Blade(5) 46 40147 Washer(2) 5138A16 <td< td=""><td>4</td><td>66-6132A04</td><td>Throttle Lever</td><td></td><td>30102</td><td>Spring Pin</td><td>(3x24)</td></td<>	4	66-6132A04	Throttle Lever		30102	Spring Pin	(3x24)
1138A06 Valve 37 68-6138A37 Balancer 220007 Screw 38 OR00900105 O-Ring(2) 23008 Rubar(2) 38 OR0060200 O-Ring(2) 3138A08 Rubar(2) Spring Pin OR0060200 O-Ring(2) 3138A10 Regulator 41 5D-619256 Side Handle 3138A10 Regulator 41 5D-619256 Side Handle 3138A12 Screw(2) (M4x40) 43 61720 ORNono 3138A15 Rotor Blaering 40 651220 Ball Bearing(2) 3238A15 Rotor Blade(5) 47 40317-14 Spring Pin 43-12 Screw 40 800231 Washer(2) 3138A15 Rotor Elade(5) 47 40317-14 Spring Pin 3238A18 Front End Plate 50 050001308 Pin 3238A18 Front End Plate 51 800203 Spring Pin 3238A20 Balancer Shaft 51 8002130	5	68-6138A05	Valve Stem		60319	Retaining Ring(2)	(STW-10)
220007 Screw 38 OR00900105 O-Ring(2) 138A09 Plug(2) 39 OR00600200 O-Ring(2) 138A09 Rubber Ring 39 OR00600200 O-Ring(2) 138A10 Regulator 41 5D-619256 Side Handle 138A11 Gaster 42 10011 Hex-Key Wrench 138A12 Screw(2) (M4x40) 43 40130 O-Ring(2) 138A12 Screw(2) (M4x10) 44 051220 Ball Bearing(2) 138A15 Rotor 47 05120 Ball Bearing(2) 2238A14 Rear End Plate 45 PN02001308 Pin 2338A15 Rotor 47 40147 Spring Pin 2338A18 Cylinder 43 40147 Spring Pin 2338A19 Front End Plate 55 65-61007200 Spring Pin 2338A19 Front End Plate 51 800201200 Spring Pin 2338A19 Front End Plate 51 800201200	9	68-6138A06	Valve	37	68-6138A37	Balancer	
3138A08 Plug(2) 39 OR0060200 O-Ring(2) 3138A10 Rubber Ring 40 80202 Spring Pin 3138A11 Gasgulator 41 5D-619256 Spring Pin 3138A11 Gasgulator 42 10011 Hex-Key Wrench 3138A12 Screw(2) (M4x40) 43 40130 O-Ring(2) 3138A12 Screw(2) (M4x10) 44 051220 Ball Bearling(2) 3138A15 Rotor 144 051220 Ball Bearling(2) Masher(2) 3138A16 Rotor Blade(5) 47 40147 Steral Ball Masher(2) 3138A16 Rotor Blade(5) 47 40317-14 Spring Pin Masher(2) 3238A18 Cylinder 43 40135 Steral Ball Masher(2) 3238A19 Front End Plate 50 05000RS-9A Ball Bearling 2238A19 Front End Plate 51 Sp0317-14 Spring Pin(4) 338A20 Balancer Shaft 51 Sp0300313	7	6T-620007	Screw	89 89	OR00900105	O-Ring(2)	(9x1.5)
3138A09 Rubber Ring 40 80202 Spring Pin 3138A10 Regulator 41 5D-619256 Side Handle 3138A11 Gasket 41 5D-619256 Side Handle 3138A12 Screw(2) (M4x40) 43 061200 Ball Bearing(2) 3138A12 Screw(2) (M4x40) 45 PN02001308 Pin 3138A15 Rotor Matel 45 PN02001308 Pin 2338A14 Rear End Plate 45 PN02001308 Pin 2338A15 Rotor Blade(5) 47 40147 Washer(2) 3138A15 Rotor Blade(5) 47 40147 Washer(2) 2338A19 Front End Plate 50 800277 Ball Bearing(2) 2338A13 Cylinder 51 8001270 String Pin (4) 2338A21 Front End Plate 51 86-6138A52 Grip Ball Bearing 2138A21 Key Masher(5) String Pin (4) String Pin (4) 3138A22 Diving Gear <td>8</td> <td>68-6138A08</td> <td>Plug(2)</td> <td>39</td> <td>OR00600200</td> <td>O-Ring(2)</td> <td>(6x2)</td>	8	68-6138A08	Plug(2)	39	OR00600200	O-Ring(2)	(6x2)
3138410 Regulator 41 5D-619256 Side Handle 3138411 Casket 42 10011 Hex-Key Wrench 3138412 Screw(2) (M4x40) 43 40130 O-Ring(2) 3138413 Screw(2) (M4x10) 44 051220 Ball Bearing(2) 3138415 Rotor 45 PN02001308 Pin Wench 3138415 Rotor 44 051220 Ball Bearing(2) 3138415 Rotor 44 40145 Spring Pin 3138415 Screw (M5x16) 48 40145 Spring Pin 3138415 Screw M57 880533841 Spring Pin 43-12 Screw 43 40145 Spring Pin 238419 Front End Plate 50 65000RS-9A Ball Bearing 238421 Stew Steel Ball Steel Ball Steel Ball 338421 Key Masher(5) Steel Ball Steel Ball 3138423 Darking Gear 54	ი	68-6138A09	Rubber Ring	40	80202	Spring Pin	(2.5x24)
3138411 Gasket 42 10011 Hex-Key Wrench 338412 Screw(2) (M4x40) 43 40130 O-Ring(2) 338413 Screw(2) (M4x40) 43 40130 O-Ring(2) 2338414 Rear End Plate 45 PN02001308 Pin 3138416 Rotor 44 061270 Ball Bearling(2) 3138416 Rotor 44 40145 Steel Ball 3138416 Rotor 43 40147 Steel Ball 3138416 Front End Plate 50 65000RS-9A Ball Bearling 43-12 Screw 43 40145 Steel Ball 2338419 Front End Plate 51 SP02001200 Spring Pin(4) 2338419 Front End Plate 54 65-61338A22 Garl Ball Garl Ball 233821 Balancer Shaft 54 55 68-61338A22 Fad 2138A22 Driving Gear 55 68-61338A22 Pad Garl 91(4) 3138A23	10	68-6138A10	Regulator	41	5D-619256	Side Handle	
3138412 Screw(2) (M4x40) 43 40130 O-Ring(2) 3138413 Screw(2) (M4x10) 44 051220 Ball Bearing(2) 2138A13 Screw(2) (M4x10) 44 051220 Ball Bearing(2) 2138A15 Rotor 45 PN02001308 Pin Washer(2) 2138A15 Rotor 46 40147 Washer(2) Washer(2) 3138A16 Rotor Blade(5) 47 40317-14 Spring Pin 3138A16 Cylinder 49 800227 Ball Bearing 2238A19 Front End Plate 51 Sp02001500 Spring Pin(4) 2338A19 Front End Plate 51 Sp0200750 Spring Pin(4) 238A21 Ball Bearing Steel Ball Baring Steel Ball 238A21 Front End Plate 51 Sp02007500 Spring Pin(4) 238A21 Key 51 Sp02007301 Spring Pin(4) 2138A22 Gear Ring 53 68-6138A52 Grip	-	68-6138A11	Gasket	42	10011	Hex-Key Wrench	(9/64")
3138A13 Screw(2) (M4x10) 44 051220 Ball Bearing(2) 2238A14 Rear End Plate 45 PN02001308 Pin 2238A15 Rotor 45 PN02001308 Pin 3138A15 Rotor 45 40147 Vasher(2) 3138A16 Rotor Blade(5) 47 40317-14 Spring Pin 3138A16 Rotor Blade(5) 48 40145 Spring Pin 43-12 Screw (M5x16) 48 40145 Spring Pin(4) 3138A20 Balancer Shaft 51 Sp02001200 Spring Pin(4) 3138A20 Balancer Shaft 51 Sp02001200 Spring Pin(4) 3138A21 Key 53 68-6138A42 Pad 3138A22 Driving Gear 53 68-6138A42 Pad 3138A23 Gear Ring 56 67000400100 O-Ring 3138A24 Dustproof Ring 56 68-6138A42 Pad 3138A25 Driving Guard 57 67001000	12	68-6138A12	(_	40130	O-Ring(2)	(8.8x17)
2238A14 Rear End Plate 45 PN02001308 Pin 5138A15 Rotor Actor 46 40147 Washer(2) 5138A16 Rotor Bade(5) 47 40317-14 Spring Pin 3138A16 Rotor Blade(5) 47 40317-14 Spring Pin 43-12 Screw (M5x16) 48 40145 Steel Ball 323BA19 Front End Plate 50 05000RS-9A Ball Bearing 2238A19 Front End Plate 50 05000RS-9A Ball Bearing 2238A19 Front End Plate 51 Sp0227 Ball Bearing 2138A20 Balancer Shaft 51 Sp02001200 Spring Pin(4) 2138A21 Key 53 68-6138A42 Pad 2138A22 Driving Gear 53 68-6138A42 Pad 3138A24 Dustproof Ring 55 68-6138A42 Pad 3138A24 Dustproof Ring 55 68-6138A42 Pad 3138A25 Diriving Gear 55 68-6138A42 Pad 3138A25 Dustprof Ring	13	68-6138A13			051220	Ball Bearing(2)	(6000zz)
3138A15 Rotor Actor 46 40147 Washer(2) 3138A16 Rotor Blade(5) 47 40317-14 Spring Pin 313-12 Screw (M5x16) 48 40145 Steel Ball 3238A19 Front End Plate 50 05000RS-9A Ball Bearing 2238A19 Front End Plate 50 05000RS-9A Ball Bearing 2138A20 Balancer Shaft 51 SP02001200 Spring Pin(4) 3138A21 Key 53 68-6138A52 Grip 3138A22 Driving Gear 53 68-6138A42 Pad 3138A23 Gear Ring 54 59-500331 Washer(5) (4) 3138A24 Dustproof Ring 55 68-6138A17 Screw(5) (4) 3138A24 Dustproof Ring 55 68-6138A17 Screw(5) (4) 3138A24 Dustproof Ring 55 69-500331 Washer(5) (4) 3138A25 Dustproof Ring 55 68-6138A17 Screw(5) <t< td=""><td>14</td><td>68-6238A14</td><td>Rear End Plate</td><td>45</td><td>PN02001308</td><td>Pin</td><td>(2x13.8)</td></t<>	14	68-6238A14	Rear End Plate	45	PN02001308	Pin	(2x13.8)
3138A16 Rotor Blade(5) 47 40317-14 Spring Pin 43-12 Screw (M5x16) 48 40145 Steel Ball 32-12 Screw (M5x16) 48 40145 Steel Ball 5238A19 Front End Plate 50 05000RS-9A Ball Bearing 2238A19 Front End Plate 51 Sp001200 Spring Pin(4) 3138A20 Balancer Shaft 51 Sp001200 Spring Pin(4) 3138A21 Key 53 68-6138A52 Grip 3138A22 Driving Gear 53 68-6138A42 Pad 3138A23 Gear Ring 54 59-500331 Washer(5) (1) 3138A24 Dustproof Ring 55 68-6138A17 Screw(5) (1) 3138A25 Diriving Guard 55 68-6138A17 Screw(5) (1) 3138A25 Diriving Guard 56 0700400100 0-Ring (2) 3138A25 Dustproof Ring 55 68-6138A17 Screw(5) (2)	15	68-6138A15	Rotor	46	40147	Washer(2)	(M4)
43-12 Screw (M5x16) 48 40145 Steel Ball 5238A18 Cylinder 49 080227 Ball Bearing 5238A19 Front End Plate 50 05000RS-9A Ball Bearing 5138A20 Balancer Shaft 51 SP02001200 Spring Pin(4) 5138A21 Key 52 68-6138A52 Grip 5138A22 Driving Gear 53 68-6138A42 Pad 5138A22 Driving Gear 53 68-6138A42 Pad 5138A22 Driving Gear 53 68-6138A42 Pad 5138A23 Gear Ring 54 59-500331 Washer(5) (1) 5138A24 Dustproof Ring 55 68-6138A17 Screw(5) (1) 5138A25 Driving Guard 56 OR00400100 O-Ring 5138A25 Driving Guard 55 68-6138A17 Screw(5) (1) 5138A25 Driving Guard 56 OR0400100 O-Ring (1) 5138A25 Driving Guard 57 OR0400100 O-Ring (1)	16	68-6138A16			40317-14	Spring Pin	(3x8)
2238A18 Cylinder 49 080227 Ball Bearing 2238A19 Front End Plate 50 05000RS-9A Ball Bearing 2138A20 Balancer Shaft 51 SP02001200 Spring Pin(4) 3138A21 Key 52 68-6138A52 Grip 3138A21 Key 53 68-6138A52 Grip 3138A22 Driving Gear 53 68-6138A42 Pad 3138A22 Driving Gear 53 68-6138A42 Pad 3138A23 Gear Ring 54 59-500331 Washer(5) (3138A24 Dustproof Ring 55 68-6138A17 Screw(5) (3138A25 Driving Guard 56 OR00400100 O-Ring 3138A26 Throttle Pin 57 OR01705105 O-Ring 3138A27 Bushing(2) 58 60-613446 Swivel Exhaust 3138A28 Rubber Hat 59 60-613446 Swivel Exhaust 3138A28 Lock Ring *60 EH-6138ASUB Self-Vacuum 3138A29 Shroud 66 66-6132A	17	40343-12)		40145	Steel Ball	(1/8")
S238A19 Front End Plate 50 05000RS-9A Ball Bearing 3138A20 Balancer Shaft 51 SP02001200 Spring Pin(4) 3138A21 Key 52 68-6138A52 Grip 3138A21 Key 53 68-6138A52 Grip 3138A22 Driving Gear 53 68-6138A42 Pad 3138A22 Driving Gear 53 68-6138A42 Pad 3138A23 Gear Ring 54 59-500331 Washer(5) (3138A24 Dustproof Ring 55 68-6138A17 Screw(5) (3138A25 Driving Guard 56 OR00400100 O-Ring 3138A25 Driving Guard 57 OR01705105 O-Ring 3138A27 Bushing(2) 58 60-613446 Swivel Exhaust 3138A28 Rubber Hat 59 60-613446 Swivel Exhaust 3138A29 Lock Ring *60 EH-6138A3UB Self-Vacuum 3138A29 Lock Ring 62 80217 Spring Pin(2) (18	68-6238A18	Cylinder	49	080227	Ball Bearing	(6201zz)
3138A20 Balancer Shaft 51 SP02001200 Spring Pin(4) 3138A21 Key 52 68-6138A52 Grip 3138A22 Driving Gear 53 68-6138A42 Pad 3138A22 Driving Gear 53 68-6138A42 Pad 3138A23 Gear Ring 54 59-500331 Washer(5) (3138A24 Dustproof Ring 55 68-6138A17 Screw(5) (3138A25 Driving Guard 56 OR00400100 O-Ring 3138A25 Driving Guard 57 OR01705105 O-Ring 3138A26 Throttle Pin 57 OR01705105 O-Ring 3138A27 Bushing(2) 58 59235 O-Ring (a) 3138A28 Rubber Hat 59 60-613146 Swivel Exhaust 3138A29 Lock Ring *60 EH-6138ASUB Self-Vacuum 3138A29 Lock Ring 62 80217 Spring Pin(2)	19	68-6238A19	Front End Plate	50	05000RS-9A	Ball Bearing	(5000RS)
138A21 Key 52 68-6138A52 Grip 138A22 Driving Gear 53 68-6138A42 Pad 138A23 Gear Ring 54 59-500331 Washer(5) (138A24 Dustproof Ring 55 68-6138A17 Screw(5) (138A24 Dustproof Ring 55 68-6138A17 Screw(5) (138A25 Driving Guard 56 OR00400100 O-Ring 138A25 Driving Guard 57 OR01705105 O-Ring 138A27 Bushing(2) 58 59235 O-Ring 138A28 Rubber Hat 59 60-613146 Swivel Exhaust 138A29 Lock Ring *60 EH-6138ASUB Self-Vacuum 138A29 Lock Ring 62 80217 Spring Pin(2) 138A31 Shroud 62 80217 Spring Pin(2)	20	68-6138A20	Balancer Shaft	51	SP02001200	Spring Pin(4)	(2×12)
138A22 Driving Gear 53 68-6138A42 Pad 138A23 Gear Ring 54 59-500331 Washer(5) () 138A24 Dustproof Ring 55 68-6138A17 Screw(5) () 138A25 Driving Guard 55 68-6138A17 Screw(5) () 138A25 Driving Guard 56 OR00400100 O-Ring 138A26 Throttle Pin 57 OR01705105 O-Ring 138A27 Bushing(2) 58 59235 O-Ring(2) (a) 138A28 Rubber Hat 59 60-613146 Swivel Exhaust (a) 138A29 Lock Ring *60 EH-6138ASUB Self-Vacuum Salf-Vacuum 138A31 Shroud 62 80217 Spring Pin(2) (a)	21	68-6138A21	Key	52	68-6138A52	Grip	
3138A23 Gear Ring 54 59-500331 Washer(5) 3138A24 Dustproof Ring 55 68-6138A17 Screw(5) () 3138A25 Diriving Guard 56 OR00400100 O-Ring 3138A26 Throttle Pin 57 OR01705105 O-Ring 3138A27 Bushing(2) 58 59235 O-Ring(2) (4) 3138A27 Bushing(2) 58 59235 O-Ring(2) (4) 3138A29 Lock Ring *60 EH-6138ASUB Self-Vacuum 3138A31 Shroud 62 80217 Spring Pin(2)	22	68-6138A22	Driving Gear	53	68-6138A42	Pad	(8")
138A24 Dustproof Ring 55 68-6138A17 Screw(5) (138A25 Driving Guard 56 OR00400100 O-Ring 138A26 Throttle Pin 57 OR01705105 O-Ring 138A27 Bushing(2) 58 59235 O-Ring(2) (4) 138A28 Rubber Hat 59 60-613146 Swivel Exhaust 138A29 Lock Ring *60 EH-6138ASUB Self-Vacuum 138A30 Lock Ring *61 66-6132A47 Self-Vacuum Bag 138A31 Shroud 62 80217 Spring Pin(2) (4)	23	68-6138A23	Gear Ring	54	59-500331	Washer(5)	
3138A25 Driving Guard 56 OR00400100 O-Ring 3138A26 Throttle Pin 57 OR01705105 O-Ring 3138A27 Bushing(2) 58 59235 O-Ring(2) (z) 3138A28 Rubber Hat 59 60-613146 Swivel Exhaust (z) 3138A29 Lock Ring *60 EH-6138ASUB Self-Vacuum Bag 3138A31 Shroud 62 80217 Spring Pin(2) (z)	24	68-6138A24	Dustproof Ring	55	68-6138A17	Screw(5)	(#8x3/8"L)
138A26 Throttle Pin 57 OR01705105 O-Ring 138A27 Bushing(2) 58 59235 O-Ring(2) (z 138A28 Rubber Hat 59 60-613146 Swivel Exhaust (z 138A29 Lock Ring *60 EH-6138ASUB Self-Vacuum Bag 138A30 Lock Ring *61 66-6132A47 Self-Vacuum Bag 138A31 Shroud 62 80217 Spring Pin(2) (z	25	68-6138A25	Driving Guard	56	OR00400100	O-Ring	(4x1)
138A27 Bushing(2) 58 59235 O-Ring(2) (z 138A28 Rubber Hat 59 60-613146 Swivel Exhaust 138A29 Lock Ring *60 EH-6138ASUB Self-Vacuum 138A30 Lock Ring *61 66-6132A47 Self-Vacuum Bag 138A31 Shroud 62 80217 Spring Pin(2)	26	68-6138A26	Throttle Pin	57	OR01705105	O-Ring	(17 5x1 5)
138A28 Rubber Hat 59 60-613146 Swivel Exhaust 5138A29 Lock Ring *60 EH-6138ASUB Self-Vacuum 5138A30 Lock Ring *61 66-6132A47 Self-Vacuum Bag 5138A31 Shroud 62 80217 Spring Pin(2)	27	68-6138A27	Bushing(2)	58	59235	O-Ring(2)	(4 47×1 78)
5138A29 Lock Ring *60 EH-6138ASUB Self-Vacuum 5138A30 Lock Ring *61 66-6132A47 Self-Vacuum Bag 5138A31 Shroud 62 80217 Spring Pin(2)	28	68-6138A28	Rubber Hat	59	60-613146	Swivel Exhaust	
5138A30 Lock Ring *61 66-6132A47 Self-Vacuum Bag 5138A31 Shroud 62 80217 Spring Pin(2)	29	68-6138A29	Lock Ring	¥60	EH-6138ASUB	Self-Vacuum	
5138A31 Shroud 62 80217 Spring Pin(2)	30	68-6138A30	Lock Ring	*61	66-6132A47	Self-Vacuum Bag	
	31	68-6138A31	Shroud	62	80217	Spring Pin(2)	(2.5x10)
	optiona	l part					68-6238A-0001

02.09.2011

1101-010

FEATURES:

- Low Speed High Torque
- Central Vacuum System
- Random Orbital Fine Polishing and Sanding

► SPECIFICATIONS:

- Free Speed: 900 RPM
- Pad Size: 8" (203mm)
- Orbit Diameter: 3/16" (5mm)
- Air Inlet: 1/4" NPT
- Hose Size ID: 3/8" (10mm)
- Air Consumption: 3.5 CFM (99L/min)
- Length: 12-3/8" (315mm)
- Weight: 4.4 lbs (2.0kg)
- Recommended Air Pressure: 90 PSI (6.2 Bars)



Copyright © 2015 Alpha Professional Tools. All rights reserved.