

# Alpha Professional Tools®

# **EXCLUSIVE DISTRIBUTOR**






## FOR THE HARDSCAPE INDUSTRY!

www.alpha-tools.com 800-648-7229

16 Park Dr Ste. 9 Franklin, NJ 07416





### **HORIZONTAL STONE LIFTING CLAMPS**

For lifting and moving of concrete blocks and natural stone. Long-lasting, high friction replaceable Polyurethane gripping pads protect load surfaces against damage. Suitable for use on cranes or forklift booms.

- ·Adjustable jaw opening width.
- ·A large gripping range, making it suitable for a wide range of applications.
- ·Lifting eye for attaching to a crane hook.
- ·Auto locks & unlocks the load.



| Product Code | Grip Range | Working Load Limit | Net Weight |
|--------------|------------|--------------------|------------|
| AHLC-730     | 11" - 28"  | 3307 lb            | 247 lb     |
| AHLC-1050    | 11" - 41"  | 3307 lb            | 267 lb     |
| AHLC-1370    | 11" - 54"  | 3307 lb            | 273 lb     |
| AHLC-2010    | 11" - 79"  | 3307 lb            | 302 lb     |
| AHLC-2010-4T | 12" - 79"  | 8818 lb            | 503 lb     |

### **Additional Rotation Feature Available**

The rotation feature is available for most of the AHLC series, (with the exception of the AHLC-2010-4T). To achieve this feature the rotating pads and body stoppers may be purchased separately.

| Product Code | Product Description |            |
|--------------|---------------------|------------|
| AHLC-RP      | AHLC Rotating pad   | ×LL-1990ip |
| AHLC-BT      | AHLC Body Stop      |            |

### VERSA BLOCK CLAMPS

The Versa Block Clamp is a versatile lifting tool, expertly designed to move various items, including concrete blocks, rubber tires, drums, and more. It features adjustable sliding pads, customizable to accommodate objects of different widths. These pads are securely locked into place with a latch on each side, ensuring stability during lifting.



| Product Code | Grip Range | Working Load Limit | Net Weight |
|--------------|------------|--------------------|------------|
| AVBC-600     | 4" - 24"   | 2646 lb            | 110 lb     |
| AVBC-1100    | 6" - 43"   | 6614 lb            | 355 lb     |



### **STONE & CURB PLACEMENT CLAMPS**

This two-man block clamp is suitable for a large range of handling applications, such as lifting/handling concrete and granite kerb stone as used in road construction or for heavy building blocks. The center chain can be attached to machines for heavy lifting.



| Product Code | Grip Range | Working Load Limit | Net Weight |
|--------------|------------|--------------------|------------|
| SCC04        | 4" - 20"   | 441 lb             | 37.3 lb    |
| ASKC200      | 0 - 10"    | 441 lb             | 51 lb      |

### **MONUMENT CLAMP**

The Aardwolf Monument Clamp/Lifter Automatic is ideal for lifting and setting concrete, stone, and marble building fascia. It is helpful for moving and positioning heavy or awkward retaining wall blocks and slabs. The clamping jaw and the center of gravity are easily and quickly adjustable using the locking pins. The jaws of the lifter are lined with vulcanized rubber to ensure a safe and non-marking grip.



| Product Code | Grip Range | Working Load Limit | Net Weight |
|--------------|------------|--------------------|------------|
| GPM1500A     | 1"-12"     | 3307 lb            | 115 lb     |



### **ASG**

The Aardwolf Stone Grapple requires no hydraulics to operate. The Stone Grapple lifting tongs are fully automatic and give the operator complete control to grip or release a load. The three serrated tines contacting the load allow for a very stable lift cycle every time. Once the operator lowers the stone grapple onto a bolder, the stone grapple's internally-housed actuator allows the operator to begin lifting the bolder.

| Product Code | Grip Range | Working Load Limit |
|--------------|------------|--------------------|
| ASG          | 14" - 47"  | 4408 lbs           |
|              |            |                    |

### ARL

The Rock Lifter Grapple is a transformative solution for professionals handling large rocks and boulders in fields like landscaping and stonemasonry. It reduces physical strain and manual labor traditionally involved in moving heavy materials. Equipped with an actuator, the device is designed for automatically seizing and releasing materials throughout the operation cycle, significantly streamlining the task and boosting efficiency.

| Product Code | Grip Range | Working Load Limit |
|--------------|------------|--------------------|
| ARL-800      | 14" - 31"  | 1653 lbs           |
| ARL-1200     | 24" - 47"  | 3307 lbs           |



### **VACUUM BLOCK LIFTER**

A powerful battery-operated vacuum lifting device for laying marble, granite slabs, concrete, and other related materials. Robust and compact, this Vacuum Block Lifter can be suspended on all types of lifting equipment by means of load hooks, chains, cables, etc.



| Product Code | Pad Size      | Working Load Limit | Net Weight |
|--------------|---------------|--------------------|------------|
| AVBL380      | 19.6" x 11.8" | 838 lb             | 110 lb     |
| AVBL1000     | 12"           | 265 - 529 lb       | 40 lb      |



### **VACUUM LIFTER HANDY**

The Vacuum Lifter Handy is powered by a venturi vacuum generator, which needs a source of compressed air in order to function but requires no electricity. The vacuum generator has no moving parts and therefore no lubrication is required. This lifter consists of four (4) pads which can be replaced with different pads so that it fits with the sizes of materials.

| amerent pads so that it its with the sizes of materials. |               |                            |            |
|--|---------------|----------------------------|------------|
| <b>Product Code</b>                                      | Pad Sizes     | <b>Working Load Limitb</b> | Net Weight |
| AHVL500  | 20.5" x 5"    | 265 lb                     |            |
|  | 20.5" x 6.3"  | 397 lb                     |            |
|  | 20.5" x 8.7"  | 617 lb                     | 46 lb      |
|  | 20.5" x 12.6" | 1102 lb                    |            |



### HAND PUMP VACUUM LIFTER

The Hand Pump Vacuum Lifter is powered by a hand pump or venturi pump designed to be used in the factory or on the building site. It is especially suitable for the horizontal transportation of non-porous sheet materials such as steel plate, glass, aluminum plate, and polished marble or granite.



| Product Code | Pad Size      | Working Load Limit | Net Weight |
|--------------|---------------|--------------------|------------|
| AVLHP480     | 20.5" x 12.6" | 529 - 1058 lb      | 51 lb      |
| AVLHP240     | 12"           | 265 - 529 lb       | 40 lb      |

| Additional Foam |
|-----------------|
| Pad Available*  |

**AVLHP240** 

ASL200

| Product Code | Pad Size      |
|--------------|---------------|
| AVLHP520     | 20.5" x 12.6" |

\*Foam must be used with compressed air



### SCISSOR CLAMP LIFTERS

The Aardwolf Scissor Clamp Lifters are equipped with a rubber contact pad for the safe handling of materials. By means of a gravity controlled locking latch, the clamp automatically grips and releases the materials. suitable for lifting marble and granite slabs, tombstones, concrete barriers, curbs (kerbs), and median walls.



| Product Code | Pad Size | Working Load Limit | Net Weight |
|--------------|----------|--------------------|------------|
| ASL200       | 2" - 8"  | 2204 lbs           | 104 lb     |
| ASL300       | 6" - 12" | 3307 lbs           | 106 lb     |

# SPVL-100

### **SMALL PNEUMATIC VACUUM LIFTER**

The Small Pneumatic Vacuum Lifter has a small compact design that allows operators to adapt to various applications. The low weight and versatility make heavy loads easy to handle in vertical and horizontal positions, so only one operator is required to handle loads. The load is supported by the lifting device and not by the operator, this reduces the physical stress and strain on the operator.



The lifter is powered by a venturi vacuum generator, which needs a compressed air source but requires no electricity. The vacuum generator has no moving parts, so no lubrication is required.

| Product Code | Pad Sizes    | Working Load Limit | Net Weight |
|--------------|--------------|--------------------|------------|
| SPVL-100     | 15.7" - 9.4" | 265 lb             | 26.4 lb    |



### **VACUUM PAVER LIFTER**

The Aardwolf Vacuum Paver Lifter uses a standard air compressor (minimum 5.2 cfm @ 125 psi) to create a vacuum in a line attached to a handle or grip. The user sets the pad on the tiles or stone, creating a tight suction seal, then lifts and sets the stone in place. A Venturi trigger on the handle provides a quick release. The Aardwolf Vacuum Paver Lifter reduces injuries and saves your back, knees, and hands.



| Product Code | Pad Sizes*  | Working Load Limit |
|--------------|-------------|--------------------|
| AVPL40       | 4.7" x 8.7" | 88 lb              |
|              | 3.1" x 4.7" | 26 lb              |
|              | 6"          | 88 lb              |

 $^{*3.1"}$  x 4.7" pad is included. 4.7" x 8.7" and 6" pad are special order



### **PAVING STONE LIFTER**

The Paving Stone Lifter saves time and reduces stress on the back and knees when installing paving flags. It can also be used with concrete, sandstone, slate, etc. Safe lifting height recommends when using the Paving Stone Lifter is no more than 75mm (3") to 125mm (5") above the work area.



| Product Code | Pad Sizes | Working Load Limit |
|--------------|-----------|--------------------|
| APSL         | 8" x 8"   | 132 lbs            |
|              | 10" x 10" | 264 lbs            |



### **VACUUM LIFTER WITH PETROL FUELED ENGINE**

This vacuum lifter with a petrol-fuelled engine can handle heavy concrete elements of up to 1 tonne quickly and precisely. Providing for the easy and efficient handling and laying of natural stone, concrete and marble slabs, and steps, etc. Specifically this lifter is used in combination with a mobile crane for working convenience and flexibility on construction sites.



| Product Code    | Pad Sizes     | Working Load Limit |  |  |
|-----------------|---------------|--------------------|--|--|
| AVPL-1000       | 31.5" x 19.7" | 2204 lbs           |  |  |
| Motor: 0.98 bar |               |                    |  |  |