

ALPHA®

TOOLS FOR
**HARDSCAPE
CONTRACTORS**

PROVIDING BETTER
SOLUTIONS
TO THE
PROFESSIONAL



VERSION 1



W E L C O M E

Alpha Professional Tools® was founded in 1986 and has become a leading manufacturer of quality tools for professionals in the natural/ engineered stone, porcelain, ceramic, glass, construction, marine and automotive industries. Alpha® provides the best products for cutting, drilling, shaping and polishing all types of materials.

In addition to providing the best products in the industry, Alpha Professional Tools® offers a variety of services to support their products.



*Alpha Professional Tools® product line and pricing is subject to change at any time.
Alpha® is not responsible or liable for typographical errors.*

COMPANY INFORMATION

**103 Bauer Drive
Oakland, NJ 07436**

Hours of Operation:

8:30 a.m. – 5:00 p.m. EST

Telephone Number: 201-337-3343

Toll-Free Number: 800-648-7229

Fax Number: 201-337-2216

Customer Service Fax Number: 800-286-0114

Tool Department Fax Number: 201-337-2265

Accounting Department Fax Number: 201-337-2262

E-mail orders to: orderdesk@alpha-tools.com

E-mail Spare Parts orders to: tooldesk@alpha-tools.com

Technical Support: technicalsupport@alpha-tools.com

SALES CONTACTS BY TERRITORY:

Caribbean	201-337-3343	Sales-Caribbean@alpha-tools.com
Canada	519-505-7900 / 226-931-4166 / 519-546-9861	Sales-CentralCanada@alpha-tools.com
Central Plains	800-648-7229	Sales-CentralPlains@alpha-tools.com
Florida	786-570-4350	Sales-Florida@alpha-tools.com
International	201-337-3343	Sales-International@alpha-tools.com
Mid-Atlantic	804-382-5357	Sales-Mid-Atlantic@alpha-tools.com
Midwest	630-849-7105	Sales-Midwest@alpha-tools.com
Mountain	480-283-3729 / 602-337-3393	Sales-Mountain@alpha-tools.com
New England	860-933-6626	Sales-NewEngland@alpha-tools.com
Northern CA	925-428-1292	Sales-NorthernCA@alpha-tools.com
Northwest	510-409-9326	Sales-Northwest@alpha-tools.com
NY Metro	973-830-7681	Sales-NYMetro@alpha-tools.com
Ohio Valley	440-364-3759	Sales-OhioValley@alpha-tools.com
Pacific	800-648-7229	Sales-Pacific@alpha-tools.com
South	713-252-9851	Sales-South@alpha-tools.com
Southeast	678-977-1147	Sales-Southeast@alpha-tools.com
Southern CA	714-853-3476	Sales-SouthernCA@alpha-tools.com

Visit us on the web at:

www.alpha-tools.com

Chemical Emergency - Chemtrec:

800-424-9300

TOOLS

STONE CUTTER

- ECC-KIT, Dry Porcelain Paver Tile Cutting System 7
- ECC-125, Virtually Dust-Free Cutting Solution 8
- AWS-125, Wet Stone Cutter 9

POLISHERS

- VSP-320, Variable Speed Wet Polisher 10
- WDP-320, Wet/Dry Polisher for Decorative Concrete Contractors 11

CUTTING

DRY BLADES

- Plus 14
- Quad 14
- Katana 15
- Vortex 15

WET BLADES

- Q-Cut 16

BRIDGE SAW BLADES

- Silencer III 16

CURVE CUTTING BLADES

- Contour 17

DEMOLITION SAW BLADES

- PT Cutter 19

BLADE ACCESSORIES

- Quad Adapters 20
- Flange Adapters 20
- Spike Ruler 20
- Dressing Stick 20

DRILLING

CORE DRILL BITS

- Wet Core Bits 22
- Dry Core Bits 22

TRIMMER BITS

- Vacuum Brazed Trimmer Bit 23

DRILL BITS

- Electroplated Drill Bits 23

ACCESSORIES

DUST-FREE GUARDS

- Ecoguard Type C 25
- Ecoguard Type W5 25
- Ecoguard Type CD 26
- Ecoguard Type G 26

BACKER PADS

- Rigid Backer Pads 27
- Flexible Backer Pads 27
- GV Backer Pads 27

MISCELLANEOUS

- Apron 28
- Safety Glasses 28
- GFCI (Ground Fault Circuit Interrupter) 28
- Wet Blade Cutting Kit 28
- HEPA Vacuum 29
- G-Tape 30




KATANA
ULTIMATE DRY BLADE




TOOLS

High-performance tools,
designed for use in the
construction industry



ECC-KIT

DRY PORCELAIN PAVER TILE CUTTING SYSTEM



- Virtually Dust-Free
- Portable Cutting System
- Accurate Cutting Performance
- Eliminates Downtime and The Messy Cleanup
- Built-In Breaker Assembly
- Holds 3/4" Thick Porcelain Paver Tile
- One Year Tool Warranty* (*See manual for details)

EQUIPMENT INCLUDED	QUANTITY
ECC-125	1
Dust Hose	1
Dust Gate	1
Side Handle	1
Hexagon Ring Spanner	1
Wrench	1
Dust Bag	1
TT Ruler	1
Hook & Loop Strap	2
Ecocutter Table	1
Ecocutter Stand	1
Alpha® Katana Blade 5"	1
Basic Instructional DVD	1

SPECIFICATION	DATA
Model	ECC-KIT (ECC-125)
Rating	110/220 Volts
Amperage	11.2 / 5.5
Power	1200W
No-Load Speed (min-1)	12,000 RPM
Weight	9.5 lbs / 4.3 kgs
Arbor	7/8" / 22.23mm
Cutting Diameter	5" / 125mm
Maximum Cutting Depth	1-1/8" / 29mm (without Ecocutter Table)

PART NO.	SIZE	TYPE	ARBOR(S)	DESCRIPTION
ECC-KIT	5"	110V	7/8", 22.23mm	Dry Cutting System
ECC-125	5"	110V	7/8", 22.23mm	Ecocutter
ECC-225	5"	220V	7/8", 22.23mm	Ecocutter
133544	17"x13-1/2 x 12"	-	-	Dust Bag w/strap
ECC-STAND	-	-	-	Dry Cutting System Stand
ECC-TABLE	-	-	-	Dry Cutting System Table
170005	-	-	-	Ecocutter DVD

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
DPT125	5"	1.4mm	12,200	7/8"

STONE CUTTER

ECC-125



ECOCUTTER

- Virtually Dust-Free
- Portable Cutting System
- Accurate Cutting Performance
- Eliminates Downtime
- Built-In Breaker Assembly
- Great for Grout Removal, Crack Chasing & Concrete Profiling
- One Year Warranty* (*See manual for details)

SPECIFICATION	DATA	EQUIPMENT INCLUDED	QUANTITY
Model	ECC-125	Dust Hose	1
Rating	110/220 Volts	Dust Gate	1
Amperage	11.2 / 5.5	Side Handle	1
Power	1200W	Hexagon Ring Spanner	1
No-Load Speed (min-1)	12,000 RPM	Wrench	1
Weight	9.5 lbs / 4.3 kgs	Dust Bag	1
Arbor	7/8" / 22.23mm	TT Ruler Guide	1
Cutting Diameter	5" / 125mm	Hook & Loop Strap	2
Maximum Cutting Depth	1-1/8" / 29mm		

PART NO.	SIZE	TYPE	ARBOR(S)	DESCRIPTION
ECC-125	5"	110V	7/8", 22.23mm	Ecocutter
133544	17"x13-1/2 x 12"	-	-	Dust Bag w/strap
ECO-CARS	-	Steel	-	Dust Bag Carriage (includes Dust Bag)

DUST BAG CARRIAGE



AWS-125

WET STONE CUTTER



- Produces Straight and True Cuts Everytime
- Powers Through Hard Dense Materials, Such As, Porcelain, Hard Red Granites and Engineered Stone
- Water-Feed Supply Eliminates The Harmful Dust Particles
- Base Plate Allows Guides To Be Used in Multiple Ways
- Included Self-Stick Felt Strips Protects The Work Surface From Scratches
- Great for Use with Curve Cutting Blades
- One Year Warranty* (*See manual for details)

SPECIFICATION	DATA	EQUIPMENT INCLUDED	QUANTITY
Model	AWS-125/AWS-225	Ground Fault Circuit Interrupter	1
Rating	110/220 Volts	Water Valve and Hose	1
Amperage	11.2 / 5.5	Water Attachment Assembly	1
Power	1200W	Spanner Wrench M22	1
No-Load Speed (min-1)	12,000 RPM	TT Ruler Guide	1
Weight	7.2 lbs / 3.3 kgs	T-Handle Wrench	1
Arbor	7/8" / 22.23mm	Extra Carbon Brush Set	1
Cutting Diameter	5" / 125mm	Self-Stick Felt Strip Set	1
Maximum Cutting Depth	1-5/8" / 41mm	Side Handle	1

PART NO.	SIZE	TYPE	ARBOR(S)	DESCRIPTION
AWS-125	5"	110V	7/8", 22.23mm	Wet Stone Cutter
AWS-225	5"	220V	7/8", 22.23mm	Wet Stone Cutter

VSP-320

VARIABLE SPEED WET POLISHER



- Heavy-Duty Gear System with Step-Down Transmission
- 15ft. Flexible All-Weather Water Hose
- 15ft. Electrical Power Cord Has An Inline GFCI
- EasyOn-EasyOff Sleeve Improves Maneuverability
- Adjustable Splash Guard
- Center Water-Feed System
- C-Handle and Side Handle for User Convenience
- One Year Warranty* (*See manual for details)

SPECIFICATION	DATA
Model	VSP-320
Rating	120 Volts
Amperage	7.0A
Power	800W
Speed (Variable)	700~2500 RPM
Weight	7.3 lbs / 3.3 kgs
Spindle	5/8"-11
Power Supply	Single-phase AC, 50/60Hz
Plug Type	A (120V)
Cord	15ft / 4.5m
Polishing Disc Size	4"

PART NO.	TYPE	DESCRIPTION
VSP-320	120V	Variable Speed Wet Polisher



EQUIPMENT INCLUDED	QUANTITY
Ground Fault Circuit Interrupter*	1
Flexible Hose w/ Garden Hose Adapter*	1
Wrench	1
C-Handle w/ Mounting Screws*	1
Side Handle (Reversible)	1
Extra Carbon Brush Set	1
Ventilation Cap w/ Rubber Band*	1
Splash Guard w/ Clamp	1
EasyOn-EasyOff Sleeve*	1
*Factory Attached	1

WDP-320

WET/DRY VARIABLE SPEED POLISHER



- Wet/Dry Hybrid Polisher with The Ecoguard G Attached for Tile Edge Polishing Without The Typical Mess
- Heavy-Duty Gear System Includes A Step-Down Transmission
- 15ft. Water Hose Is All-Weather Flexible & Kink-Free
- Includes Side Handle for Edge Applications
- Fits 5" Discs
- Polish or Grind Right Up To The Wall
- 15ft. Electrical Power Cord Has An Inline GFCI
- One Year Warranty* (*See manual for details)

SPECIFICATION	DATA
Model	WDP-320
Rating	120 Volts
Amperage	7.0A
Power	800W
Speed (Variable)	700~2500 RPM
Weight	7.3 lbs / 3.3 kgs
Spindle	5/8"-11

PART NO.	TYPE	DESCRIPTION
WDP-320	120V	Wet/Dry Variable Speed Polisher

EQUIPMENT INCLUDED	QUANTITY
Ground Fault Circuit Interrupter*	1
Water Hose Assembly*	1
Water Spray Value Assembly	1
Stainless Steel Hose Band	1
Rubber Band	1
Open End Wrench	1
Pin Wrench	1
C-Handle*	1
Side Handle (reversible)	1
Extra Carbon Brush Set	1
Rubber Hose Adapter	1
Ventilation Cap*	1
Ecoguard G*	1
Flange & Lock Nut Set	1
EasyOn-EasyOff Sleeve*	1
*Factory Attached	1



HEPA WET/DRY VACUUM

CUTTING

Premium blades for all your cutting needs.





PT CUTTER
ULTIMATE BLADE FOR
PORCELAIN PAVERS

PLUS

ULTIMATE DRY BLADE FOR STONE FABRICATORS



- Best Dry Cutting Turbo Blade on the Market
- Perfect for Granite and Engineered Stone
- 8mm Tall Diamond Layer for a Long Life
- Recommended for Hard Concrete
- Chip-Free Cutting on Most Demanding Applications

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
DA04A+	4"	2.1mm	14,500	20mm, 5/8"
DA05A+	4-1/2"	2.1mm	13,200	7/8", 20mm
DA05S	5"	2.1mm	12,200	7/8"
DA06A+	6"	2.1mm	10,100	7/8", 5/8", 
DA07A+	7"	2.3mm	8,400	5/8", 
DA08A+	8"	2.3mm	7,400	5/8", 
DA09A+	9"	2.3mm	6,600	7/8", 5/8"
DA10A+	10"	2.5mm	5,900	1", 5/8"
DA11A+	10"	2.5mm	5,900	5/8"
DA12A+	12"	2.6mm	6,200	1", 20mm
DA13A+	12"	2.6mm	6,200	20mm

QUAD

ULTIMATE DRY FLUSH CUTTING BLADE



- Requires Quad Drive to fit High-Speed Angle Grinder
- Fits most popular High-speed Angle Grinders
- Specially Designed for Flush Cutting
- Best Dry Cutting Turbo Blade on the Market
- Chip-Free Cutting on Most Demanding Applications




PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
DA04AH	4"	2.1mm	14,500	20mm Quad Drive
DA05SH	5"	2.1mm	12,200	20mm Quad Drive
DA06AH	6"	2.1mm	10,100	20mm Quad Drive
DA07AH	7"	2.3mm	8,400	20mm Quad Drive
DA08AH	8"	2.3mm	7,400	20mm Flange with 8 holes
DA09AH	9"	2.5mm	6,600	20mm Flange with 8 holes
DA11AH	10"	2.5mm	5,900	20mm Flange with 8 holes

KATANA

ULTIMATE DRY BLADE FOR ALL TILES



- Tile Installer's Choice for Dry Cutting
- Specially Designed for Hard Porcelain Tile
- Best Dry Cutting Tile Blade with Minimal Chipping
- Hybrid Dry Saw Blade for All Tiles
- Can Be used Wet or Dry



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
DPT100	4"	1.4mm	14,500	20mm, 5/8"
DPT115	4-1/2"	1.4mm	13,200	7/8", 20mm
DPT125	5"	1.4mm	12,200	7/8"
DPT150	6"	1.4mm	10,100	7/8", 5/8",

VORTEX

INTRICATE & FLUSH CUTTING BLADE FOR GRANITE



- Requires Quad Drive to fit High-Speed Angle Grinder
- Perfect for Granite and Engineered Stone
- Specially Designed for Flush Cutting
- Stone Fabricator's Choice
- Chip-Free Cutting on Most Demanding Applications
- Side Protection Segments Help Cutting Straight



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
FCD40AH	4"	2.5mm	14,500	20mm Quad Drive
FCD50AH	5"	2.5mm	12,200	20mm Quad Drive
BAH-5/8	—	Brass Adapter	—	5/8" Thread/Quad Drive
AAH-20	—	Aluminum Adapter	—	20mm Thread/Quad Drive

Q-CUT

ULTIMATE WET BLADE FOR QUARTZITE/GRANITE



- Best Turbo Rim Stone Tile Blade on the Market
- Tile Installer's Choice
- Designed for Fast Chip-Free Cutting
- Designed to Cut Hard Tiles such as Quartzite/Granite
- Wet Use Only

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
QZ4578	4-1/2"	1.6mm	13,200	7/8", 20mm
QZ0578	5"	1.6mm	12,200	7/8"
QZ0658	6"	1.4mm	10,100	5/8"
QZ0858	8"	1.6mm	7,400	5/8"
QZ1058	10"	2mm	5,900	5/8"

SILENCER III

PREMIUM BRIDGE SAW BLADE FOR PORCELAIN/CRYST. GLASS



- Specialty Bridge Saw Blade Designed for Porcelain and Crystallized Glass
- Fast, Chip-Free Cutting
- Superior Cost Performance with Reduced Noise Levels
- Uniquely Designed Core Is Made Of Two Hardened Steel Sheets with A Thin Copper Sheet Laminated Between Them
- Equipped with A 60mm Arbor and Comes with A 50mm Adapter
- Free Re-Tipping Service for Life Of The Blade

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
SLW1210P	12"	2.2mm	6,200	1"
SLW1260P	12"	2.2mm	6,200	60mm
SLW1410P	14"	2.8mm	4,365	60mm, 50mm
SLW1610P	16"	3.3mm	3,820	60mm, 50mm
SLW1810P	18"	4.4mm	3,395	60mm, 50mm

CONTOUR

CURVE CUTTING BLADE FOR PORCELAIN/CRYST. GLASS



- Designed Specifically for Cutting Porcelain and Ultra Compact Surfaces
- Fits On The AWS-125 Wet Stone Cutter
- Cuts Curved Areas Cleanly, Accurately and Safely While Allowing A Wider Kerf
- Direct Sintered Diamond Segments On Steel Core Prevents Undercutting
- Can Be Used Wet or Dry



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	DEPTH
CCP005	5"	4.0mm	12,200	7/8"	1-1/4"



PT CUTTER

ULTIMATE DRY BLADE FOR HARDSCAPE CONTRACTORS



- Best Dry Cutting Turbo Blade on the Market
- Perfect for Porcelain Paver Tiles
- 6mm Tall Diamond Layer for a Long Life
- Recommended for Landscaping Tiles
- Fits Most Gas-Powered Demolition Saws
- Can Be Used Wet or Dry
- Special Turbo Rim Diamond Layer Sintered Directly to the Steel Core



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
LT12A+	12"	2.6mm	6,200	1", 7/8", 20mm
LT14A+	14"	2.8mm	5,360	1", 7/8", 20mm

QUAD ADAPTERS



- Designed for Flush Cutting Blades with Four Mounting Holes
- Made Of Durable High-Quality Brass or Aluminum
- Easily Mounted To Any Quad Drive Blade
- Available in Various Thread Sizes

PART NO.	TYPE	ARBOR(S)	THREADS
AAH-7/8	Aluminum	7/8"	5/8"-11
AAH-20	Aluminum	20mm	5/8"-11
BAH-5/8	Brass	20mm	5/8"-11
BAH-M10Q	Brass	20mm	M10 - 1.25
BAH-M14	Brass	20mm	M14-2

FLANGE ADAPTERS



- Designed for Blades That Are Eight Inches or Larger with Eight Mounting Holes
- Made Of Durable High-Quality Steel
- Easily Mounted To Any Large Flush Cutting Blade
- Available in 5/8"-11 and M14-2 Thread Sizes

PART NO.	TYPE	THREADS
FAH-5/8	Adapter	5/8"-11
FAH-M14	Adapter	M14-2

SPIKE RULER



- Designed As A Precision Ruler That Will Not Move On Thin Porcelain Tiles or Panels with Texturized Surfaces
- Secures Ruler To The Material
- Convenient and Easy To Use
- Made Of Aluminum with A Wood Base

PART NO.	SIZE
SPR100	3'4" (1m)

DRESSING STICK



- Designed To Expose New Cutting Surfaces or Re-Open Glazed Diamond Blades and Grinding Wheels
- Removes Sinter Bond From Cutting Edge
- Can Be Used To Ease Sharp Corners
- Bond Type: Silicon Carbide

PART NO.	SIZE	GRIT
290006	8" x 1.5" x 1.5"	60

DRILLING

Versatile and can be adapted for use in construction trades wherever holes are needed.



WET CORE BITS

ULTIMATE WET CORE DRILLING BIT



- Designed for Drilling The Faucet-Mounting Holes in Countertops and Vanities
- Very Fast Cutting On Granite and Engineered Stone
- Make Clean Rounded Corners for Square or Rectangular Sinkholes
- Versatile and Adaptable in Many Industries for Water, Gas and Electrical Piping
- Fits On Most Popular Water-Fed Polishers and Grinders

PART NO.	DIAMETER	MAXIMUM RPM	ARBOR(S)
DCB00380	3/8"	3,500	5/8"-11 Threaded
DCB00500	1/2"	3,500	5/8"-11 Threaded
DCB00750	3/4"	3,500	5/8"-11 Threaded
DCB01000	1"	3,500	5/8"-11 Threaded
DCB01250	1-1/4"	3,500	5/8"-11 Threaded
DCB01375	1-3/8"	3,500	5/8"-11 Threaded
DCB01500	1-1/2"	3,500	5/8"-11 Threaded
DCB02000	2"	3,500	5/8"-11 Threaded
DCB02500	2-1/2"	3,500	5/8"-11 Threaded

DRY CORE BITS

HIGH-SPEED DRY CORE BIT FOR GRANITE/ENG. STONE



- Designed for Jobsite Drilling Of Faucet-Mounting Holes in Countertops and Vanities
- Very Fast Cutting On Granite and Engineered Stone
- Convenient Dry Application
- Make Clean Rounded Corners for Square or Rectangular Sinkholes
- Versatile and Adaptable in Many Industries for Water, Gas and Electrical Piping
- Fits On Most Popular High-Speed Grinders

PART NO.	DIAMETER	MAXIMUM RPM	ARBOR(S)
DRB00500	1/2"	12,000	5/8"-11 Threaded
DRB00750	3/4"	12,000	5/8"-11 Threaded
DRB01000	1"	12,000	5/8"-11 Threaded
DRB01250	1-1/4"	12,000	5/8"-11 Threaded
DRB01375	1-3/8"	12,000	5/8"-11 Threaded
DRB01500	1-1/2"	12,000	5/8"-11 Threaded
DRB02000	2"	12,000	5/8"-11 Threaded

VACUUM BRAZED TRIMMER BIT

DRY CUTTING OF LARGE HOLES OR CURVED LINES



- Great For Use In Construction Trades Wherever Non-Standard Shaped Cutouts As Needed
- Perfect For Electrical Receptacles, Water-Valve Holes, Drains, Shower Knobs, Etc.
- Vacuum Brazed Technology Provides Extended Life
- Use On Granites, Engineered And Natural Stones, Porcelain And Ceramic Tiles
- Can Be Used Wet Or Dry
- Fits On A High-Speed Trimmer Tools

PART NO.	DIAMETER	MAXIMUM RPM
DTB00250	1/4"	33,000

ELECTROPLATED DRILL BITS

PREMIUM DRILL BITS FOR ANCHOR HOLES



- Designed for Drilling Holes in Tile and Stone for Pre-Installation or Post-Installation Placement
- Works Great On Marble, Granite, Engineered Stone, Ceramic, Porcelain and Glass Tile and Panels
- Can Be Used On A Standard 3/8" or Larger Drill
- Can Fit On Water-Fed Polishers with 5/8"-11 Spindles Using The Drill Bit Adapter
- Ideal for Drilling Holes for Anchors for Bathroom Fixtures, Faucet and Plumbing Pipes
- Available in 3/16", 1/4", 5/16", 3/8", 1/2", 1-3/8" and 1-1/2" Sizes
- A Must-Have for The Tile Installer's Tool Box

PART NO.	DIAMETER	MAXIMUM RPM	TYPE
CH7205	3/16"	3,500	3/8" Shank
CH7206	1/4"	3,500	3/8" Shank
CH7208	5/16"	3,500	3/8" Shank
CH7210	3/8"	3,500	3/8" Shank
CH7212	1/2"	3,500	3/8" Shank
CH7235	1-3/8"	3,500	3/8" Shank
CH7240	1-1/2"	3,500	3/8" Shank
CH1058	-	-	Adapter 10mm to 5/8"*

*(for all polishers)

ACCESSORIES

Exclusively from Alpha® for the most popular tools



ECOGUARD TYPE C

HYBRID DUST COLLECTION COVER FOR CUTTING



- Designed for Collecting Dust When Using A High-Speed Angle Grinder
- Accepts Up To 5" Diameter Blades
- Can Be Used with or Without A Vacuum
- Rugged Construction for Heavy-Duty Applications
- Fits On Selected 4-1/2" - 5" High-Speed Angle Grinders
- Straight Precise Cuts Using Foot Plate
- Adjustable Cutting Depth


PART NO.	SIZE	DESCRIPTION
ECOGRDCT	5"	Dust Collection Cover Type C
201549	-	Dust Bag
500026	18"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
500073	54"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")

ECOGUARD TYPE W5

DUST COLLECTION COVER FOR WIDER KERF CUTTING



Type C



Type W5

- Designed for Collecting Dust/Debris When Using A High-Speed Angle Grinder
- Perfect for Tuckpointing and Crack Chasing
- Accepts Up To 5" Diameter Blades
- Rugged Construction for Heavy-Duty Applications
- Straight Precise Cuts Using the Support Base
- Easy Installation and Blade Changes
- Fits On Selected 4-1/2" and 5" High-Speed Angle Grinders
- Adjustable Cutting Depth
- Must Be Used with A Vacuum

PART NO.	SIZE	DESCRIPTION
ECOGRDW5	5"	Dust Collection Cover Type W5
500026	18"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
500073	54"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
ECOW5KIT	5"	Ecoguard W5 & 18" Connector Hose Kit

ECOGUARD TYPE CD

DUST AND WATER GUARD FOR CORE DRILLING



- Wet/Dry Shroud for Drilling and Core Drilling Applications
- Fits Most Vacuum Dust Hoses
- Contains Dust and Water When Drilling with Up To A 2-1/2" Bit
- Can Be Secured On Horizontal and Vertical Surfaces with Vacuum During Application
- Cost-Effective Dust Removal Solution
- Prevents Splashing When Used with Water

PART NO.	RECOMMENDED FOR	DESCRIPTION
ECOGRDCD	Core Drilling	Dust Collection Cover Type CD

ECOGUARD TYPE G


DUST COLLECTION COVER FOR GRINDING



- Designed for Collecting Dust When Using A High-Speed Angle Grinder
- Accepts Up To 5" Diameter Grinding Wheels
- Rugged Construction for Heavy-Duty Applications
- Perfect for Grinding and Sanding Concrete or Surface Preparation Work
- Removable Cover Allows Grinding To The Edge
- Clear Cover for Better Visibility
- Easy Installation and Wheel Changes
- Fits On Selected 4-1/2" - 5" High-Speed Angle Grinders
- Must Be Used with A Vacuum

PART NO.	SIZE	DESCRIPTION
ECOGRDGR	5"	Dust Collection Cover Type G
500026	18"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
500073	54"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
ECOGKIT	5"	Ecoguard G & 18" Connector Hose Kit


RIGID BACKER PADS



- High-Quality Backer Pad Is Super Rigid and Flat
- Eliminates The Wavy Finish When Polishing
- Hook and Loop Backed
- The Rigidity Of The Pad Enables Work in Small Areas Such As Corners or Staircases
- Accepts Polishing Pads, Sandpaper and Felt Wheels

PART NO.	SIZE	MAX RPM	THREAD
GP35/8RG	3"	6,000	5/8"-11
GP45/8RG	4"	6,000	5/8"-11
GP55/8RG	5"	6,000	5/8"-11
GP3M14RG	3"	6,000	M14
GP4M14RG	4"	6,000	M14
GP5M14RG	5"	6,000	M14
GP3M16RG	3"	6,000	M16
GP4M16RG	4"	6,000	M16
GP5M16RG	5"	6,000	M16
RGSPACER	-	-	Spacer

FLEXIBLE BACKER PADS



- High-Quality Backer Pad Is Extremely Flexible
- Ideal for Tough Contours and Inside Curves
- Hook and Loop Backed
- Highly Resistant To The Rigors Of Daily Use
- Provides A Long Life
- Accepts Polishing Pads, Sandpaper and Felt Wheels

PART NO.	SIZE	MAX RPM	THREAD
GP25/8PD	2"	6,000	5/8"-11
GP35/8PD	3"	6,000	5/8"-11
GP45/8PD	4"	6,000	5/8"-11
GP55/8PD	5"	6,000	5/8"-11
GP3M14PD	3"	6,000	M14
GP4M14PD	4"	6,000	M14
GP5M14PD	5"	6,000	M14
GP3M16PD	3"	6,000	M16
GP4M16PD	4"	6,000	M16
GP5M16PD	5"	6,000	M16

GV BACKER PADS



- High-Quality Backer Pad Is Rigid and Flat, But Provides Just The Right Amount Of Flexibility
- Ideal for Bullnosed Edges and Flat Surfaces.
- Hook and Loop Backed
- Accepts Polishing Pads, Sandpaper and Felt Wheels
- Fits On Makita® GV5000 Sander

PART NO.	SIZE	MAXIMUM RPM	DESCRIPTION
GV4MPPD	4"	4,500	M8-1.25 Male
GV5MPPD	5"	4,500	M8-1.25 Male

APRON



- D900 Oxford / PU Coated Material Makes It Waterproof
- Straps Hang The Apron On The Shoulders
- Bright Neon Yellow Color Provides Greater Visibility
- Perfect for Wet or Dry Environments
- Reduces Fatigue When Used for Long Hours Compared with Traditional Styles

PART NO.	DESCRIPTION
APRON1000	Multi-Purpose Waterproof Apron (One Size Fits All)

SAFETY GLASSES



- Designed for Safety and Comfort
- A Lightweight Frame with Padded Temples
- Adjustable Side Arms
- Soft Rubber Nose Bridge
- Clear Anti-Scratch Lenses
- Available in a single pair or 12-pack
- Complies with standard # BS EN 166:2001

PART NO.	DESCRIPTION
173002	Safety Glasses (Box of 12)
173008	Safety Glasses (Single Pair)

GROUND FAULT CIRCUIT INTERRUPTER



- Protect Polishing Personnel From Lethal Ground Current Loads
- Highly Recommended Piece Of Equipment
- Rated for 15 Amps

PART NO.	DESCRIPTION
GFCI-1	Ground Fault Circuit Interrupter

WET BLADE CUTTING KIT



- Designed To Convert A High-Speed Angle Grinder Into A Wet Tool
- Can Be Used On Most Grinders with Minimal Alterations
- Includes Water Feed Supplies, Plus GFCI

PART NO.	DESCRIPTION
WBCKIT	Wet Blade Cutting Kit

HEPA WET/DRY VACUUM



- Designed for use on Non-Metallic Surfaces such as Wood, Plastic, Paint, Concrete and Other Natural and Engineered Stones
- Excellent for General Source Capture and Wet or Dry Cleanup
- 80" Water Lift
- 95 CFM Air Flow Rate
- Vacuum Starts Automatically With Startup of Tool Whether Electric or Pneumatic
- Heavy Duty Stainless Steel Canister With 15 Gallon (60 Liters) Capacity
- Include HEPA Filter to Remove Up to 0.3 Micron Particle at 99.97% Efficiency
- Equipped With Easy-Glide Cart
- 10 feet x 1-1/2 inch Crushproof Hose
- All Floor Cleaning Accessories Are Included
- Equipped With Cargo Basket for Tools and Consumables

PART NO.	SIZE	TYPE	DESCRIPTION
HWD1120	15-Gal	120V	HEPA Wet/Dry Vacuum
HWD1240	15-Gal	240V	HEPA Wet/Dry Vacuum

**HEAVYDUTY
WORKHORSE**
for all your needs!



G-TAPE

THE ULTIMATE
MULTI-PURPOSE TAPE

MULTI-PURPOSE, HARD SURFACE
PROTECTION AND REPAIR TAPE



Features:

- Hand Tearing-Straight & Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Repositionable
- Highly Weather/UV Resistant
- Good Surface Protection
- Great for Quick Repairs

PART NO.	COLOR	SIZE	RECOMMENDED FOR
GT1009GR	Green	2" x 163'	Multi-Purpose - All Surfaces
GT1008SW	White	2" x 163'	Extra UV Protection
GT1006TG	Black & Yellow	2" x 82'	Caution Areas
BAB0650	Black	6" x 164'	Large Surface Protection

APPLICATIONS



Index

A

Apron 28
AWS-125 9

C

Contour 17

D

Dressing Stick 20
Dry Core Bits 22

E

ECC-125 7, 8
ECC-KIT 7
Ecoguard Type C 25
Ecoguard Type CD 26
Ecoguard Type G 26
Ecoguard Type W5 25
Electroplated Drill Bits 23

F

Flange Adapters 20
Flexible Backer Pad 27

G

Ground Fault
Circuit Interrupter 28
G-Tape 30
GV Backer Pads 27

H

Hepa Wet/Dry Vacuum 29

K

Katana 15

P

Plus 14
PT Cutter 19

Q

Q-Cut 16
Quad 14
Quad Adapters 20

R

Rigid Backer Pad 27

S

Safety Glasses 28
Silencer III 16
Spike Ruler 20

V

Vacuum Brazed
Trimmer Bit 23
Vortex 15
VSP-320 10

W

WDP-320 11
Wet Blade Cutting Kit 28
Wet Core Bits 22

Product Literature Catalogs

Alpha® provides product catalogs for all products to best serve the particular needs of our customers. Catalogs are available for applications such as Hand Tooling and Large Machine Tooling, as well as for specific industries such as stone, tile, construction, industrial, automotive, composites, glass and marine.


All of our catalogs are a convenient portable of size 5.5" x 8.5", and illustrate the tools and accessories needed for Cutting, Profiling, Grinding, Drilling, Polishing and Restoring all types of materials.

To request these catalogs, or for more information about our product line, visit our website at www.alpha-tools.com or contact us at 800-648-7229



ALPHA® TOOL REPAIR

- Authorized repair centers available
- All tool repairs carry a 30-day warranty
- Quick turn-around time
- Technical support for repair and maintenance
- Order replacement tool parts directly from Alpha®
- Loaner program available



Eastern USA	Western USA
<p>Alpha Professional Tools® 103 Bauer Drive Oakland, New Jersey 07436 Phone #: (800) 648-7229 ext. 240 E-mail: tooldesk@alpha-tools.com</p>	<p>A1 Industrial & eReplacementParts.com 7036 South High Tech Drive Midvale, UT 84047 Phone #: 801-285-7232 E-mail: dale@ereplacementparts.com</p>



103 Bauer Drive • Oakland, NJ 07436
 800-648-7229 • Fax: 800-286-0114

www.alpha-tools.com

