

## TOOLS FOR HARDSCAPE CONTRACTORS

PROVIDING BETTER SOLUTIONS TO THE PROFESSIONAL





## WELCOME

Alpha Professional Tools® was founded in 1986 and has become a leading manufacturer of quality tools for professionals in the natural/ engineered stone, porcelain, ceramic, glass, construction, marine and automotive industries. Alpha® provides the best products for cutting, drilling, shaping and polishing all types of materials.

In addition to providing the best products in the industry, Alpha Professional Tools® offers a variety of services to support their products.



Alpha Professional Tools<sup>®</sup> product line and pricing is subject to change at any time. Alpha<sup>®</sup> is not responsible or liable for typographical errors.

CONTACT US

# **COMPANY INFORMATION**

103 Bauer Drive Oakland, NJ 07436

Hours of Operation: 8:30 a.m. – 5:00 p.m. EST

 Telephone Number:
 201-337-3343

 Toll-Free Number:
 800-648-7229

 Fax Number:
 201-337-2216

Customer Service Fax Number: 800-286-0114 Tool Department Fax Number: 201-337-2265 Accounting Department Fax Number: 201-337-2262

E-mail orders to: orderdesk@alpha-tools.com E-mail Spare Parts orders to: tooldesk@alpha-tools.com Technical Support: technicalsupport@alpha-tools.com

#### SALES CONTACTS BY TERRITORY:

| Caribbean      | 201-337-3343                               | Sales-Caribbean@alpha-tools.com     |
|----------------|--|-------------------------------------|
| Canada         | 519-505-7900 / 226-931-4166 / 519-546-9861 | Sales-Canada@alpha-tools.com        |
| Central Plains | 800-648-7229                               | Sales-CentralPlains@alpha-tools.com |
| Florida        | 786-570-4350                               | Sales-Florida@alpha-tools.com       |
| International  | 201-337-3343                               | Sales-International@alpha-tools.com |
| Mid-Atlantic   | 804-382-5357                               | Sales-Mid-Atlantic@alpha-tools.com  |
| Midwest        | 630-849-7105                               | Sales-Midwest@alpha-tools.com       |
| Mountain       | 480-283-3729 / 602-337-3393                | Sales-Mountain@alpha-tools.com      |
| New England    | 860-933-6626                               | Sales-NewEngland@alpha-tools.com    |
| Northern CA    | 925-428-1292                               | Sales-NorthernCA@alpha-tools.com    |
| Northwest      | 510-409-9326                               | Sales-Northwest@alpha-tools.com     |
| NY Metro       | 973-830-7681                               | Sales-NYMetro@alpha-tools.com       |
| Ohio Valley    | 440-364-3759                               | Sales-OhioValley@alpha-tools.com    |
| Pacific        | 800-648-7229                               | Sales-Pacific@alpha-tools.com       |
| South          | 713-252-9851                               | Sales-South@alpha-tools.com         |
| Southeast      | 678-977-1147                               | Sales-Southeast@alpha-tools.com     |
| Southern CA    | 714-853-3476                               | Sales-SouthernCA@alpha-tools.com    |

Visit us on the web at:

Chemical Emergency - Chemtrec:

www.alpha-tools.com 800-424-9300

#### 🕗 Alpha Professional Tools

#### TOOLS

#### STONE CUTTER

| • | ESC-125, Wet/Dry Stone Cutter                    | . 7 |
|---|--|-----|
|   | ECC-KIT, Dry Porcelain Paver Tile Cutting System |     |
| • | ECC-125, Virtually Dust-Free Cutting Solution    | 10  |
|   |  |     |

#### POLISHERS

| • | VSP-320, | Variable Speed | Wet Polisher | 1 | 1 |
|---|----------|----------------|--------------|---|---|
|---|----------|----------------|--------------|---|---|

#### CUTTING

#### DRY BLADES

| • | Plus   | 13 |
|---|--------|----|
| • | Quad   | 13 |
| • | Katana | 14 |
| • | Vortex | 14 |
|   |        |    |

#### WET BLADES

| • | Q-Cut      | 15 |
|---|------------|----|
| • | Porcellana | 16 |
| • | Vetro      | 16 |

#### CURVE CUTTING BLADES

| • | Contour | 17 | 7 |
|---|---------|----|---|
|---|---------|----|---|

#### DEMOLITION SAW BLADES

| <br>1 | 8  |
|-------|----|
|       | 18 |

#### **BLADE ACCESSORIES**

| • | Quad Adapters   | 19 |
|---|-----------------|----|
| • | Flange Adapters | 19 |
| • | Spike Ruler     | 19 |
| • | Dressing Stick  | 19 |
|   | 5               |    |

#### PROFILING

#### PROFILERS

| • | Profiler B-Series | 21 |
|---|-------------------|----|
| • | Profiler Z-Series | 21 |
| • | Profiler V-Series |    |

#### **TABLE OF CONTENTS**

#### DRILLING

#### **CORE DRILL BITS**

| •  | Wet Core Bits | 24 |  |  |  |
|----|---------------|----|--|--|--|
| •  | Dry Core Bits |    |  |  |  |
|    |               |    |  |  |  |
| TR | RIMMER BITS   |    |  |  |  |
|    |               |    |  |  |  |

#### **DRILL BITS**

| • | Electroplated Drill Bits | 25 | 5 |
|---|--------------------------|----|---|
|   |                          |    |   |

#### POLISHING

#### **DIAMOND PADS**

| • | Diamond Hand Pads | 27 |
|---|-------------------|----|
|   | Ceramica EX       |    |
|   | Ceramica Metal    |    |
|   |                   |    |

#### ACCESSORIES

#### **DUST-FREE GUARDS**

| • | Ecoguard Type C  | 30 |
|---|------------------|----|
|   | Ecoguard Type W5 |    |
|   | Ecoguard Type CD |    |
| • | Ecoguard Type G  | 31 |

#### **BACKER PADS**

| • | Rigid Backer Pads    | . 32 |
|---|----------------------|------|
|   | Flexible Backer Pads |      |
| • | GV Backer Pads       | . 32 |

#### MISCELLANEOUS

| • | Apron                                   |  |
|---|---|--|
| • | Safety Glasses                          |  |
| • | GFCI (Ground Fault Circuit Interrupter) |  |
| • | Wet Blade Cutting Kit                   |  |
| • | HEPA Vacuum                             |  |
| • | Corner Ruler                            |  |
| • | G-Tape                                  |  |
|   | •                                       |  |

## TOOLS


High-performance tools, designed for use in the construction industry



Introducing A New and Improved Version of Our Popular **AWS-125...** 

ALPHR





\*Blade not included

Quick Change Connector



7

#### ESC-125



#### WET/DRY STONE CUTTER

- Precision Cuts Everytime
- Powerful Motor For Use On Granite, Quartz Surfaces, Marble, Limestone, Concrete and Sintered Slabs
- Water-Feed Supply Eliminates The Harmful Dust Particles
- Base Plate Allows Guides To Be Used in Multiple
  Ways
- Dust Cover for HEPA Vacuum Connection
- New Clamping System Ensures Cutting Stability
- Included Self-Stick Felt Strips Protects The Work
   Surface From Scratches
- Built-In GFCI (Ground Fault Circuit Interrupter)
- Great For Use With Curve Cutting Blades
- One Year Warranty (See manual for details)

QUANTITY

1

3



| 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Sec. Late         | TT Ruler Guide             | 1 |
|--|-------------------|----------------------------|---|
| SPECIFICATION                          | DATA              | Water Hose Assembly        | 1 |
| Model                                  | ESC-125           | Quick Connect Adapter      | 1 |
| Rating                                 | 110 Volts         | Side Handle                | 1 |
| Amperage                               | 11.2A             | Screw (M6x30-Left)         | 1 |
| Power                                  | 1200W             | Flange 3                   | 1 |
| No Load Speed (min-1)                  | 12,000 RPM        | Carbon Brush Set           | 1 |
| Weight                                 | 8.9 lbs (4.0 kgs) | T-Handle Wrench            | 1 |
| Arbor                                  | 7/8" (22.23mm)    | Open-End Wrench (22mm)     | 1 |
| Cutting Disc Diameter                  | 5" (125mm)        | Self-stick Felt Strip Set  | 1 |
| Plug Type                              | A (110V)          | GFCI                       | 1 |
|  | 15ft (4.5m)       | EasyOn-EasyOff Sleeve      | 1 |
| Cord                                   | Single-Phase      | SS Flat Head Screw (M4×10) | 3 |
| Max. Cutting Depth 1-5/8" (41mm)       |                   | Water Valve Assembly       | 1 |
|  |                   |                            |   |

ITEM

Dust Cover

Knob Bolt


PART NO.SIZETYPEARBOR(S)DESCRIPTIONESC-1255"110V7/8" (22.23mm)Wet/Dry Stone Cutter

8

www.alpha-tools.com

QUANTITY

#### ECC-KIT



#### DRY PORCELAIN PAVER TILE CUTTING SYSTEM

- Virtually Dust-Free
- Portable Cutting System
- Accurate Cutting Performance
- Eliminates Downtime and The Messy Cleanup
- Built-In Breaker Assembly
- Holds 3/4" Thick Porcelain Paver Tile

EQUIPMENT INCLUDED

• One Year Tool Warranty (See manual for details)

|                  |                                  |          | ECC-125                |       | 1        |  |   |
|------------------|----------------------------------|----------|------------------------|-------|----------|--|---|
| SPECIFICATION    | DATA                             |          | Dust Hose              |       | 1        |  |   |
| Model            | ECC-KIT (                        | ECC-125) | Dust Gate              |       | 1        |  |   |
| Rating           | 110 Volts                        |          | Side Handle            |       | 1        |  |   |
| Amperage         | 11.2                             |          | Hexagon Ring Sp        | anner | 1        |  |   |
| Power            | 1200W                            |          | Wrench                 |       | 1        |  |   |
| No Load Speed    |                                  |          | No Load Speed          |       | Dust Bag |  | 1 |
| (min-1)          | 12,000 RP                        | М        | TT Ruler Guide         |       | 1        |  |   |
| Weight           | 9.5 lbs (4.3                     | 3 kgs)   | Hook & Loop Stra       | ıp    | 2        |  |   |
| Arbor            | 7/8" (22.23                      | imm)     | Ecocutter Table        |       | 1        |  |   |
| Cutting Diameter | Cutting Diameter 5"(125mm) Ecoci |          | Ecocutter Stand        |       | 1        |  |   |
| Maximum Cutting  | 1-1/8" (29mm)                    |          | Alpha® Katana Blade 5" |       | 1        |  |   |
| Depth            | ũ ( ,                            |          | Basic Instructiona     | I DVD | 1        |  |   |
| DADTNO           | 0175                             | TYPE     |                        | DEO   |          |  |   |

| SIZE             | TYPE                                 | ARBOR(S)   | DESCRIPTION  |
|------------------|--------------------------------------|--|--|
| 5"               | 110V                                 | 7/8" (22.23mm)   | Dry Cutting System   |
| 5"               | 110V                                 | 7/8" (22.23mm)   | Ecocutter  |
| 17"x13-1/2 x 12" |                                      |  | Dust Bag w/strap   |
|                  |                                      |  | Dry Cutting System<br>Stand  |
|                  |                                      |  | Dry Cutting System<br>Table  |
|                  |                                      |  | Ecocutter DVD  |
| SIZE             | THICKNESS                            | MAX RPM  | ARBOR(S)   |
| 5"               | 1.4mm                                | 12,200   | 7/8"   |
|                  | 5"<br>5"<br>17"x13-1/2 x 12"<br>SIZE | 5"         110V           5"         110V           17"x13-1/2 x 12"         -           17"x13-1/2 x 12"         -           SIZE         THICKNESS | Note         Note         Note           5"         110V         7/8" (22.23mm)           5"         110V         7/8" (22.23mm)           17"x13-1/2 x 12"         -         -           18         -         -           19         -         -           10         -         -           10         -         -           110         -         -           110         -         -           110         -         -           110         -         -           110         -         -           110         -         -           110         -         -           110         -         -           110         -         -           110         -         -           110         -         -           110         -         -           110         -         - </td |

#### ECC-125



#### ECOCUTTER

- Virtually Dust-Free
- Portable Cutting System
- Accurate Cutting Performance
- Eliminates Downtime
- Built-in In-line circuit breaker
- Great for Grout Removal, Crack Chasing & Concrete Profiling
- One Year Warranty (See manual for details)

| SPECIFICATION            | DATA  | ITEM              | QUANTITY |  |
|--------------------------|---|-------------------|----------|--|
| Model                    | ECC-125                                       | Dust Hose         | 1        |  |
| Rating                   | 110 Volts                                     | Dust Gate         | 1        |  |
| Amperage                 | 11.2A   | Side Handle       | 1        |  |
| Power                    | 1200W   | Hexagon Ring      | 1        |  |
| No Load Speed (min-1)    | 12,000 RPM                                    | Spanner           |          |  |
| Weight                   | 9.5 lbs (4.3 kgs)                             | Wrench            | 1        |  |
| Arbor                    | 7/8" (22.23mm)                                | Dust Bag          | 1        |  |
| Cutting Diameter         | 5" (125mm)                                    | TT Ruler          | 1        |  |
|                          | . ,   | Hook & Loop Strap | 2        |  |
| Maximum Cutting<br>Depth | 1-1/8" (29mm)<br>(Without Ecocutter<br>Table) |                   |          |  |

| PART NO. | SIZE                | TYPE  | ARBOR(S)       | DESCRIPTION                           |
|----------|---------------------|-------|----------------|---------------------------------------|
| ECC-125  | 5"                  | 110V  | 7/8" (22.23mm) | Ecocutter                             |
| 133544   | 17" x 13-1/2" x 12" |       |                | Dust Bag w/strap                      |
| ECO-CARS |                     | Steel |                | Dust Bag Carriage (includes Dust Bag) |



DUST BAG CARRIAGE

#### POLISHERS

DESCRIPTION Variable Speed

Wet Polisher

#### **VSP-320**



#### VARIABLE SPEED WET POLISHER

- Heavy-Duty Gear System with Step-Down Transmission
- 15ft. Flexible All-Weather Water Hose
- 15ft. Electrical Power Cord Has An Inline GFCI
- EasyOn-EasyOff Sleeve Improves • Maneuverability
- Adjustable Splash Guard •
- Center Water-Feed System
- Ventilation Cap Diverts Water from Getting Into ٠ Motor Housing
- C-Handle & Side Handle for User Convenience .

TYPE

120V

One Year Warranty (See manual for details)

| SPECIFICATION            | DATA                        | PART NO.     |
|--------------------------|-----------------------------|--------------|
| Model                    | VSP-320                     |              |
| Rating                   | 120 Volts                   | VSP-320      |
| Amperage                 | 7.0A                        |              |
| Power                    | 800W                        |              |
| No Load Speed (Variable) | 700~2500 RPM                | Citardie     |
| Weight                   | 7.3 lbs (3.3 kgs)           | 1            |
| Spindle                  | 5/8"-11                     | 100          |
| Power Supply             | Single-phase<br>AC, 50/60Hz | -            |
| Plug Type                | A (120V)                    | Splant Goard |
| Cord                     | 15ft (4.5m)                 |              |
| Polishing Disc Size      | 4" (100mm)                  | Ø            |

| ITEM                                     | QUANTITY |
|--|----------|
| Ground Fault Circuit Interrupter*        | 1        |
| Flexible Hose w/ Garden Hose<br>Adapter* | 1        |
| Wrench                                   | 1        |
| C-Handle w/ Mounting Screws*             | 1        |
| Side Handle (Reversible)                 | 1        |
| Extra Carbon Brush Set                   | 1        |
| Ventilation Cap w/ Rubber Band*          | 1        |
| Splash Guard w/ Clamp                    | 1        |
| EasyOn-EasyOff Sleeve*                   | 1        |





\*Factory Attached

## CUTTING

Premium blades for all your cutting needs.



#### **DRY BLADES**

#### PLUS

#### ULTIMATE DRY BLADE FOR STONE FABRICATORS



- Best Dry Cutting Turbo Blade on the Market
- Perfect for Granite and Engineered Stone
- 8mm Tall Diamond Layer for a Long Life
- Recommended for Hard Concrete
- Chip-Free Cutting on Most Demanding Applications

| PART NO. | SIZE   | THICKNESS | MAXIMUM RPM | ARBOR(S)      |
|----------|--------|-----------|-------------|---------------|
| DA04A+   | 4"     | 2.1mm     | 14,500      | 20mm, 5/8"    |
| DA05A+   | 4-1/2" | 2.1mm     | 13,200      | 7/8", 20mm    |
| DA05S    | 5"     | 2.1mm     | 12,200      | 7/8"          |
| DA06A+   | 6"     | 2.1mm     | 10,100      | 7/8", 5/8", ᡐ |
| DA07A+   | 7"     | 2.3mm     | 8,400       | 5/8", 🔷       |
| DA08A+   | 8"     | 2.3mm     | 7,400       | 5/8", 🔷       |
| DA09A+   | 9"     | 2.3mm     | 6,600       | 7/8", 5/8"    |
| DA10A+   | 10"    | 2.5mm     | 5,900       | 1", 5/8"      |
| DA11A+   | 10"    | 2.5mm     | 5,900       | 5/8"          |
| DA12A+   | 12"    | 2.5mm     | 6,200       | 1", 20mm      |
| DA13A+   | 12"    | 2.5mm     | 6,200       | 20mm          |

#### QUAD

#### ULTIMATE DRY FLUSH CUTTING BLADE



- Requires Quad Drive to fit High-Speed Angle Grinder
- Fits most popular High-speed Angle Grinders
- Specially Designed for Flush Cutting
- Best Dry Cutting Turbo Blade on the Market
- Chip-Free Cutting on Most Demanding Applications





| PART NO. | SIZE | THICKNESS | MAXIMUM RPM | ARBOR(S)                 |
|----------|------|-----------|-------------|--------------------------|
| DA04AH   | 4"   | 2.1mm     | 14,500      | 20mm Quad Drive          |
| DA05SH   | 5"   | 2.1mm     | 12,200      | 20mm Quad Drive          |
| DA06AH   | 6"   | 2.1mm     | 10,100      | 20mm Quad Drive          |
| DA07AH   | 7"   | 2.3mm     | 8,400       | 20mm Quad Drive          |
| DA08AH   | 8"   | 2.3mm     | 7,400       | 20mm Flange with 8 holes |
| DA09AH   | 9"   | 2.5mm     | 6,600       | 20mm Flange with 8 holes |
| DA11AH   | 10"  | 2.5mm     | 5,900       | 20mm Flange with 8 holes |

💋 Alpha Professional Tools

#### **DRY BLADES**

#### KATANA

#### ULTIMATE DRY BLADE FOR ALL TILES

| And the second se |          |        | <ul><li>Specially</li><li>Best Dry</li><li>Hybrid D</li></ul> | aller's Choice for Dry C<br>/ Designed for Hard P<br>Cutting Tile Blade with<br>ry Saw Blade for All T<br>used Wet or Dry | orcelain Tile<br>h Minimal Chippi<br>iles | ng<br>na Blade |
|---|----------|--------|---|---|---|----------------|
|   | PART NO. | SIZE   | THICKNESS   | MAXIMUM RPM   | ARBOR(S)                                  |                |
|   | DPT100   | 4"     | 1.4mm   | 14,500  | 20mm, 5/8"                                |                |
|   | DPT115   | 4-1/2" | 1.4mm   | 13,200  | 7/8", 20mm                                |                |
|   | DPT125   | 5"     | 1.4mm   | 12,200  | 7/8"                                      |                |
|   | DPT150   | 6"     | 1.4mm   | 10,100  | 7/8", 5/8", 🔶                             |                |

#### VORTEX

#### INTRICATE & FLUSH CUTTING BLADE FOR GRANITE



- Requires Quad Drive to fit High-Speed Angle Grinder
- Perfect for Granite and Engineered Stone
- Specially Designed for Flush Cutting
- Stone Fabricator's Choice
- Chip-Free Cutting on Most Demanding Applications
- · Side Protection Segments Help Cutting Straight





| PART NO. | SIZE             | THICKNESS     | MAXIMUM RPM | ARBOR(S)        | THREADS |
|----------|------------------|---------------|-------------|-----------------|---------|
| FCD40AH  | 4"               | 2.5mm         | 14,500      | 20mm Quad Drive |         |
| FCD50AH  | 5"               | 2.5mm         | 12,200      | 20mm Quad Drive |         |
| BAH-5/8  |                  | Brass Adapter |             | 20mm            | 5/8"-11 |
| AAH-20   | Aluminum Adapter |               |             | 20mm            | 5/8"-11 |

14

www.alpha-tools.com

#### WET BLADES

#### Q-CUT

•

#### THE ULTIMATE WET BLADE FOR QUARTZITE/GRANITE TILE



- Formulated To Cut Hard Tiles Such As Quartzite/ Granite
- Tile Installer's Choice for Stone Tile
- Designed for Fast, Precision Chip-Free Cutting
- Perfect for 2cm Porcelain Paver Tile
- 4-1/2" and 5" Blades Can Be Used Wet or Dry






| PART NO. | SIZE   | THICKNESS | MAXIMUM RPM | ARBOR(S)      |
|----------|--------|-----------|-------------|---------------|
| QZ4578   | 4-1/2" | 1.6mm     | 13,200      | 7/8", 20mm    |
| QZ0578   | 5"     | 1.6mm     | 12,200      | 7/8"          |
| QZ0658   | 6"     | 1.4mm     | 10,100      | 7/8", 5/8", 🔷 |
| QZ0758   | 7"     | 1.6mm     | 8,400       | 5/8"          |
| QZ0858   | 8"     | 1.6mm     | 7,400       | 5/8"          |
| QZ1058   | 10"    | 2.0mm     | 5,900       | 5/8"          |

#### PORCELLANA

#### ULTIMATE WET BLADE FOR PORCELAIN TILES



• 3/8" (10mm) Tall Diamond Layer for Long Life

- Tile Installer's Choice for Chip Free Wet Cutting
- Recommended for Granite, Marble, Porcelain, Engineered Stone, Travertine and Ceramic Tiles
- Best Wet Cutting Tile Blade on the Market
- Hybrid Wet Saw Blade for All Tiles

| PART NO. | SIZE   | THICKNESS | MAXIMUM RPM | ARBOR(S)   |
|----------|--------|-----------|-------------|------------|
| PT04A+   | 4-3/8" | 1.4mm     | 13,200      | 7/8", 20mm |
| PT05S    | 5"     | 1.4mm     | 12,200      | 7/8"       |
| PT07A+   | 7"     | 1.6mm     | 8,400       | 5/8"       |
| PT08A+   | 8"     | 1.6mm     | 7,400       | 5/8"       |
| PT10A+   | 10"    | 1.6mm     | 5,900       | 5/8"       |

#### VETRO

#### ULTIMATE WET BLADE FOR GLASS TILES



- Best Wet Cutting Glass Blade on the Market
- Designed for Chip-Free Cutting
- Tile Installer's Choice for Glass Tile
- Chip-Free Cutting on Most Demanding Applications
- Wet Use Only

| PART NO. | SIZE   | THICKNESS | MAXIMUM RPM | ARBOR(S)   |
|----------|--------|-----------|-------------|------------|
| WG0438   | 4-3/8" | 1.0mm     | 13,200      | 7/8", 20mm |
| WG0700   | 7"     | 1.6mm     | 8,400       | 5/8"       |
| WG0800   | 8"     | 1.6mm     | 7,400       | 5/8"       |
| WG1000   | 10"    | 1.6mm     | 5,900       | 5/8"       |

#### **CURVE CUTTING BLADE**

#### CONTOUR

#### CURVE CUTTING BLADE FOR PORCELAIN/CRYST. GLASS

# **CONTOUR** FOR PORCELAIN

Curve Cutting on Porcelain, Crystallized Glass and Sintered Slabs

- Designed Specifically for Cutting Porcelain and Sintered Slabs
- · Fits On Wet/Dry Stone Cutters
- Cuts Curved Areas Cleanly, Accurately and Safely While Allowing A Wider Kerf
- Direct Sintered Diamond Segments On Steel Core Prevents Undercutting
  - Can Be Used Either Wet or Dry

| PART NO. | SIZE   | THICKNESS | MAXIMUM RPM | ARBOR(S) | DEPTH OF CUT |
|----------|--------|-----------|-------------|----------|--------------|
| CCP004   | 4"     | 4.0mm     | 14,500      | 7/8"     | 3/4"         |
| CCP045   | 4-1/2" | 4.0mm     | 13,200      | 7/8"     | 3/4"         |
| CCP005   | 5"     | 4.0mm     | 12,200      | 7/8"     | 1-1/4"       |

#### **PT CUTTER**

#### ULTIMATE DRY BLADE FOR HARDSCAPE CONTRACTORS



- Best Dry Cutting Turbo Blade on the Market
- Perfect for Porcelain Paver Tiles
- 6mm Tall Diamond Layer for a Long Life
- · Recommended for Landscaping Tiles
- Fits Most Gas-Powered Demolition Saws
- Can Be Used Wet or Dry
- Special Turbo Rim Diamond Layer Sintered Directly to the Steel Core
- · Can Be Used On Portable Rail Saws



| PART NO. | SIZE | THICKNESS | MAXIMUM RPM | ARBOR(S)       |
|----------|------|-----------|-------------|----------------|
| LT12A+   | 12"  | 2.6mm     | 6,200       | 1", 7/8", 20mm |
| LT14A+   | 14"  | 2.8mm     | 5,360       | 1", 7/8", 20mm |

#### **BLADE ACCESSORIES**

#### **QUAD ADAPTERS**



- Designed for Flush Cutting Blades with Four Mounting Holes
- Made Of Durable High-Quality Brass or Aluminum
- Easily Mounted To Any Quad Drive Blade
- Available in Various Thread Sizes

| PART NO. | TYPE     | ARBOR(S) | THREADS    |
|----------|----------|----------|------------|
| AAH-7/8  | Aluminum | 7/8"     | 5/8"-11    |
| AAH-20   | Aluminum | 20mm     | 5/8"-11    |
| BAH-5/8  | Brass    | 20mm     | 5/8"-11    |
| BAH-M10Q | Brass    | 20mm     | M10 - 1.25 |
| BAH-M14  | Brass    | 20mm     | M14-2      |

#### FLANGE ADAPTERS



- Designed for Blades That Are Eight Inches or Larger with Eight Mounting Holes
- Made Of Durable High-Quality Steel
- Easily Mounted To Any Large Flush Cutting Blade
- Available in 5/8"-11 and M14-2 Thread Sizes

| PART NO. | TYPE    | THREADS |
|----------|---------|---------|
| FAH-5/8  | Adapter | 5/8"-11 |
| FAH-M14  | Adapter | M14-2   |

**DRESSING STICK** 

#### **SPIKE RULER**



- Designed As A Precision Ruler That Will Not Move On Thin Porcelain Tiles or Panels with Texturized Surfaces
- Secures Ruler To The Material
- Convenient and Easy To Use
- Made Of Aluminum with A Wood Base

| PART NO. | SIZE      |
|----------|-----------|
| SPR100   | 3'4" (1m) |




- Designed To Expose New Cutting Surfaces or Re-Open Glazed Diamond Blades and Grinding Wheels
- Removes Sinter Bond From Cutting Edge
- · Can Be Used To Ease Sharp Corners
- · Bond Type: Silicon Carbide

| PART NO. | SIZE             | GRIT |
|----------|------------------|------|
| 290006   | 8" x 1.5" x 1.5" | 60   |

## PROFILING

Perfect round over edges





#### PROFILING

#### **PROFILER B-SERIES**

#### CREATES PERFECT DEMI-BULLNOSE EDGE



- Use On Granite, Engineered Stone, Marble, Concrete, Crystallized Glass and Porcelain Slabs
- Create A Perfect Demi-Bullnose/Roundover Edge
   Treatment
- Nylon Guide and Rotary Touchier Assures The Proper Depth Of Cut Is Achieved
- Equipped with A 5/8"-11 Female Thread and Internal Water Passage Holes
- Fits On All Popular Water-Fed Polishers

| PART NO. | SIZE          | MAXIMUM RPM | THREADS     |
|----------|---------------|-------------|-------------|
| PFB051   | 3/16" (0.5cm) | 3,500       | 5/8"-11     |
| PFB101   | 3/8" (1.0cm)  | 3,500       | 5/8"-11     |
| PFB131   | 1/2" (1.3cm)  | 3,500       | 5/8"-11     |
| PFB201   | 3/4" (2.0cm)  | 3,500       | 5/8"-11     |
| PFBNG01  |               |             | Nylon Guide |

#### **PROFILER Z-SERIES**

#### PERFECT 90-DEGREE EDGE GRINDING



- Vertical Grinding On All Types Of Materials
- Never Loses Shape for True Zero Tolerance
- Nylon Guide and Rotary Touchier Assures Uniformity
- Equipped with A 5/8"-11 Female Thread and Internal Water Passage Holes
- Fits On All Popular Water-Fed Polishers

| PART NO. | SIZE         | MAXIMUM RPM | THREADS     |
|----------|--------------|-------------|-------------|
| PFZ301   | 1-1/4" (3cm) | 3,500       | 5/8"-11     |
| PFZ401   | 1-1/2" (4cm) | 3,500       | 5/8"-11     |
| PFBNG01  |              |             | Nylon Guide |

#### PROFILING

#### **PROFILER V-SERIES**

#### CREATES PERFECT BULLNOSE EDGE




- Create A Perfect Bullnose/Roundover Edge Treatment
- Use On Granite, Engineered Stone, Marble, Limestone, Concrete, Crystallized Glass and Porcelain Slabs
- Eliminate The Time-Consuming Calibration Process for Seamed Pieces
- Nylon Guide and Rotary Touchier Assures The Edges Are Uniform
- Equipped with A 5/8"-11 Female Thread and Internal Water Passage Holes
- Fits On All Popular Water-Fed Polishers

| PART NO. | SIZE         | MAXIMUM RPM | THREADS     |
|----------|--------------|-------------|-------------|
| PFV201   | 3/4" (2cm)   | 3,500       | 5/8"-11     |
| PFV301   | 1-1/4" (3cm) | 3,500       | 5/8"-11     |
| PFV401   | 1-1/2" (4cm) | 3,500       | 5/8"-11     |
| PFBNG01  |              |             | Nylon Guide |



#### DRILLING

Versatile and can be adapted for use in construction trades wherever holes are needed.



#### WET CORE BITS

#### ULTIMATE WET CORE DRILLING BIT



- Designed for Drilling The Faucet-Mounting Holes in Countertops and Vanities
- · Very Fast Cutting On Granite and Engineered Stone
- Make Clean Rounded Corners for Square or Rectangular Sinkholes
- Versatile and Adaptable in Many Industries for Water, Gas and Electrical Piping
- Fits On Most Popular Water-Fed Polishers

| PART NO. | DIAMETER | MAXIMUM RPM | THREADS |
|----------|----------|-------------|---------|
| DCB00380 | 3/8"     | 3,500       | 5/8"-11 |
| DCB00500 | 1/2"     | 3,500       | 5/8"-11 |
| DCB00750 | 3/4"     | 3,500       | 5/8"-11 |
| DCB01000 | 1"       | 3,500       | 5/8"-11 |
| DCB01250 | 1-1/4"   | 3,500       | 5/8"-11 |
| DCB01375 | 1-3/8"   | 3,500       | 5/8"-11 |
| DCB01500 | 1-1/2"   | 3,500       | 5/8"-11 |
| DCB02000 | 2"       | 3,500       | 5/8"-11 |
| DCB02500 | 2-1/2"   | 3,500       | 5/8"-11 |

#### **DRY CORE BITS**

#### HIGH-SPEED DRY CORE BIT FOR GRANITE/ENG. STONE

- Designed for Jobsite Drilling Of Faucet-Mounting Holes in Countertops and Vanities
- Very Fast Cutting On Granite and Engineered Stone
- · Convenient Dry Application
- Make Clean Rounded Corners for Square or Rectangular Sinkholes
- Versatile and Adaptable in Many Industries for Water, Gas and Electrical Piping
- · Fits On Most Popular High-Speed Grinders

| PART NO. | DIAMETER | MAXIMUM RPM | THREADS |
|----------|----------|-------------|---------|
| DRB00500 | 1/2"     | 12,000      | 5/8"-11 |
| DRB00750 | 3/4"     | 12,000      | 5/8"-11 |
| DRB01000 | 1"       | 12,000      | 5/8"-11 |
| DRB01250 | 1-1/4"   | 12,000      | 5/8"-11 |
| DRB01375 | 1-3/8"   | 12,000      | 5/8"-11 |
| DRB01500 | 1-1/2"   | 12,000      | 5/8"-11 |
| DRB02000 | 2"       | 12,000      | 5/8"-11 |

#### **DRILL BITS**

#### VACUUM BRAZED TRIMMER BIT

#### DRY CUTTING OF LARGE HOLES OR CURVED LINES

|   | Great For Use In Construction Trades Wherever Non-<br>Standard Shaped Cutouts As Needed             |                  |                           |  |
|---|---|------------------|---------------------------|--|
|   | Perfect For Electrical Receptacles, Water-Valve Holes,<br>Drains, Shower Knobs, Etc.                |                  |                           |  |
| 1 | Vacuum I  | Brazed Technolog | gy Provides Extended Life |  |
|   | <ul> <li>Use On Granites, Engineered And Natural Stones,<br/>Porcelain And Ceramic Tiles</li> </ul> |                  |                           |  |
|   | Can Be Used Wet Or Dry  |                  |                           |  |
|   | Fits On A High-Speed Trimmer Tools  |                  |                           |  |
|   | PART NO.  | DIAMETER         | MAXIMUM RPM               |  |
|   | DTB00250  | 1/4"             | 33,000                    |  |

#### ELECTROPLATED DRILL BITS

#### PREMIUM DRILL BITS FOR ANCHOR HOLES



- Designed for Drilling Holes in Tile and Stone for Pre-Installation or Post-Installation Placement
- Works Great On Marble, Granite, Engineered Stone, Ceramic, Porcelain and Glass Tile and Panels
- · Can Be Used On A Standard 3/8" or Larger Drill
- Can Fit On Water-Fed Polishers with 5/8"-11 Spindles
   Using The Drill Bit Adapter
- Ideal for Drilling Holes for Anchors for Bathroom Fixtures, Faucet and Plumbing Pipes
- Available in 3/16", 1/4", 5/16", 3/8", 1/2", 1-3/8" and 1-1/2" Sizes
- · A Must-Have for The Tile Installer's Tool Box
- Wet Use Only

| PART NO. | DIAMETER | MAXIMUM RPM | ТҮРЕ                  |
|----------|----------|-------------|-----------------------|
| CH7205   | 3/16"    | 3,500       | 3/8" Shank            |
| CH7206   | 1/4"     | 3,500       | 3/8" Shank            |
| CH7208   | 5/16"    | 3,500       | 3/8" Shank            |
| CH7210   | 3/8"     | 3,500       | 3/8" Shank            |
| CH7212   | 1/2"     | 3,500       | 3/8" Shank            |
| CH7235   | 1-3/8"   | 3,500       | 3/8" Shank            |
| CH7240   | 1-1/2"   | 3,500       | 3/8" Shank            |
| CH1058   |          |             | Adapter 10mm to 5/8"* |

25


## POLISHING

Full range of Superior Wet and Dry Diamond polishing pads



#### ACCESSORIES

#### HAND PADS



Convenient, On-Site Polishing, On Materials

HAND POLISHING PADS

- Use On Glass, Ceramics, Marble, Granite, Concrete, Terrazzo and Quartz Surfaces
- Two Bond Types To Provide The Best Possible Finish
- Available in Electroplated and Resin Grits




#### ELECTROPLATED GRITS:

This type of pad uses nickel plating technology to hold each individual diamond in place and is available in 60, 150, 300 and 500 grits.

#### **RESIN GRITS:**

This type has a finer diamond grit than electroplated pads. The resin bond is coated on a special backing material and is available in 1000, 2000 and 3000 grits best suited for honing to polishing.



| PART NO. | GRIT | COLOR       | BOND TYPE     |
|----------|------|-------------|---------------|
| DHP0060  | 60   | Blue        | Electroplated |
| DHP0150  | 150  | Yellow      | Electroplated |
| DHP0300  | 300  | Orange      | Electroplated |
| DHP0500  | 500  | Red         | Electroplated |
| DHP1000  | 1000 | Dark Green  | Resin         |
| DHP2000  | 2000 | Light Green | Resin         |
| DHP3000  | 3000 | Brown       | Resin         |
| DHPKIT   |      |             | Set of 7      |

| CERAMICA   | EX   |                        |             | LISHING I<br>STONES | FOR         |
|--|------|------------------------|-------------|---------------------|-------------|
| <ul> <li>Produces A High-Quality Shine</li> <li>Polishes On All Materials</li> <li>Ideal for Polishing Inside Corners and A Tight Radiu</li> <li>Works Very Well On Tough Materials Including Toug<br/>Polish Black and Green Marbles</li> <li>Extremely Flexible</li> </ul> |      |                        |             |                     |             |
| ASSESSOR   | HOOH | ( AND LOOP             | 3"          | 4"                  | 5"          |
|  | GRIT | COLOR                  | PART<br>NO. | PART<br>NO          | PART<br>NO. |
|  | 200  | Yellow                 | EX30200R    | EX40200R            | EX50200R    |
| Co Martin Production   | 500  | Red                    | EX30500R    | EX40500R            | EX50500R    |
| and a  | 1000 | Dark Green             | EX31000R    | EX41000R            | EX51000R    |
| (and   | 2000 | Light Green            | EX32000R    | EX42000R            | EX52000R    |
| =====  | 3000 | Brown                  | EX33000R    | EX43000R            | EX53000R    |
|  | ALL  | Assortment<br>(1 each) |             | EX40KIT             |             |

#### **CERAMICA METAL**

#### PREPARATION STAGE FOR WET GRANITE POLISHING

- Produces A High-Quality Polish That Matches The Edge To The Slab Surface
- Extremely Flexible with Consistent Performance
- Use On Popular Hand-Held Wet Polishers
- Hook & Loop Backed for Quick Grit Changes
- · Works Very Well in Tight Curved Areas



| HOOK AND LOOP |        | 3"          | 4"         |
|---------------|--------|-------------|------------|
| GRIT          | COLOR  | PART<br>NO. | PART<br>NO |
| 60            | Blue   | FD30060M    | FD40060M   |
| 150           | Yellow | FD30150M    | FD40150M   |
| 300           | Orange | FD30300M    | FD40300M   |

## ACCESSORIES

Exclusively from Alpha® for the most popular tools



#### **DUST-FREE GUARDS**

#### ECOGUARD TYPE C

#### HYBRID DUST COLLECTION COVER FOR CUTTING



#### **ECOGUARD TYPE W5**

#### DUST COLLECTION COVER FOR WIDER KERF CUTTING

- Designed for Collecting Debris When Using A High-Speed Angle Grinder
- Perfect for Tuckpointing and Crack Chasing
- Accepts Up To 5" Diameter Blades
- Removes More Than 90% Of Dust
- Rugged Construction for Heavy-Duty Applications
- Straight Precise Cuts Using Support Base
- Easy Installation and Blade Changes
- Fits On Selected 4-1/2" and 5" High-Speed Angle Grinders
- Adjustable Cutting Depth
- Must Be Used with A Vacuum

| lypeL lyp | e WS |   |
|-----------|------|---|
| PART NO.  | SIZE | DESCRIPTION                                     |
| ECOGRDW5  | 5"   | Dust Collection Cover Type W5                   |
| 500026    | 18"  | Flexible Connector Hose (1-1/2" Tapered-2-1/4") |
| 500073    | 54"  | Flexible Connector Hose (1-1/2" Tapered-2-1/4") |
| ECOW5KIT  | 5"   | Ecoguard W5 & 18" Connector Hose Kit            |

www.alpha-tools.com

#### DUST-FREE GUARDS

#### ECOGUARD TYPE CD

#### **DUST AND WATER GUARD** FOR CORE DRILLING



**ECOGUARD TYPE G** 

#### DUST COLLECTION **COVER FOR GRINDING**

DESCRIPTION

Dust Collection Cover Type CD



| PART NO. | SIZE | DESCRIPTION                                     |
|----------|------|---|
| ECOGRDGR | 5"   | Dust Collection Cover Type G                    |
| 500026   | 18"  | Flexible Connector Hose (1-1/2" Tapered-2-1/4") |
| 500073   | 54"  | Flexible Connector Hose (1-1/2" Tapered-2-1/4") |
| ECOGKIT  | 5"   | Ecoguard G & 18" Connector Hose Kit             |

| RIGID BACKER PADS | <ul> <li>High-Quality Backer Pad Is Super Rigid<br/>and Flat</li> </ul>               |
|-------------------|---|
|                   | Eliminates The Wavy Finish When Polishing   |
|                   | Hook and Loop Backed  |
|                   | The Rigidness Of The Pad Enables Work in<br>Small Areas Such As Corners or Staircases |
|                   | Accepts Polishing Pads, Sandpaper and<br>Felt Wheels                                  |

| PART NO. | SIZE | MAX RPM | THREADS |
|----------|------|---------|---------|
| GP35/8RG | 3"   | 6,000   | 5/8"-11 |
| GP45/8RG | 4"   | 6,000   | 5/8"-11 |
| GP55/8RG | 5"   | 6,000   | 5/8"-11 |
| RGSPACER |      |         | Spacer  |

#### FLEXIBLE BACKER PADS



- High-Quality Backer Pad Is Extremely Flexible
- Ideal for Tough Contours and Inside Curves
- Hook and Loop Backed
- Highly Resistant To The Rigors Of Daily Use Provides A Long Life
- Accepts Polishing Pads, Sandpaper and Felt
  Wheels

| PART NO. | SIZE | MAX RPM | THREADS |
|----------|------|---------|---------|
| GP25/8PD | 2"   | 6,000   | 5/8"-11 |
| GP35/8PD | 3"   | 6,000   | 5/8"-11 |
| GP45/8PD | 4"   | 6,000   | 5/8"-11 |
| GP55/8PD | 5"   | 6,000   | 5/8"-11 |

#### **GV BACKER PADS**



- High-Quality Backer Pad Is Rigid and Flat, But Provides Just The Right Amount Of Flexibility
- Ideal for Bullnosed Edges and Flat Surfaces.
- Hook and Loop Backed
- Accepts Polishing Pads, Sandpaper and Felt
  Wheels
- Fits On Makita® GV5000 & GV5010 Sanders

| PART NO. | SIZE | MAXIMUM RPM | DESCRIPTION  |
|----------|------|-------------|--------------|
| GV4MPPD  | 4"   | 4,500       | M8-1.25 Male |
| GV5MPPD  | 5"   | 4,500       | M8-1.25 Male |

#### ACCESSORIES

#### APRON



- D900 Oxford / PU Coated Material Makes It Waterproof
- Straps Hang The Apron On The Shoulders
- Bright Neon Yellow Color Provides Greater Visibility
- Perfect for Wet or Dry Environments
- Dual-Adjustable Clips Makes For A
   Perfect Fit
- Overall size: 48" L x 41" W

## PART NO. DESCRIPTION APRON1000 Waterproof Apron (One Size Fits All)

#### GROUND FAULT CIRCUIT INTERRUPTER



- Protect Polishing Personnel From Lethal Ground Current Loads
- Highly Recommended Piece Of Equipment
- Rated for 15 Amps

| PART NO. | DESCRIPTION                         |
|----------|-------------------------------------|
| GFCI-1   | Ground Fault Circuit<br>Interrupter |

#### SAFETY GLASSES



- Designed for Safety and Comfort
- A Lightweight Frame with Padded Temples
- Adjustable Side Arms
- Soft Rubber Nose Bridge
- Clear Anti-Scratch Lenses
- Available in a single pair or 12-pack
- Complies with standard # BS EN 166:2001

| PART NO. | DESCRIPTION                  |  |
|----------|------------------------------|--|
| 173002   | Safety Glasses (Box of 12)   |  |
| 173008   | Safety Glasses (Single Pair) |  |

## WET BLADE



- Designed To Convert A High-Speed Angle Grinder Into A Wet Tool
- Can Be Used On Most Grinders with Minimal Alterations
- Includes Water Feed Supplies, Plus GFCI

| PART NO. | DESCRIPTION              |  |
|----------|--------------------------|--|
| WBC5KIT  | Wet Blade Cutting Kit 5" |  |
| WBC6KIT  | Wet Blade Cutting Kit 6" |  |

🕗 Alpha Professional Tools



#### ACCESSORIES

#### **CORNER RULER**

LFHP

LPHP

S

#### UNIQUE TOOLS FOR FABRICATING CORNERS

- Mark, Cut and Grind The Square Corners of Glass, Tile, Stone, Steel, Plastic and Wood
- Sets Comes with Either Two Radiuses or Two 45-Degree Straight Lines
- Makes for Quick and Easy Preparation Time
- Sets Come in A Stainless Steel Case for Organization







| PART NO. | DESCRIPTION                  |
|----------|------------------------------|
| CRR1075  | Ruler Straight 3/8"+3"       |
| CRR1570  | Ruler Straight 5/8"+2-3/4"   |
| CRR2065  | Ruler Straight 3/4"+2-5/8"   |
| CRR2560  | Ruler Straight 1"+2-1/2"     |
| CRR3055  | Ruler Straight 1-1/4"+2-3/8" |
| CRR3550  | Ruler Straight 1-3/8"+2"     |
| CRR4045  | Ruler Straight 1-1/2"+1-3/4" |
| CRRSET7  | Ruler Straight Set w/Case    |
| CRS1075  | Ruler Straight 3/8"+3"       |
| CRS1570  | Ruler Straight 5/8"+2-3/4"   |
| CRS2065  | Ruler Straight 3/4"+2-5/8"   |
| CRS2560  | Ruler Straight 1"+2-1/2"     |
| CRS3055  | Ruler Straight 1-1/4"+2-3/8" |
| CRS3550  | Ruler Straight 1-3/8"+2"     |
| CRS4045  | Ruler Straight 1-1/2"+1-3/4" |
| CRSSET7  | Ruler Straight Set w/Case    |
| CRSET14  | Ruler Combo Set              |

35


#### **G-TAPE**

# 

ALL PURPOSE

All G-Tape<sup>™</sup> products feature a patented combination of solvent acrylic adhesive with an advanced backing substrate that results in unmatchable performance.





www.alpha-tools.com

#### ACCESSORIES



## Multi-Purpose Tape

Multi-Purpose Surface Protection and Repair Tape

- Hand Tearing-Straight and Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Repositionable
- Highly Weather/UV Resistant
- Good Surface Protection
- Great for Quick Repairs

| PART NO. | COLOR | SIZE      | RECOMMENDED FOR              |
|----------|-------|-----------|------------------------------|
| GT1009GR | Green | 2" x 163' | Multi-Purpose - All Surfaces |



## **Extra UV Protection**

Multi-Purpose Surface Protection and Repair Tape

- Hand Tearing-Straight and Easy
- Residue Free Removal
- · Waterproof
- All-Weather Usage (-40°F to +200°F)
- Repositionable
- Highly Weather/UV Resistant
- Good Surface Protection
- Great for Quick Repairs

| PART NO. | COLOR | SIZE      | RECOMMENDED FOR     |
|----------|-------|-----------|---------------------|
| GT1008SW | White | 2" x 163' | Extra UV Protection |



## **HVAC** Tape

Multi-Purpose Surface Protection and Repair Tape

- Perfect for Seaming and Splicing Tape for Insulation and HVAC
- Hand Tearing-Straight and Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Repositionable Without Wrinkles
- · Highly Weather/UV Resistant
- Safer tape as edge is not as sharp as aluminum foil
- Complies with ASTM E84 (UL723) : Class 1, Flame Spread Index 0, Smoke Developed Index 0

| PART NO. | COLOR  | SIZE     | RECOMMENDED FOR               |
|----------|--------|----------|-------------------------------|
| GT2010AL | Silver | 2" x 82' | HVAC and Insulation           |
|          |        |          | 💋 Alpha Professional Tools 37 |

#### ACCESSORIES



## **Caution Area Tape**

Multi-Purpose Surface Protection and Repair Tape

- Hand Tearing-Straight and Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Repositionable
  - Highly Weather/UV Resistant
  - Good Surface Protection
  - Great for Quick Repairs

| PART NO. | COLOR          | SIZE     | RECOMMENDED FOR |
|----------|----------------|----------|-----------------|
| GT1006TG | Black & Yellow | 2" x 82' | Caution Areas   |



## Acrylic Flashing Tape

High Adhesion Acrylic Flashing Tape

- Perfect Flashing for Windows, . Great Performance and Ease Doors & Deck Beams
- Hand Tearing-Straight and Easy
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Highly Weather/UV Resistant

### of Use

- Cleanly Removes from Faceto-Face Adhesive Contact
- Available as a single roll or by the case

#### \*Permanent Adhesion

| PART NO.   | COLOR | SIZE      | RECOMMENDED FOR                |
|------------|-------|-----------|--------------------------------|
| GT3040BK02 | Black | 2" x 65'  | Acrylic/Flashing- All Surfaces |
| GT3040BK04 | Black | 4" x 65'  | Acrylic/Flashing- All Surfaces |
| GT3040BK06 | Black | 6" x 65'  | Acrylic/Flashing- All Surfaces |
| GT3040BK09 | Black | 9" x 65'  | Acrylic/Flashing- All Surfaces |
| GT3040BK12 | Black | 12" x 65' | Acrylic/Flashing- All Surfaces |



38

## Surface Protection

Repositionable Waterproof Surface Protection Tape

- Protects Surfaces from Scratches, Stains and Etching
- Applicable for All Stone Faces Including Marble and Limestone
- Can Be Used for Wet and Dry applications
- Easily Mark Tape with Ball Point Pen, Permanent Marker, China Marker, etc.

| PART NO. | COLOR | SIZE      | RECOMMENDED FOR          |
|----------|-------|-----------|--------------------------|
| BAB0650  | Black | 6" x 164' | Large Surface Protection |

www.alpha-tools.com

# Index

#### A

Apron 33

#### С

Ceramica EX 28 Ceramica Metal 28 Contour 17 Corner Ruler 35

#### D

Dressing Stick 19 Dry Core Bits 24

#### Е

ECC-125 10 ECC-KIT 9 Ecoguard Type C 30 Ecoguard Type CD 31 Ecoguard Type G 31 Ecoguard Type W5 30 Electroplated Drill Bits 25 ESC-125 7

#### F

Flange Adapters 19 Flexible Backer Pad 32

#### G

Ground Fault Circuit Interrupter 33 G-Tape 36 GV Backer Pads 32

#### Н

Hand Pads 27 HEPA Wet/Dry Vacuum 34

#### κ

Katana 14

#### Р

Plus 13 Porcellana 16 Profilers B-Series 21 V-Series 22 Z-Series 21 PT Cutter 18

#### Q

Q-Cut 15 Quad 13 Quad Adapters 19

#### R

Rigid Backer Pad 32

#### S

Safety Glasses 33 Spike Ruler 19

#### V

Vacuum Brazed Trimmer Bit 25 Vetro 16 Vortex 14 VSP-320 11

#### W

Wet Blade Cutting Kit 33 Wet Core Bits 24

#### **Product Literature** Catalogs

Alpha® provides product catalogs for all products to best serve the particular needs of our customers. Catalogs are available for applications such as Hand Tooling and Large Machine Tooling, as well as for specific industries such as stone, tile, construction, industrial, automotive, composites, glass and marine.

All of our catalogs are a convenient portable of size 5.5" x 8.5", and illustrate the tools and accessories needed for Cutting, Profiling, Grinding, Drilling, Polishing and Restoring all types of materials.

To request these catalogs, or for more information about our product line, visit our website at www. alpha-tools.com or contact us at 800-648-7229.

#### ALPHA® T OL REPAIR

- Authorized repair centers available
- All tool repairs carry a 30-day warranty
- Quick turn-around time
- · Technical support for repair and maintenance
- Order replacement tool parts directly from Alpha<sup>®</sup>
- Loaner program available

Visit our website to find a local center

## Let's get social...



We are ready to connect with you on your favorite social media sites... Join Us Today!

#### 🥏 Alpha Professional Tools®

103 Bauer Drive • Oakland, NJ 07436 800-648-7229 • Fax: 800-286-0114

#### www.alpha-tools.com

Copyright © 2018 Alpha Professional Tools. All rights reserved.







TONE