

ALPHA®

TOOLS FOR

MARINE INDUSTRY

MAINTENANCE AND RESTORATION

PROVIDING BETTER
SOLUTIONS
TO THE
PROFESSIONAL



VERSION 1



WELCOME

Alpha Professional Tools® was founded in 1986 and has become a leading manufacturer of quality tools for professionals in the natural/engineered stone, porcelain, ceramic, glass, construction, marine and automotive industries. Alpha® provides the best products for cutting, drilling, shaping and polishing all types of materials.

In addition to providing the best products in the industry, Alpha Professional Tools® offers a variety of services to support their products.



*Alpha Professional Tools® product line and pricing is subject to change at any time.
Alpha® is not responsible or liable for typographical errors.*

COMPANY INFORMATION

**103 Bauer Drive
Oakland, NJ 07436**

Hours of Operation:

8:30 a.m. – 5:00 p.m. EST

Telephone Number: 201-337-3343

Toll-Free Number: 800-648-7229

Fax Number: 201-337-2216

Customer Service Fax Number: 800-286-0114

Tool Department Fax Number: 201-337-2265

Accounting Department Fax Number: 201-337-2262

E-mail orders to: orderdesk@alpha-tools.com

E-mail Spare Parts orders to: tooldesk@alpha-tools.com

Technical Support: technicalsupport@alpha-tools.com

SALES CONTACTS BY TERRITORY:

Caribbean	201-337-3343	Sales-Caribbean@alpha-tools.com
Canada	519-505-7900 / 226-931-4166 / 519-546-9861	Sales-Canada@alpha-tools.com
Central Plains	800-648-7229	Sales-CentralPlains@alpha-tools.com
Florida	786-570-4350	Sales-Florida@alpha-tools.com
International	201-337-3343	Sales-International@alpha-tools.com
Mid-Atlantic	804-382-5357	Sales-Mid-Atlantic@alpha-tools.com
Midwest	630-849-7105	Sales-Midwest@alpha-tools.com
Mountain	480-283-3729 / 602-337-3393	Sales-Mountain@alpha-tools.com
New England	860-933-6626	Sales-NewEngland@alpha-tools.com
Northern CA	925-428-1292	Sales-NorthernCA@alpha-tools.com
Northwest	510-409-9326	Sales-Northwest@alpha-tools.com
NY Metro	973-830-7681	Sales-NYMetro@alpha-tools.com
Ohio Valley	440-364-3759	Sales-OhioValley@alpha-tools.com
Pacific	800-648-7229	Sales-Pacific@alpha-tools.com
South	713-252-9851	Sales-South@alpha-tools.com
Southeast	678-977-1147	Sales-Southeast@alpha-tools.com
Southern CA	714-853-3476	Sales-SouthernCA@alpha-tools.com

Visit us on the web at:

www.alpha-tools.com

Chemical Emergency - Chemtrec:

800-424-9300

TABLE OF CONTENTS

TOOLS

GRINDERS

- PSG-125 8
- PSG-125 Diamond Cutting Kit 9
- PSG-125 Grinding Kit 9
- PSG-125 Metal Cutting Kit 9

POLISHERS

- VSP-320, Variable Speed Wet Polisher 10
- WDP-320, Wet/Dry Polisher 11
- AIR-680, Ultimate Pneumatic Polisher 12

CUT-OFF TOOLS

- COTE-04, Pneumatic Extended Cut-off Tool 13
- COTR-03, Reversible Cut-off Tool 14

SANDERS/POLISHERS

- GDSA-06, 6" Pneumatic Gear Action Sander/Polisher 15
- GDSA-08, 8" Pneumatic Gear Action Sander/Polisher 16
- GDSP-05, 5" Pneumatic Gear Action Sander/Polisher 17
- ROPS-056, 6" Palm Sander 18

STONE CUTTER

- PSC-150, Pneumatic Stone Cutter 19
- ECC-125, Ecocutter 20
- AWS-125, Wet Stone Cutter 21

CUTTING

METAL CUTTING BLADES

- Ultracut GPM Series 23
- Ultracut APR Series 23
- Ultracut ABM Series 24

DRY BLADES

- Katana 24

BLADE ACCESSORIES

- Quad Adapters 25
- Flange Adapters 25
- Dressing Stick 25

GRINDING

SURFACE GRINDING

- Spike Disc 27
- Vextra Flat Disc 28
- Ultrazip Flap Wheels 29

EDGE GRINDING

- Vexcel Rigid Disc 30

SANDING

- Vflex Sanding Disc 31
- Reznet Sanding Blocks 32

TABLE OF CONTENTS

- Reznert Sanding Screen Rolls 32
- Reznert DA Backer Pads 33
- Reznert Sanding Screen Discs 33
- Sandpaper 35
- Antique Brush Wheels 36

POLISHING

HAND POLISHING

- Diamond Face Foam Pads 38
- Microfiber Pads 39
- Wool Pads 39
- Rotary Backer Pads 40
- Ceramica Vitriified 41
- Diamond Hand Pads 42

EDGE POLISHING

- PVA MS Style 43
- PVA QC Style 44

DRY POLISHING

- PVA VP Style 45

ACCESSORIES

TRIMMER BITS

- Vacuum Brazed Trimmer Bit 47

DRILL BITS

- Electroplated Drill Bits 47

DUST-FREE GUARDS

- Ecoguard Type C 48
- Ecoguard Type W5 48
- Ecoguard Type CD 49
- Ecoguard Type G 49
- Ecoguard Type D 50
- Ecoguard Type EG 50

BACKER PADS

- Rigid Backer Pads 51
- Flexible Backer Pads 51
- GV Backer Pads 51

MISCELLANEOUS

- Apron 52
- Safety Glasses 52
- GFCI (Ground Fault Circuit Interrupter) 52
- Gloss Checker 52
- HEPA Wet/Dry Vacuum 53
- Manifold System 54
- Air Hose (AIR-680) 56
- Water Hose (AIR-680) 56
- Adapter Hose 57
- Mobile Hose 57
- Exhaust Hose 57
- G-Tape 58

TOOLS

High-performance tools,
designed for use in the
Marine industry



HIGH-PERFORMANCE PNEUMATIC GRINDER

Adjustable
rotating
exhaust

Powerful
1.4 HP motor

Oil Port

Two
auxiliary
handle
positions

**INDUSTRIAL
QUALITY**



PSG-125

PNEUMATIC GRINDER



- Powerful 1.4 HP motor with speed control governor
- Compact ergonomic aluminum body
- Reversible safety lever throttle
- Two auxiliary handle positions
- Built-in oil port for easy maintenance
- Adjustable rotating exhaust
- Wet cutting kit available
- One Year Warranty (See manual for details)

SPECIFICATION	DATA
Model	PSG-125
Air Pressure	90 PSI
Air Consumption	33 CFM / 934L/min
Speed (No load)	12,000 RPM
Weight	4.6 lbs / 2.1 kgs
Length	11-3/4" / 298mm
Air Inlet	3/8" NPT
Spindle	5/8"-11
Max. Disc Capacity	5"x1/4"x7/8"
Max. HP	1.4 HP



WBCKIT

ITEM	QUANTITY
Blade Safety Guard	1
Flange	1
Lock Nut	1
Pin Wrench	1
Double End Wrench (1" / 32mm)	1
Side Handle	1
Rust Inhibitor Oil (8oz / 237ml) (AIR-008)	1



HEPA WET/DRY VACUUM

PART NO.	SIZE	ARBOR(S)	DESCRIPTION
PSG-125	5"	5/8"-11	Pneumatic Grinder

PSG-125

DIAMOND CUTTING KIT



- Fits wide kerf blades for tuck pointing, crack chasing and grout removal
- Compact ergonomic aluminum body
- Optional water feed system available
- Reversible safety lever throttle
- Two auxiliary handle positions
- One Year Tool Warranty (*See manual for details*)

PART NO.	DESCRIPTION
5480-1301	PSG-125 Diamond Cutting Kit

PSG-125

DUST-FREE GRINDING KIT



- Great for surface preparation on concrete, metal, wood, composite or other surfaces
- Compact ergonomic aluminum body
- Powerful 1.4 HP motor with speed control governor
- Reversible safety lever throttle
- Adjustable rotating exhaust
- Removable flat cover allows grinding right to the edge
- One Year Tool Warranty (*See manual for details*)

PART NO.	DESCRIPTION
5480-1302	PSG-125 Grinding Kit

PSG-125

METAL CUTTING KIT



- Includes 5" CarBite carbide blade
- Safety guard and base plate eliminate dangerous kick-back
- Powerful 1.4 HP motor with speed control governor
- Reversible safety lever throttle
- Minimizes sparks, debris and odor
- Works on ferrous and non-ferrous metals
- One Year Tool Warranty (*See manual for details*)

PART NO.	DESCRIPTION
5480-1303	PSG-125 Metal Cutting Kit

VSP-320

VARIABLE SPEED WET POLISHER



- Heavy-Duty Gear System with Step-Down Transmission
- 15ft. Flexible All-Weather Water Hose
- 15ft. Electrical Power Cord Has An Inline GFCI
- EasyOn-EasyOff Sleeve Improves Maneuverability
- Adjustable Splash Guard
- Center Water-Feed System
- C-Handle and Side Handle for User Convenience
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	VSP-320
Rating	120 Volts
Amperage	7.0A
Power	800W
Speed (Variable)	700~2500 RPM
Weight	7.3 lbs / 3.3 kgs
Spindle	5/8"-11
Power Supply	Single-phase AC, 50/60Hz
Plug Type	A (120V)
Cord	15ft / 4.5m
Polishing Disc Size	4"

PART NO.	TYPE	DESCRIPTION
VSP-320	120V	Variable Speed Wet Polisher



ITEM	QUANTITY
Ground Fault Circuit Interrupter*	1
Flexible Hose w/ Garden Hose Adapter*	1
Wrench	1
C-Handle w/ Mounting Screws*	1
Side Handle (Reversible)	1
Extra Carbon Brush Set	1
Ventilation Cap w/ Rubber Band*	1
Splash Guard w/ Clamp	1
EasyOn-EasyOff Sleeve*	1
*Factory Attached	1

WDP-320

WET/DRY VARIABLE SPEED POLISHER



- Wet/Dry Hybrid Polisher with The Ecoguard G Attached for Tile Edge Polishing Without The Typical Mess
- Heavy-Duty Gear System Includes A Step-Down Transmission
- 15ft. Water Hose Is All-Weather Flexible & Kink-Free
- Includes Side Handle for Edge Applications
- Fits 5" Discs
- Polish or Grind Right Up To The Wall
- 15ft. Electrical Power Cord Has An Inline GFCI
- One Year Warranty (See manual for details)

ITEM	QUANTITY
Ground Fault Circuit Interrupter*	1
Water Hose Assembly*	1
Water Spray Value Assembly	1
Stainless Steel Hose Band	1
Rubber Band	1
Open End Wrench	1
Pin Wrench	1
C-Handle*	1
Side Handle (reversible)	1
Extra Carbon Brush Set	1
Rubber Hose Adapter	1
Ventilation Cap*	1
Ecoguard G*	1
Flange & Lock Nut Set	1
EasyOn-EasyOff Sleeve*	1
*Factory Attached	1

SPECIFICATION	DATA
Model	WDP-320
Rating	120 Volts
Amperage	7.0A
Power	800W
Speed (Variable)	700~2500 RPM
Weight	7.3 lbs / 3.3 kgs
Spindle	5/8"-11

PART NO.	TYPE	DESCRIPTION
WDP-320	120V	Wet/Dry Variable Speed Polisher



HEPA WET/DRY VACUUM

AIR-680

ULTIMATE PNEUMATIC POLISHER



- High-Performance, Pneumatic Polishing Tool with A Central Water-Feed System
- No-Load 4,000 RPMs
- 15ft. All-Weather Hoses with Flexibility Down To -40F (or +140F)
- Oil Port for Easy Lubrication
- Lightweight and Ergonomically Designed
- Consumes 15 CFM and Requires 85 PSI
- One Year Warranty (See manual for details)

SPECIFICATION	DATA
Model	AIR-680
Air Pressure	85 PSI
Air Consumption	15 CFM
Speed (No load)	4,000 RPM
Weight	2.64 lbs / 1.2 kgs
Air Inlet	1/4" BSPP
Water Inlet	1/8" BSPP
Spindle	5/8"-11



ITEM	QUANTITY
Air Lead Hose - (15ft. / 4.5m)	1
Water Hose - (15ft. / 4.5m)	1
Side Handle (reversible)	1
Double End Wrench (19mm / 22mm)	1
Rust Inhibitor Oil (8oz / 237ml) (AIR-008)	1
Screw (w/ O- Ring Seal for Oil Port)	1
Exhaust Hose with Clamp	1



PART NO.	MAXIMUM RPM	RECOMMENDED FOR	DESCRIPTION
AIR-680	4,000	Wet Polishing, Drilling & Profiling	Pneumatic Polisher
AIR-008	-	Pneumatic Tools	Rust Inhibitor Oil 8oz (237ml)

COTE-04

PNEUMATIC EXTENDED CUT-OFF TOOL



- Built-In Spindle Lock
- Rear Exhaust
- Built-In Cushion Grip
- Push to Adjust Safety Guard
- 11 Position Adjustable Swivel Guard (126° Adjustable Range)
- Powerful Motor (1.0 HP/0.7KW)
- One Year Warranty* (*See manual for details)

SPECIFICATION	DATA
Model	COTE-04
Free Speed	14,000 RPM
Cutting Disc Dimensions	4" / 100mm x 3/8" / 10mm
Air Inlet	1/4" NPT
Hose Size ID	3/8" / 10mm
Air Consumption	4 CFM / 113L/min
Length	14-3/4" / 377mm
Weight	3.7 lbs / 1.7 kgs

PART NO.	SIZE	MAXIMUM RPM	TYPE	ARBOR(S)
COTE-04	4"	14,000	Pneumatic	3/8" (10mm)

Includes:

ITEM	QUANTITY
Ultracut ABM 4" (Part No. ABM0438)	1
Hex. Key Wrench (4mm)	1



COTR-03

REVERSIBLE CUT-OFF TOOL



- Special Hub Allows for Left or Right Turning/Cutting Action
- Collar Operated Easy Directional Change
- Safety Throttle Lever
- Rear Exhaust
- Powerful Motor (0.85HP/0.63 KW)
- One Year Warranty* (*See manual for details)

SPECIFICATION	DATA
Model	COTR-03
Free Speed	20,000 RPM
Cutting Disc Dimensions	3" / 75mm
Air Inlet	1/4" NPT
Hose Size ID	3/8" / 10mm
Air Consumption	4 CFM / 113L/min
Length	8-1/16" / 204mm
Weight	2.0 lbs / 0.9 kgs
Noise Level	83 dB(A)
Recommended Air Pressure	90 PSI (6.2 Bar)

PART NO.	SIZE	MAXIMUM RPM	TYPE	ARBOR(S)
COTR-03	3"	20,000	Pneumatic	3/8" (10mm)

Includes:

ITEM	QUANTITY
Ultracut ABM 3" (Part no. ABM0338)	1
Double Ended Spanner (14mm-19mm)	2
Hex. Key Wrench (4mm)	1

GDSA-06

6" PNEUMATIC GEAR ACTION SANDER/POLISHER



- Low-Speed High-Torque
- Central Vacuum System
- Random Orbital Fine Polishing and Sanding
- One Year Warranty* (*See manual for details)

SPECIFICATION	DATA
Model	GDSA-06
Free Speed	900 RPM
Pad Size	6" / 152mm
Air Inlet	1/4" NPT
Hose Size ID	3/8" / 10mm
Air Consumption	3.5 CFM (99L/min)
Length	11.3/4" / 300mm
Weight	4.2 lbs / 1.9 kgs
Recommended Air Pressure	90 PSI (6.2 Bar)
Orbit Diameter	3/16" / 5mm



HEPA WET/DRY VACUUM

PART NO.	SIZE	DIAMETER	MAXIMUM RPM	TYPE	ARBOR(S)
GDSA-06	6" (152mm)	3/16 (5mm)	900	Pneumatic	3/8" (10mm)



GDSA-08

8" PNEUMATIC GEAR ACTION SANDER/POLISHER



- Low-Speed High-Torque
- Central Vacuum System
- Random Orbital Fine Polishing and Sanding
- One Year Warranty* (*See manual for details)

SPECIFICATION	DATA
Model	GDSA-08
Free Speed	900 RPM
Pad Size	8" / 203mm
Air Inlet	1/4" NPT
Hose Size ID	3/8" / 10mm
Air Consumption	3.5 CFM (99L/min)
Length	12-3/8" / 315mm
Weight	4.4 lbs / 2.0 kgs
Recommended Air Pressure	90 PSI (6.2 Bar)
Orbit Diameter	3/16" / 5mm



HEPA WET/DRY VACUUM

PART NO.	SIZE	DIAMETER	MAXIMUM RPM	TYPE	ARBOR(S)
GDSA-08	8" (203mm)	3/16 (5mm)	900	Pneumatic	3/8" (10mm)



GDSP-05

5" PNEUMATIC GEAR ACTION SANDER/POLISHER



- Low-Speed High-Torque
- Central Vacuum System
- Random Orbital Fine Polishing and Sanding
- One or Two-Handed Operation
- Lightweight
- Low Noise
- One Year Warranty* (*See manual for details)

SPECIFICATION	DATA
Model	GDSP-05
Free Speed	1,300 RPM
Pad Size	5" / 125mm
Air Inlet	1/4" NPT
Hose Size ID	3/8" / 10mm
Air Consumption	3.0 CFM (85L/min)
Length	10" / 254mm
Weight	2.2 lbs / 1.0 kgs
Recommended Air Pressure	90 PSI (6.2 Bar)
Orbit Diameter	3/16" / 5mm
Noise Level	84 dB(A)



HEPA WET/DRY VACUUM

PART NO.	SIZE	DIAMETER	MAXIMUM RPM	TYPE	ARBOR(S)
GDSP-05	5" (125mm)	3/16 (5mm)	1,300	Pneumatic	3/8" (10mm)

ROPS-056

6" PALM SANDER



- Composite Motor Housing
- Well-Balanced Design
- Low Vibration
- Lightweight
- Low Noise
- One Year Warranty* (*See manual for details)

SPECIFICATION	DATA
Model	ROPS-056
Free Speed	12,000 RPM
Pad Size	6" / 150mm
Air Inlet	1/4" NPT
Hose Size ID	3/8" / 10mm
Air Consumption	2 CFM (57L/min)
Length	7-3/4" / 196mm
Weight	1.5 lbs / 0.7 kgs
Recommended Air Pressure	90 PSI (6.2 Bar)
Orbit Diameter	3/16" / 5mm
Spindle Thread	5/16" - 24
Noise Level	7/8 dB(A)



HEPA WET/DRY VACUUM

PART NO.	SIZE	MAXIMUM RPM	TYPE
ROPS-056	6" (150mm)	12,000	Pneumatic

STONE CUTTER

PSC-150

PNEUMATIC STONE CUTTER



- 2 HP Pneumatic Powered Motor with Speed Governor
- Capable of Miter Cutting 1-1/4" Material With Ease
- Kink-Free Water and Air- Hoses for Easy Maneuverability and Reducing Operator Fatigue
- Great For Sink-Hole Cutting, Groove Cutting and Rodding Applications
- Comes With An Eclipse II 6" Blade and A Rust Inhibitor Oil
- Can Be Used Wet or Dry
- One Year Warranty* (*See manual for details)


ITEM	QUANTITY
Flanges	3
Bolts (M6X30 Left) / (M6x20 Left)	2
Side Handle	1
Combination Wrench (9mm)	1
Hex Wrench (5mm)	1
Open End Spanner Wrench (22mm)	1
Air Hose (15ft / 4.5m)	1
Water Hose (15ft / 4.5m)	1
Rust Inhibitor Oil (8oz / 237ml)	1
Alpha® Eclipse II 6" Blade (DEE006)	1
*Factory Attached	1

SPECIFICATION	DATA
Model	PSC-150
Air Pressure	90 PSI
Air Consumption Min	32 CFM / 1HP*
Air Consumption Max	48 CFM / 2HP
No Load RPM	8,500 RPM
Air Inlet	3/8" BSPP
Water Inlet	5/8"-11
Arbor	7/8" / 22mm
Max. HP	2.0
Cutting Disc Diameter	6" / 150mm
*To control the amount of CFM required, use the reduced flow air inlet fitting 3001-0084	

PART NO.	SIZE	RECOMMENDED FOR	THREADS	DESCRIPTION
PSC-150	6"	Granite/Engineered Stone	7/8"	Pneumatic Stone Cutter
DEE006	6"	2.1mm	10,100	7/8", 5/8", ∅
AIR-008		Pneumatic Tools	-	Rust Inhibitor Oil 8oz (237ml)
1030-0030	15ft	PSC-150	-	Air Hose (Flexzilla®)
1030-0031	15ft	PSC-150	-	Water Hose (Flexzilla®)

STONE CUTTER

ECC-125



ECOCUTTER

- Virtually Dust-Free
- Portable Cutting System
- Accurate Cutting Performance
- Eliminates Downtime
- Built-in In-line circuit breaker
- Great for Grout Removal, Crack Chasing & Concrete Profiling
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	ECC-125
Rating	110/220 Volts
Amperage	11.2 / 5.5
Power	1200W
Speed (Variable)	12,000 RPM
Weight	9.5 lbs / 4.3 kgs
Arbor	7/8" / 22.23mm
Cutting Diameter	5" / 125mm
Maximum Cutting Depth	1-1/8" / 29mm

ITEM	QUANTITY
Dust Hose	1
Dust Gate	1
Forward Handle	1
Hexagon Ring Spanner	1
Wrench	1
Dust Bag	1
TT Ruler	1
Hook & Loop Strap	2

PART NO.	SIZE	TYPE	ARBOR(S)	DESCRIPTION
ECC-125	5"	110V	7/8" (22.23mm)	Ecocutter
133544	17"x13-1/2 x 12"	-	-	Dust Bag w/strap
ECO-CARS	-	Steel	-	Dust Bag Carriage (includes Dust Bag)

DUST BAG CARRIAGE



STONE CUTTER

AWS-125

WET STONE CUTTER



- Produces Straight and True Cuts Everytime
- Powers Through Hard Dense Materials, Such As, Porcelain, Hard Red Granites and Engineered Stone
- Water-Feed Supply Eliminates The Harmful Dust Particles
- Base Plate Allows Guides To Be Used in Multiple Ways
- Included Self-Stick Felt Strips Protects The Work Surface From Scratches
- Great for Use with Curve Cutting Blades
- One Year Warranty* (*See manual for details)

SPECIFICATION	DATA
Model	AWS-125/AWS-225
Rating	110/220 Volts
Amperage	11.2 / 5.5
Power	1200W
Speed (Variable)	12,000 RPM
Weight	7.2 lbs / 3.3 kgs
Arbor	7/8" / 22.23mm
Cutting Diameter	5" / 125mm
Maximum Cutting Depth	1-5/8" / 41mm

ITEM	QUANTITY
Ground Fault Circuit Interrupter	1
Water Valve and Hose	1
Water Attachment Assembly	1
Spanner Wrench M22	1
TT Ruler Guide	1
T-Handle Wrench	1
TT Ruler	1
Extra Carbon Brush Set	1
Self-stick Felt Strip Set	1
Side Handle	1

PART NO.	SIZE	TYPE	ARBOR(S)	DESCRIPTION
AWS-125	5"	110V	7/8" (22.23mm)	Wet Stone Cutter
AWS-225	5"	220V	7/8" (22.23mm)	Wet Stone Cutter

CUTTING

Premium blades for all your cutting needs.



ULTRACUT GPM SERIES

VACUUM-BRAZED DIAMOND BLADE



- Cuts most materials without chipping or cracking
- Maintains excellent cutting performance at the maximum cutting depth
- Great for building contractors and fabricators who work with metal and composite materials
- Fits on most popular hand-held electric power tools
- Available in 4", 4-1/2", 5", 6", 7", 8" and 9" Sizes

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
GPM0420	4"	1.5mm	14,500	20mm, 5/8"
GPM4578	4-1/2"	1.5mm	13,200	7/8", 20mm
GPM0578	5"	1.5mm	12,200	7/8"
GPM06UN	6"	1.9mm	10,100	7/8", 5/8", \diamond
GPM07UN	7"	1.9mm	8,400	7/8", 5/8", \diamond
GPM08UN	8"	1.9mm	7,400	7/8", 5/8", \diamond
GPM0978	9"	2.2mm	6,600	7/8", 5/8"

ULTRACUT APR SERIES

HYBRID BLADE FOR INTRICATE & FLUSH CUTTING



- Unique Design for Flush Cutting Applications
- Removes Anchor Bolts, Concrete Re-Bar and Pipe From Floors and Walls
- Cuts Angle Iron, Pipe, Electrical Conduit, Re-Bar, Metal Stud, Structural Metal, Sheet Metal, Grid, and Stainless Steel, Wood, Plastics, Composite Materials, Masonry and Concrete
- Accepts Alpha® Exclusive Quad Drive Adapter for Mounting On Angle Grinders for "Flush Cutting"
- Available in 4-1/2", 5" and 7" Sizes



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
APR45QA	4-1/2"	1.7mm	13,200	20mm, Quad Drive
APR05QA	5"	1.7mm	12,200	20mm, Quad Drive
APR07QA	7"	1.9mm	8,400	20mm, Quad Drive
BAH-5/8	-	-	Brass Adapter	5/8" Threaded/Quad Drive
AAH-7/8	-	-	Aluminum Adapter	5/8" Threaded/Quad Drive
AAH-20	-	-	Aluminum Adapter	20mm Threaded/Quad Drive

ULTRACUT ABM SERIES

**EXCLUSIVELY FOR
PNEUMATIC CUT-OFF TOOLS**



- Designed for Use On Most Popular Pneumatic Cut-Off Tools
- Has Bi-Directional Rotation
- Maintains Excellent Cutting Performance and The Maximum Cutting Depth Throughout Its Life
- Perfect for Automotive Body Shops and Other Industrial Manufacturing Facilities
- Made with The Highest Quality Diamond Grits
- Cuts Angle Iron, Pipe, Electrical Conduit, Re-Bar, Metal Stud, Structural Metal, Sheet Metal, Grid, and Stainless Steel, Wood, Plastics, Composite Materials, Masonry and Concrete
- Available in 3" and 4" Sizes

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
ABM0338	3"	1.5mm	20,000	3/8" (10mm)
ABM0438	4"	1.5mm	18,000	3/8" (10mm)

DRY BLADES

KATANA

**ULTIMATE DRY BLADE
FOR ALL TILES**



- Tile Installer's Choice for Dry Cutting
- Especially Designed for Hard Porcelain Tile
- Best Dry Cutting Tile Blade with Minimal Chipping
- Hybrid Dry Saw Blade for All Tiles
- Can Be used Wet or Dry

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
DPT100	4"	1.4mm	14,500	20mm, 5/8"
DPT115	4-1/2"	1.4mm	13,200	7/8", 20mm
DPT125	5"	1.4mm	12,200	7/8"
DPT150	6"	1.4mm	10,100	7/8", 5/8",

QUAD ADAPTERS



BRASS



ALUMINUM

- Designed for Flush Cutting Blades with Four Mounting Holes
- Made Of Durable High-Quality Brass or Aluminum
- Easily Mounted To Any Quad Drive Blade
- Available in 5/8"-11, M10-1.25 and M14-2 Thread Sizes
- Comes with All Necessary Parts

PART NO.	TYPE	THREADS
AAH-7/8	Aluminum	7/8"
AAH-20	Aluminum	20mm
BAH-5/8	Brass	5/8"
BAH-M10Q	Brass	M10 - 1.25
BAH-M14	Brass	M14-2

FLANGE ADAPTERS



- Designed for Blades That Are Eight Inches or Larger with Eight Mounting Holes
- Made Of Durable High-Quality Brass or Aluminum
- Easily Mounted To Any Large Flush Cutting Blade
- Available in 5/8"-11 and M14-2 Thread Sizes
- Comes with All Necessary Parts

PART NO.	SIZE	THICKNESS
FAH-5/8	4-3/8"	1.4mm
FAH-M14	5"	1.4mm

DRESSING STICK



- Designed To Expose New Cutting Surfaces or Re-Open Glazed Diamond Blades and Grinding Wheels
- Removes Sinter Bond From Cutting Edge
- Can Be Used To Ease Sharp Corners
- Bond Type: Silicon Carbide

PART NO.	SIZE	GRIT
290006	8" x 1.5" x 1.5"	60

GRINDING

Surface Preparation at its best



SPIKE DISC

COATING REMOVAL MADE EASY



- Designed for Thick Coating Removal Of Epoxy, Urethane, Glue and Adhesives
- Unique Open-Mesh Layout Reduces Clogging and Head Build-Up
- Optimized Diamond Grits Provide A Consistent Performance
- Sandwiched-Rubber Cushioned Light-Weight Body Reduces Noise and Vibration
- Each Diamond Bead Has Multiple Diamond Grits To Maintain A Sharp Cutting Capability for A Long Time
- Can Be Used On Steel, Wood, Glass Fiber Reinforced Polymer and Carbon Fiber Reinforced Polymer.
- Available in 4-1/2", 5" and 7" with 7/8" Arbor or with 5/8"-11 Zinc Hub and A Square Arbor for Spring Load Systems
- Combine with The Ecoguard G for A Virtually Dust-Free Solution

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	GRIT
VCS4535	4-1/2"	13,200	7/8"	35
VCS453H	4-1/2"	13,200	5/8"-11	35
VCS4550	4-1/2"	13,200	7/8"	50
VCS455H	4-1/2"	13,200	5/8"-11	50
VCS5035	5"	13,200	7/8"	35
VCS503H	5"	12,200	5/8"-11	35
VCS503Q	5"	12,200	Sq Arbor	35
VCS5050	5"	12,200	7/8"	50
VCS505H	5"	12,200	5/8"-11	50
VCS7035	7"	8,400	7/8"	35
VCS703H	7"	8,400	5/8"-11	35
VCS7050	7"	8,400	7/8"	50
VCS705H	7"	8,400	5/8"-11	50



close-up of diamonds



sandwich construction


VEXTRA FLAT DISC

GENERAL PURPOSE FLAT GRINDING DISC



- Designed To Grind Steel, Stainless Steel and Non-Ferrous Metals
- Great for Removing Rust, Burrs, Mill Scale, Paint On Metal Surfaces Without Clogging The Grinding Surface
- Optimized Diamond Grits for Consistent Performance
- Sandwich Construction Reduces Noise and Vibration
- Available in 4-1/2", 5" and 7" with 7/8" Arbor or with 5/8"-11 Zinc Hub

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	GRIT
VDD4535	4-1/2"	13,200	7/8"	35
VDD453H	4-1/2"	13,200	5/8"-11	35
VDD4550	4-1/2"	13,200	7/8"	50
VDD455H	4-1/2"	13,200	5/8"-11	50
VDD4580	4-1/2"	13,200	7/8"	80
VDD458H	4-1/2"	13,200	5/8"-11	80
VDD5035	5"	12,200	7/8"	35
VDD503H	5"	12,200	5/8"-11	35
VDD5050	5"	12,200	7/8"	50
VDD505H	5"	12,200	5/8"-11	50
VDD5080	5"	12,200	7/8"	80
VDD508H	5"	12,200	5/8"-11	80
VDD7035	7"	8,400	7/8"	35
VDD703H	7"	8,400	5/8"-11	35
VDD7050	7"	8,400	7/8"	50
VDD705H	7"	8,400	5/8"-11	50
VDD7080	7"	8,400	7/8"	80
VDD708H	7"	8,400	5/8"-11	80



sandwich construction

open-mesh


ULTRAZIP FLAP WHEEL

DESIGNED FOR FAST MATERIAL REMOVAL



- Designed for Fast Removal Of Material Including Delicate Materials That May Get Damaged Using A Metal Bond Grinding Cup Wheel
- Constructed with A Combination Of Diamond and Silicon Carbide Flaps On A Reinforced Plastic Backer Pad To Offer Excellent Cost Performance
- The Flaps Are Arranged in A Dense Overlapping Layout To Provide Long Life
- The Flexibility Of The Diamond Flap Wheel Is Advantageous for Smoothing Curved Surfaces
- Can Be Used Wet or Dry
- Use At High-Speed or Low-Speed

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	GRIT	COLOR
DFW45060	4-1/2"	13,200	7/8"	60	Green
DFW45100	4-1/2"	13,200	7/8"	100	Blue
DFW45200	4-1/2"	13,200	7/8"	200	Yellow
DFW4506H	4-1/2"	13,200	5/8"-11	60	Green
DFW4510H	4-1/2"	13,200	5/8"-11	100	Blue
DFW4520H	4-1/2"	13,200	5/8"-11	200	Yellow



VEXCEL RIGID DISC

GENERAL PURPOSE RIGID GRINDING DISC



- Designed for Heavy-Duty Material Removal Applications
- Use On Cast Iron, Steel, Stainless Steel, Non-Ferrous Metals, Metal Alloys, Carbon Fiber Reinforcement Plastic (CFRP), Glass Fiber Reinforcement Plastic (GFRP), Natural and Engineered Stones
- Robust Diamond Grits for Maximum Performance
- Fluoric Rubber Backing To Reduce Noise and Vibration
- Available in 4-1/2", 5" and 7" with 7/8" Arbor or with 5/8"-11 Zinc Hub
- Highly Recommended for Grinding Of Cast Iron and Welding Beam
- Very Aggressive and A Long Life

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	GRIT
VDR4525	4-1/2"	13,200	7/8"	25
VDR452H	4-1/2"	13,200	5/8"-11	25
VDR4535	4-1/2"	13,200	7/8"	35
VDR453H	4-1/2"	13,200	5/8"-11	35
VDR4550	4-1/2"	13,200	7/8"	50
VDR455H	4-1/2"	13,200	5/8"-11	50
VDR4580	4-1/2"	13,200	7/8"	80
VDR458H	4-1/2"	13,200	5/8"-11	80
VDR5025	5"	12,200	7/8"	25
VDR502H	5"	12,200	5/8"-11	25
VDR5035	5"	12,200	7/8"	35
VDR503H	5"	12,200	5/8"-11	35
VDR5050	5"	12,200	7/8"	50
VDR505H	5"	12,200	5/8"-11	50
VDR5080	5"	12,200	7/8"	80
VDR508H	5"	12,200	5/8"-11	80
VDR7025	7"	8,400	7/8"	25
VDR702H	7"	8,400	5/8"-11	25
VDR7035	7"	8,400	7/8"	35
VDR703H	7"	8,400	5/8"-11	35
VDR7050	7"	8,400	7/8"	50
VDR705H	7"	8,400	5/8"-11	50
VDR7080	7"	8,400	7/8"	80
VDR708H	7"	8,400	5/8"-11	80

VFLEX SANDING DISC

GENERAL PURPOSE FLEXIBLE SANDING DISC



- Perfect for paint, coating, oxide and rust removal, grinding burr and chamfering on the edge of steel, stainless steel and contoured surfaces
- For use on: Cast Iron, Steel, Stainless Steel, Stone, Ceramic & Composite Materials
- Flexible Sandwich Construction Reduces Noise and Vibration
- Ideal for shaping natural/engineered stone and glass
- Available in 5" and 7" with 7/8" arbor or with 5/8"-11 zinc hub

PART NO.	SIZE	MAX RPM	ARBOR(S)	GRIT
VDF5035	5"	5,000	7/8"	35
VDF503H	5"	5,000	5/8"-11	35
VDF5050	5"	5,000	7/8"	50
VDF505H	5"	5,000	5/8"-11	50
VDF5080	5"	5,000	7/8"	80
VDF508H	5"	5,000	5/8"-11	80
VDF7035	7"	5,000	7/8"	35
VDF703H	7"	5,000	5/8"-11	35
VDF7050	7"	5,000	7/8"	50
VDF705H	7"	5,000	5/8"-11	50
VDF7080	7"	5,000	7/8"	80
VDF708H	7"	5,000	5/8"-11	80



flexible sandwich construction

REZNET

SANDING SCREEN BLOCKS



- Designed for Use with Reznet Sanding Pads
- Designed with Comfort in Mind for The Longest and Toughest Jobs
- Virtually-Dust Free Application When Used with A Vacuum
- Hook & Loop Backing
- Available in 5", 8" & 16"

PART NO.	SIZE	TYPE	BOND TYPE
RB275005	5" x 2-3/4" (125mm x 70mm)	Hook & Loop Block	Hard
RB275008	8" x 2-3/4" (200mm x 70mm)	Hook & Loop Block	Hard
RB275016	16" x 2-3/4" (400mm x 70mm)	Hook & Loop Block	Hard
VH91100	3/4" x 157-1/2" (20mm x 4m)	Hose for Sanding Blocks	-

REZNET

SANDING SCREEN ROLLS



- Unique Multi-Purpose Sanding Made with A High-Quality Abrasive Grit
- Maintains Cool Cutting During The Toughest Applications
- Use with Reznet Sanding Blocks
- Perfect for Most Materials
- Hook & Loop Backing

PART NO.	SIZE	GRIT	QTY	BOND TYPE
RS7100040	2-3/4"x10yds (70mm x 9.1m)	40	1	Aluminum Oxide
RS7100080	2-3/4"x10yds (70mm x 9.1m)	80	1	Aluminum Oxide
RS7100120	2-3/4"x10yds (70mm x 9.1m)	120	1	Aluminum Oxide
RS7100180	2-3/4"x10yds (70mm x 9.1m)	180	1	Aluminum Oxide
RS7100240	2-3/4"x10yds (70mm x 9.1m)	240	1	Aluminum Oxide
RS7100320	2-3/4"x10yds (70mm x 9.1m)	320	1	Aluminum Oxide
RS7100400	2-3/4"x10yds (70mm x 9.1m)	400	1	Aluminum Oxide

REZNET

DA BACKER PADS



- Industrial Quality Backer Pads for The Toughest Jobs
- Fits Most Popular Electric Dual-Action Sanders and Pneumatic Dual-Action Sanders
- Use with Reznet Discs and Standard Abrasive Products with A Hook & Loop System
- Creates A Virtually Dust-Free Application To Ensure A Cool Sanding Application When Used with A Vacuum
- Pur-Molded for Premium Durability and Flexibility
- Creative Dust Cover Design
- Smart Mounting System for Festool, Rupes & Makita Sanders



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	THREADS	DESCRIPTION
RDA50010	5" (125mm)	12mm	12,000	Makita® /Porter-Cable	Pattern 8+8+1
RDA60516	6" (150mm)	12mm	12,000	5/16"	Pattern 8+8+1
RDA60517	6" (150mm)	12mm	12,000	5/16"	Pattern 8+6/8+1
RDA68516	6" (150mm)	12mm	12,000	M8+5/16"	Pattern 8+8+1
RDA68517	6" (150mm)	12mm	12,000	M8+5/16"	Pattern 8+6/8+1

REZNET

SANDING SCREEN DISCS



- Unique Multi-Purpose Sanding Made with A High-Quality Abrasive Grit
- Maintains Cool Cutting During The Toughest Applications
- Designed for Dual Action/Orbital Action/Gear Action Sanders
- Comes in Packs of 50 for 5" & 6" and Packs of 10 for 8" & 9"
- Grits Available: 40, 80, 100, 120, 180, 240, 320, 400, 600, 1000, 1200, 1500, 2000 & 3000

REZNET

SANDING SCREEN DISCS

PART NO.	SIZE	TYPE	GRIT	QTY	BOND TYPE
RA500040	5"	Hook & Loop	40	50	Aluminum Oxide
RA500080	5"	Hook & Loop	80	50	Aluminum Oxide
RA050120	5"	Hook & Loop	120	50	Aluminum Oxide
RA500120	5"	Hook & Loop	180	50	Aluminum Oxide
RA500240	5"	Hook & Loop	240	50	Aluminum Oxide
RA500320	5"	Hook & Loop	320	50	Aluminum Oxide
RA500400	5"	Hook & Loop	400	50	Aluminum Oxide
RA500600	5"	Hook & Loop	600	50	Aluminum Oxide
RA501000	5"	Hook & Loop	1000	50	Aluminum Oxide
RA501200	5"	Hook & Loop	1200	50	Aluminum Oxide
RA501500	5"	Hook & Loop	1500	50	Aluminum Oxide
RA502000	5"	Hook & Loop	2000	50	Aluminum Oxide
RA503000	5"	Hook & Loop	3000	50	Aluminum Oxide
REZNET					
RA600040	6"	Hook & Loop	40	50	Aluminum Oxide
RA600080	6"	Hook & Loop	80	50	Aluminum Oxide
RA600120	6"	Hook & Loop	120	50	Aluminum Oxide
RA600180	6"	Hook & Loop	180	50	Aluminum Oxide
RA600240	6"	Hook & Loop	240	50	Aluminum Oxide
RA600320	6"	Hook & Loop	320	50	Aluminum Oxide
RA600400	6"	Hook & Loop	400	50	Aluminum Oxide
RA600600	6"	Hook & Loop	600	50	Aluminum Oxide
RA601000	6"	Hook & Loop	1000	50	Aluminum Oxide
RA601200	6"	Hook & Loop	1200	50	Aluminum Oxide
RA601500	6"	Hook & Loop	1500	50	Aluminum Oxide
RA602000	6"	Hook & Loop	2000	50	Aluminum Oxide
RA603000	6"	Hook & Loop	3000	50	Aluminum Oxide
RBP60516	6"	Double Hook Loop	-	1	Flexible Interface Pad
REZNET					
RA800040	8"	Hook & Loop	40	10	Aluminum Oxide
RA800080	8"	Hook & Loop	80	10	Aluminum Oxide
RA800120	8"	Hook & Loop	120	10	Aluminum Oxide
RA800180	8"	Hook & Loop	180	10	Aluminum Oxide
RA800240	8"	Hook & Loop	240	10	Aluminum Oxide
RA800320	8"	Hook & Loop	320	10	Aluminum Oxide
RA800400	8"	Hook & Loop	400	10	Aluminum Oxide
RA800600	8"	Hook & Loop	600	10	Aluminum Oxide
RA801000	8"	Hook & Loop	1000	10	Aluminum Oxide
RA801200	8"	Hook & Loop	1200	10	Aluminum Oxide
RA801500	8"	Hook & Loop	1500	10	Aluminum Oxide
RA802000	8"	Hook & Loop	2000	10	Aluminum Oxide
RA803000	8"	Hook & Loop	3000	10	Aluminum Oxide
REZNET					
RA900040	9"	Hook & Loop	40	10	Aluminum Oxide
RA900060	9"	Hook & Loop	60	10	Aluminum Oxide
RA900080	9"	Hook & Loop	80	10	Aluminum Oxide
RA900100	9"	Hook & Loop	100	10	Aluminum Oxide
RA900120	9"	Hook & Loop	120	10	Aluminum Oxide
RA900150	9"	Hook & Loop	150	10	Aluminum Oxide
RA900180	9"	Hook & Loop	180	10	Aluminum Oxide

SANDPAPER

CONCRETE AND MARBLE POLISHING



- Waterproof Hook and Loop Backed Silicon Carbide Abrasive
- Resists Clogging When Used Wet
- Use On Marbles and Softer Types Of Natural Stone
- Very Adaptable To Onsite Work and Easy To Use
- Can Also Be Used To Polish Glass, Metal and Wood
- Available in 4" and 5" Sizes (Boxes of 50)
- Grits Sequence of #80, #120, #240, #320, #400, #500 and #600

PART NO.	SIZE	TYPE	GRIT	QUANTITY
MP40080	4"	Hook & Loop	80	50
MP40120	4"	Hook & Loop	120	50
MP40240	4"	Hook & Loop	240	50
MP40320	4"	Hook & Loop	320	50
MP40400	4"	Hook & Loop	400	50
MP40500	4"	Hook & Loop	500	50
MP40600	4"	Hook & Loop	600	50
MP40KIT	4"	Hook & Loop	Assortment	50
MP50080	5"	Hook & Loop	80	50
MP50120	5"	Hook & Loop	120	50
MP50240	5"	Hook & Loop	240	50
MP50320	5"	Hook & Loop	320	50
MP50400	5"	Hook & Loop	400	50
MP50500	5"	Hook & Loop	500	50
MP50600	5"	Hook & Loop	600	50
MP50KIT	5"	Hook & Loop	Assortment	50

ANTIQUE BRUSH WHEELS

BRUSH WHEELS FOR TEXTURED FINISHES



- Create A Textured Finish On The Edge and Surface Of Engineered Stone/Quartz Surfaces
- Developed with TYNEX®, A Filament From Dupont, To Ensure Safety and Exceptional Performance
- Utilizes A Snail Lock Adapter (SFAT)
- Fits Most Popular Edge Polishing Machines, Hand-Held Sanders and Polishers
- Available in 4" and 5"
- Grits Sequence of #24, #36, #60, #120, #240 and #320
- Can Be Used On Other Stone Such As Granite

PART NO.	SIZE	MAXIMUM RPM	TYPE	GRIT	BOND TYPE
AB4024	4"	4,000	Snail Lock	24	Resin
AB4036	4"	4,000	Snail Lock	36	Resin
AB4060	4"	4,000	Snail Lock	60	Resin
AB4120	4"	4,000	Snail Lock	120	Resin
AB4240	4"	4,000	Snail Lock	240	Resin
AB4320	4"	4,000	Snail Lock	320	Resin
PVA-5/8	4"	4,000	Snail Lock	5/8"-11	Resin
AB5024	5"	4,000	Snail Lock	24	Resin
AB5036	5"	4,000	Snail Lock	36	Resin
AB5060	5"	4,000	Snail Lock	60	Resin
AB5120	5"	4,000	Snail Lock	120	Resin
AB5240	5"	4,000	Snail Lock	240	Resin
AB5320	5"	4,000	Snail Lock	320	Resin
SFAT-5/8	5"	4,000	Snail Lock	5/8"-11	Resin

POLISHING

Full range of Superior Wet and Dry Diamond polishing pads



DIAMOND FACE FOAM PADS

DESIGNED FOR BOTH
ROTARY & DA POLISHER



DIAMOND FACE FOAM PADS

- DESIGNED FOR BOTH ROTARY & DA POLISHERS
- REDUCED POLISH SPLASH AND HEAT BUILD-UP
- SMOOTHER HANDLING AND REDUCED VIBRATION
- CAN WITHSTAND HIGH TEMPERATURES AND WATER WASH
- GREAT FOR USE ON SCRATCH RESISTANT/CERAMIC PAINTS

PART NO.	SIZE	TYPE	COLOR	RECOMMENDED FOR	GRIT
FPG04120	4"x1"	Hook & Loop	Green	Heavy Cutting	T120
FPG06120	6"x1"	Hook & Loop	Green	Heavy Cutting	T120
FPG07120	7"x1"	Hook & Loop	Green	Heavy Cutting	T120
FPY04080	4"x1"	Hook & Loop	Yellow	High Cutting	T80
FPY06080	6"x1"	Hook & Loop	Yellow	High Cutting	T80
FPY07080	7"x1"	Hook & Loop	Yellow	High Cutting	T80
FPB04020	4"x1"	Hook & Loop	Black	Polishing/Finishing	T20
FPB06020	6"x1"	Hook & Loop	Black	Polishing/Finishing	T20
FPB07020	7"x1"	Hook & Loop	Black	Polishing/Finishing	T20
FPR04010	4"x1"	Hook & Loop	Red	Finishing-Gloss	T10
FPR06010	6"x1"	Hook & Loop	Red	Finishing-Gloss	T10
FPR07010	7"x1"	Hook & Loop	Red	Finishing-Gloss	T10

MICROFIBER PADS

RESTORES SURFACE TO MIRROR GLOSS FINISH



- Restores Surface to Mirror Gloss Finish
- Made of 100% Nano Microfiber
- For Use on DA Polishers

PART NO.	SIZE	TYPE	RECOMMENDED FOR	THREADS	GRIT
MF003T05	3"	Hook & Loop	Light Scratches	Microfiber	T05
MF005T05	5"	Hook & Loop	Light Scratches	Microfiber	T05
MF006T05	6"	Hook & Loop	Light Scratches	Microfiber	T05

WOOL PADS

REMOVES DEEP SCRATCHES WITH EASE



- Removes Deep Scratches, Overspray & Severe Swirl Marks With Ease
- Premium Performance and Heat-Resistant
- Smoother Handling and Reduced Vibration
- For Use on Rotary Polishers
- Great for Heavy Oxidation

PART NO.	SIZE	TYPE	RECOMMENDED FOR	THREADS	GRIT
WP003160	3"	Hook & Loop	Deep Scratches	High-Nap Knitted Wool	T160
WP006160	6"	Hook & Loop	Deep Scratches	High-Nap Knitted Wool	T160
WP007160	7"	Hook & Loop	Deep Scratches	High-Nap Knitted Wool	T160


ROTARY BACKER PAD

FOR USE ON ROTARY POLISHERS



- Soft Molded Urethane With Flexible Edge
- Urethane Backing Makes for Greater Flexibility and Excellent Polishing
- Ideal for Contour Polishing
- For Use with Foam, Wool & Microfiber Pads
- Hook & Loop Allows for Fast Pad Changes
- Well Balanced for Smooth Polishing
- Absorbs Vibrations and Has Great Rebound Performance

PART NO.	SIZE	TYPE	RECOMMENDED FOR	THREADS
MP358HL	3"	Hook & Loop	Foam, Wool & Microfiber Pads	5/8"-11
MP558HL	5"	Hook & Loop	Foam, Wool & Microfiber Pads	5/8"-11
MP658HL	6"	Hook & Loop	Foam, Wool & Microfiber Pads	5/8"-11
MP858HL	8"	Hook & Loop	Foam, Wool & Microfiber Pads	5/8"-11
MP858GL	8"	Adhesive	Foam, Wool & Microfiber Pads	5/8"-11



CERAMICA VITRIFIED

PREPARATION STAGE FOR POLISHING



- Designed To Handle The Hard Job Of Removing Saw and Grinding Marks
- Ideal for The Bullnose or Profiled Edge
- Fabricators Love The Aggressiveness, Ease Of Use and Long Life
- Excellent Results On A Consistent Basis
- Available in 60, 150 and 300 Grits
- Cost-Effective Investment



PART NO.	SIZE	MAXIMUM RPM	TYPE	GRIT	COLOR
GP30060V	3"	4,000	Hook & Loop	60	Blue
GP30150V	3"	4,000	Hook & Loop	150	Yellow
GP30300V	3"	4,000	Hook & Loop	300	Orange
GP40060V	3"	4,000	Hook & Loop	60	Blue
GP40150V	3"	4,000	Hook & Loop	150	Yellow
GP40300V	3"	4,000	Hook & Loop	300	Orange
GP50060V	3"	4,000	Hook & Loop	60	Blue
GP50150V	3"	4,000	Hook & Loop	150	Yellow
GP50300V	3"	4,000	Hook & Loop	300	Orange

DIAMOND HAND PADS

HAND POLISHING PADS



- Convenient, On-Site Polishing, On Materials
- Use On Glass, Ceramics, Marble, Granite, Concrete, Terrazzo and Quartz Surfaces
- Two Bond Types To Provide The Best Possible Finish
- Available in Electroplated and Resin Grits
- Grits Range From #60 To #3000

ELECTROPLATED GRITS:

This type of pad uses nickel plating technology to hold each individual diamond in place and is available in 60, 150, 300 and 500 grits.



RESIN GRITS:

This type has a finer diamond grit than electroplated pads. The resin bond is coated on a special backing material and is available in 1000, 2000 and 3000 grits best suited for honing to polishing.



PART NO.	GRIT	COLOR	BOND TYPE
DHP0060	60	Blue	Electroplated
DHP0150	150	Yellow	Electroplated
DHP0300	300	Orange	Electroplated
DHP0500	500	Red	Electroplated
DHP1000	1000	Dark Green	Resin
DHP2000	2000	Light Green	Resin
DHP3000	3000	Brown	Resin
DHPKIT	—	—	Set of All 7

PVA MS STYLE

MARBLE EDGE POLISHING SYSTEM



ALSO AVAILABLE
IN SINGLE PACK

- Best Polishing Solution for Glass Tile
- Ideal for Baseboard, Corner and Countertop Edge Applications
- Fast Working, Long Lasting At An Affordable Price
- 4" Discs Can Also Be Used for Paint Removal, As The Material Will Not Clog
- Works Well On Most Common High-Speed Grinders
- Grits Range From Extra Coarse To Extra Fine
- Available with A 5/8"-11 Arbor
- Very Effective On Contours, Edges and Irregular Surfaces
- Polishes Stainless Steel to a mirror-like finish



PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	FINISH	GRIT	QUANTITY
PVAMSW	4"	12,000	5/8"	Extra Coarse	40	10
PVAMSR	4"	12,000	5/8"	Coarse	80	10
PVAMSB	4"	12,000	5/8"	Medium	220	10
PVAMSG	4"	12,000	5/8"	Fine	400	10
PVAMSY	4"	12,000	5/8"	Extra Fine	600	10
PVAMSK	4"	12,000	5/8"	Assortment	All	10
SPVAMSW	4"	12,000	5/8"	Extra Coarse	40	1
SPVAMSR	4"	12,000	5/8"	Coarse	80	1
SPVAMSB	4"	12,000	5/8"	Medium	220	1
SPVAMSG	4"	12,000	5/8"	Fine	400	1
SPVAMSY	4"	12,000	5/8"	Extra Fine	600	1

PVA QC STYLE

MARBLE EDGE POLISHING SYSTEM



ALSO AVAILABLE
IN SINGLE PACK



5 pieces per box



- Best Polishing Solution for Glass Tile
- Ideal for Baseboard, Corner and Countertop Edge Applications
- "Quick Change" Process Saves Time, Increases Productivity
- Works Well On Most Common Low Speed Polishing Tools
- 4" Discs Can Also Be Used for Paint Removal, As The Material Will Not Clog
- Fast Working, Long Lasting At An Affordable Price
- Grits Range From Extra Coarse To Extra Fine
- Polishes Stainless Steel To A Mirror-Like Finish

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	FINISH	GRIT	QUANTITY
PVAQCW	4"	4,000	5/8"	Extra Coarse	40	10
PVAQCR	4"	4,000	5/8"	Coarse	80	10
PVAQCB	4"	4,000	5/8"	Medium	220	10
PVAQCG	4"	4,000	5/8"	Fine	400	10
PVAQCY	4"	4,000	5/8"	Extra Fine	600	10
PVAQCK	4"	4,000	5/8"	Assortment	All	10
SPVAQCW	4"	4,000	5/8"	Extra Coarse	40	1
SPVAQCR	4"	4,000	5/8"	Coarse	80	1
SPVAQCB	4"	4,000	5/8"	Medium	220	1
SPVAQCG	4"	4,000	5/8"	Fine	400	1
SPVAQCY	4"	4,000	5/8"	Extra Fine	600	1
PVA-5/8	4"	4,000				

PVA VP STYLE

MARBLE EDGE POLISHING SYSTEM



- Designed To Polish Stone, Ceramics, Metals and Woods
- Can Be Used On Polishers, Sanders and Grinders At Any RPM
- Recommended for Paint, Coating, Mill Scale and Rust Removal
- Versatile, High-Speed and Long Lasting
- 4-1/2" Discs Do Not Clog
- Formulated with A Silicon Carbide Abrasive and A Polyvinyl Alcohol Bond
- Grits Range From Extra Coarse To Extra Fine
- Available with A Straight 7/8" Arbor or A 5/8"-11 Disposable Zinc Hub

PVA VP POLISHING DISC
WITHOUT HUB



PVA VP POLISHING DISC
WITH HUB



PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	FINISH	GRIT	QUANTITY
SPVA45W	4-1/2"	13,200	7/8"	Extra Coarse	40	1
SPVA45R	4-1/2"	13,200	7/8"	Coarse	80	1
SPVA45B	4-1/2"	13,200	7/8"	Medium	220	1
SPVA45G	4-1/2"	13,200	7/8"	Fine	400	1
SPVA45Y	4-1/2"	13,200	7/8"	Extra Fine	600	1
SPVA45WH	4-1/2"	13,200	5/8"-11	Extra Coarse	40	1
SPVA45RH	4-1/2"	13,200	5/8"-11	Coarse	80	1
SPVA45BH	4-1/2"	13,200	5/8"-11	Medium	220	1
SPVA45GH	4-1/2"	13,200	5/8"-11	Fine	400	1
SPVA45YH	4-1/2"	13,200	5/8"-11	Extra Fine	600	1

ACCESSORIES

Exclusively from Alpha® for the most popular tools



VACUUM BRAZED TRIMMER BIT

DRY CUTTING OF LARGE HOLES OR CURVED LINES



- Great For Use In Construction Trades Wherever Non-Standard Shaped Cutouts
- Perfect For Electrical Receptacles, Water-Valve Holes, Drains, Shower Knobs, Etc.
- Vacuum Brazed Technology Provides An Extended Life
- Use On Granites, Engineered And Natural Stones, Porcelain And Ceramic Tiles
- Can Be Used Wet Or Dry
- Fits On A High-Speed Trimmer Tools

PART NO.	DIAMETER	MAXIMUM RPM
DTB00250	1/4"	33,000

ELECTROPLATED DRILL BITS

PREMIUM DRILL BITS FOR ANCHOR HOLES



- Designed for Drilling Holes in Tile and Stone for Pre-Installation or Post-Installation Placement
- Works Great On Marble, Granite, Engineered Stone, Ceramic, Porcelain and Glass Tile and Panels
- Can Be Used On A Standard 3/8" or Larger Drill
- Can Fit On Water-Fed Polishers with 5/8"-11 Spindles Using The Drill Bit Adapter
- Ideal for Drilling Holes for Anchors for Bathroom Fixtures, Faucet and Plumbing Pipes
- Available in 3/16", 1/4", 5/16", 3/8", 1/2", 1-3/8" and 1-1/2" Sizes
- A Must-Have for The Tile Installer's Tool Box

PART NO.	DIAMETER	MAXIMUM RPM	TYPE
CH7205	3/16"	3,500	3/8" Shank
CH7206	1/4"	3,500	3/8" Shank
CH7208	5/16"	3,500	3/8" Shank
CH7210	3/8"	3,500	3/8" Shank
CH7212	1/2"	3,500	3/8" Shank
CH7235	1-3/8"	3,500	3/8" Shank
CH7240	1-1/2"	3,500	3/8" Shank
CH1058	-	-	Adapter 10mm to 5/8"*

*(for all polishers)

ECOGUARD TYPE C

HYBRID DUST COLLECTION COVER FOR CUTTING



- Designed for Collecting Dust When Using A High-Speed Angle Grinder
- Accepts Up To 5" Diameter Blades
- Can Be Used with or Without A Vacuum
- Rugged Construction for Heavy-Duty Applications
- More Than 90% Of Dust Removal Rate
- Fits On Selected 4-1/2" - 5" High-Speed Angle Grinders
- Straight Precise Cuts Using Foot Plate
- Adjustable Cutting Depth

PART NO.	SIZE	DESCRIPTION
ECOGRDCT	5"	Dust Collection Cover Type C
201549	-	Dust Bag
500026	18"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")

ECOGUARD TYPE W5

DUST COLLECTION COVER FOR WIDER KERF CUTTING



Type C



Type W5

- Designed for Collecting Debris When Using A High-Speed Angle Grinder
- Perfect for Tuckpointing and Crack Chasing
- Accepts Up To 5" Diameter Blades
- More Than 90% Of Dust Removal Rate
- Rugged Construction for Heavy-Duty Applications
- Straight Precise Cuts Using Foot Plate
- Easy Installation and Blade Changes
- Fits On Selected 4-1/2" and 5" High-Speed Angle Grinders
- Adjustable Cutting Depth
- Must Be Used with A Vacuum

PART NO.	SIZE	DESCRIPTION
ECOGRDW5	5"	Dust Collection Cover Type C
500026	18"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
ECOW5KIT	5"	Ecoguard W5 & Connector Hose Kit

ECOGUARD TYPE CD

DUST AND WATER GUARD FOR CORE DRILLING



- Wet/Dry Shroud for Drilling and Core Drilling Applications
- Fits Most Vacuum Dust Hoses
- Contains Dust and Water When Drilling with Up To A 2-1/2" Bit
- Can Be Secured On Horizontal and Vertical Surfaces with Vacuum During
- Cost-Effective Dust Removal Solution
- Prevents Splashing When Used with Water

PART NO.	SIZE	RECOMMENDED FOR	DESCRIPTION
ECOGRDCC	5"	Core Drilling	Dust Collection Cover Type CD

ECOGUARD TYPE G

DUST COLLECTION COVER FOR GRINDING



- Designed for Collecting Dust When Using A High-Speed Angle Grinder
- Accepts Up To 5" Diameter Grinding Wheels
- Rugged Construction for Heavy-Duty Applications
- More Than 90% Of Dust Removal Rate
- Perfect for Grinding and Sanding Concrete or Surface Preparation Work
- Removable Cover Allows Grinding To The Edge
- Clear Cover for Better Visibility
- Easy Installation and Wheel Changes
- Fits On Selected 4-1/2"- 5" High-Speed Angle Grinders
- Must Be Used with A Vacuum

PART NO.	SIZE	DESCRIPTION
ECOGRDGR	5"	Dust Collection Cover Type G
500026	18"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
ECOGKIT	5"	Ecoguard G & 18" Connector Hose Kit

ECOGUARD TYPE D

DUST AND WATER GUARD FOR CORE DRILLING



- Collects Dust & Debris with Ease While Using Drills/ Hammer Drills
- Convenient and Easy to Use
- Eliminates Clean-Up and Downtime on the Jobsite
- Fits Most Popular Drills and Hammer Drills
- Made for: Makita® BHR202Z, Bosch RHH180, DeWalt DCH253, Milwaukee 2605-20, Hilti TE4-A18



Optional Side Handle

PART NO.	SIZE	RECOMMENDED FOR	DESCRIPTION
ECOGRDDL	≥ 6"	Long Drill Bits	Dust Collection Cover Type DL
ECOGRDDS	≤ 6"	Short Drill Bits	Dust Collection Cover Type DS
803172	-	Ecoguard Type D	Universal Handle for Hammer Drills

ECOGUARD TYPE EG

DUST COLLECTION COVER FOR LARGER GRINDERS



- Efficient, Side Pick-Up Design for Dust Shrouds
- Eliminates The Problem Of Pinching Off The Hose Clamp
- Adapts To Both 1" and 1-1/2" Hoses
- Over 2" Of Vertical Adjustment
- Flexible To -20°F and Will Not Crack
- Fits Most Grinders



PART NO.	SIZE	DESCRIPTION
ECOGRDEG	8"	Dust Collection Cover Type EG

RIGID BACKER PADS



- High-Quality Backer Pad Is Super Rigid and Flat
- Eliminates The Wavy Finish When Polishing
- Hook and Loop Backed
- The Rigidness Of The Pad Enables Work in Small Areas Such As Corners or Staircases
- Accepts Polishing Pads, Sandpaper and Felt Wheels

PART NO.	SIZE	MAX RPM	THREAD
GP35/8RG	3"	6,000	5/8"-11
GP45/8RG	4"	6,000	5/8"-11
GP55/8RG	5"	6,000	5/8"-11
GP3M14RG	3"	6,000	M14
GP4M14RG	4"	6,000	M14
GP5M14RG	5"	6,000	M14
GP3M16RG	3"	6,000	M16
GP4M16RG	4"	6,000	M16
GP5M16RG	5"	6,000	M16
RGSPACER	-	-	Spacer

FLEXIBLE BACKER PADS



- High-Quality Backer Pad Is Extremely Flexible
- Ideal for Tough Contours and Inside Curves
- Hook and Loop Backed
- Highly Resistant To The Rigors Of Daily Use Provides A Long Life
- Accepts Polishing Pads, Sandpaper and Felt Wheels

PART NO.	SIZE	MAX RPM	THREAD
GP25/8PD	2"	6,000	5/8"-11
GP35/8PD	3"	6,000	5/8"-11
GP45/8PD	4"	6,000	5/8"-11
GP55/8PD	5"	6,000	5/8"-11
GP3M14PD	3"	6,000	M14
GP4M14PD	4"	6,000	M14
GP5M14PD	5"	6,000	M14
GP3M16PD	3"	6,000	M16
GP4M16PD	4"	6,000	M16
GP5M16PD	5"	6,000	M16

GV BACKER PADS



- High-Quality Backer Pad Is Rigid and Flat, But Provides Just The Right Amount Of Flexibility
- Ideal for Bullnosed Edges and Flat Surfaces.
- Hook and Loop Backed
- Accepts Polishing Pads, Sandpaper and Felt Wheels
- Fits On Makita® GV5000 Sander

PART NO.	SIZE	MAXIMUM RPM	DESCRIPTION
GV4MPPD	4"	4,500	M8-1.25 Male
GV5MPPD	5"	4,500	M8-1.25 Male

ACCESSORIES

APRON



- D900 Oxford / PU Coated Material Makes It Waterproof
- Straps Hang The Apron On The Shoulders
- Bright Neon Yellow Color Provides Greater Visibility
- Perfect for Wet or Dry Environments
- Reduces Fatigue When Used for Long Hours Compared with Traditional Styles

PART NO.	DESCRIPTION
APRON1000	Waterproof Apron (One Size Fits All)

SAFETY GLASSES



- Designed for Safety and Comfort
- A Lightweight Frame with Padded Temples
- Adjustable Side Arms
- Soft Rubber Nose Bridge
- Clear Anti-Scratch Lenses
- Available in a single pair or 12-pack
- Complies with standard # BS EN 166:2001

PART NO.	DESCRIPTION
173002	Safety Glasses (Box of 12)
173008	Safety Glasses (Single Pair)

GROUND FAULT CIRCUIT INTERRUPTER



- Protect Polishing Personnel From Lethal Ground Current Loads
- Highly Recommended Piece Of Equipment
- Rated for 15 Amps

PART NO.	DESCRIPTION
GFCI-1	Ground Fault Circuit Interrupter

GLOSS CHECKER



- Portable Gloss Meter Designed To Measure The Reflective Index Of Light
- Enables Quick, Accurate Measurements Of Gloss On Flat, Polished Surfaces
- Ensures Quality Control and Assists Setting Standards
- Detachable Meter for Difficult To Reach Areas

PART NO.	DESCRIPTION
IG-331	Gloss Meter

HEPA WET/DRY VACUUM



- Designed for use on Non-Metallic Surfaces such as Wood, Plastic, Paint, Concrete and Other Natural and Engineered Stones
- Excellent for General Source Capture and Wet or Dry Cleanup
- 80" Water Lift
- 95 CFM Air Flow Rate
- Vacuum Starts Automatically With Startup of Tool Whether Electric or Pneumatic
- Heavy Duty Stainless Steel Canister With 15 Gallon (60 Liters) Capacity
- Include HEPA Filter to Remove Up to 0.3 Micron Particle at 99.95% Efficiency
- Equipped With Easy-Glide Cart
- 10 feet x 1-1/2 inch Crushproof Hose
- All Floor Cleaning Accessories Are Included
- Equipped With Cargo Basket for Tools and Consumables

PART NO.	SIZE	TYPE	DESCRIPTION
HWD1120	15-Gal	120V	HEPA Wet/Dry Vacuum
HWD1240	15-Gal	240V	HEPA Wet/Dry Vacuum




MANIFOLD SYSTEM

FILTER REGULATOR
MANIFOLD SYSTEMS

Can be easily
CUSTOMIZED
to your shop
requirements!

- Protects Your Tools From Contaminants
- Helps Prevent Pressure Drops When Using A Large Volume Of Air
- Adapts To The Existing Shop Piping and Increases The Life Of The Tools
- Makes It Easy To Get The Maximum Performance From Your Pneumatic Tools
- Comes in Two Sizes (53 CFM and 106 CFM)



Also available with 3 couplers




1 Complete System

PART NO	DESCRIPTION	ADAPTER BLOCK	CFM	PORT	PLUGS INCLUDED
1030-0021	3/8" Filter/Regulator Manifold	3/8" NPT	53	3 Couplers	(3) 1/4" Female NPT
1030-0022	3/8" Filter/Regulator Manifold	1/2" NPT	53	3 Couplers	(3) 1/4" Female NPT
1030-0023	1/2" Filter/Regulator Manifold	1/2" NPT	106	4 Couplers	(3) 1/4" Female NPT + (1) 3/8" Female NPT
1030-0024	1/2" Filter/Regulator Manifold	3/4" NPT	106	4 Couplers	(3) 1/4" Female NPT + (1) 3/8" Female NPT

Filter/Regulator

MANIFOLD SYSTEM



2 Filter/Regulator Kits


PART NO	DESCRIPTION
1030-0070	3/8" F/R 53 CFM 3/8" in 3/8" out
1030-0071	3/8" F/R 53 CFM 1/2" in 3/8" out
1030-0072	3/8" F/R 53 CFM 1/2" in 1/2" out
1030-0073	1/2" F/R 106 CFM 1/2" in 1/2" out
1030-0074	1/2" F/R 106 CFM 3/4" in 1/2" out
1030-0075	1/2" F/R 106 CFM 3/4" in 3/4" out

HOSES

- All-Weather Flexibility From -40°F to +200°F
- Kink-Free Under Pressure
- Lightweight and Abrasion Resistant
- Zero Memory Allowing It To Lay-Flat
- Made Of A Premium Hybrid Polymer Material
- Comes in Many Lengths
- Pneumatic and Water Hoses Available
- Many Connectors Available



AIR HOSE (FOR AIR-680)




PART NO.	SIZE	DIAMETER	THREADS
1030-0002	15ft./4.5m	1/4"	1/4" NPSM x 1/4" NPT Male
1030-0010	20ft./6.0m	1/4"	1/4" NPSM x 1/4" NPT Male

Available Hose sizes: 25ft, 30ft, 35ft & 40ft. Call for Custom sizes or for more information.




WATER HOSE (FOR AIR-680)



PART NO.	SIZE	DIAMETER	THREADS
1030-0003	15ft./4.5m	1/4"	1/8" NPSM x 3/4" 11-1/2" GHT
1030-0011	20ft./6.0m	1/4"	1/8" NPSM x 3/4" 11-1/2" GHT

Available Hose sizes: 25ft, 30ft, 35ft & 40ft. Call for Custom sizes or for more information.

MANIFOLD SYSTEMS



ADAPTER HOSE
(FOR MANIFOLD SYSTEMS)



PART NO.	SIZE	DIAMETER	THREADS
1030-0025	1ft./0.3m	1/2"	1/2" NPT Swivel
1030-0026	2ft./0.6m	1/2"	1/2" NPT Swivel
1030-0027	3ft./0.9m	1/2"	1/2" NPT Swivel

MOBILE HOSE
(FOR MANIFOLD SYSTEMS)



PART NO.	SIZE	DIAMETER	THREADS
1030-0050	15ft./4.5m	1/2"	1/2" NPT Swivel w/Hose Protector
1030-0052	20ft./6.0m	1/2"	1/2" NPT Swivel w/Hose Protector

Available Hose sizes: 25ft, 30ft, 35ft & 40ft....Custom sizes also available. Call for more information.


EXHAUST HOSE
(SPECIALTY)



PART NO.	SIZE	DIAMETER	THREADS
VH91100	12ft./3.6m	3/4"	1-1/4" O.D. threaded x 2-1/4" standard

G-TAPE

MULTI-PURPOSE, HARD SURFACE PROTECTION AND REPAIR TAPE



Features:

- Hand Tearing-Straight & Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Repositionable
- Highly Weather/UV Resistant
- Good Surface Protection
- Great for Quick Repairs

PART NO.	COLOR	SIZE	RECOMMENDED FOR
GT1009GR	Green	2" x 163'	Multi-Purpose - All Surfaces
GT1008SW	White	2" x 163'	Extra UV Protection
GT1006TG	Black & Yellow	2" x 82'	Caution Areas
BAB0650	Black	6" x 164'	Large Surface Protection

MULTI-PURPOSE APPLICATIONS



Index

A

Adapter Hose 57
AIR-680 12
Apron 52
AWS-125 21

D

Dressing Stick 25

E

ECC-125 20
Ecoguard Type C 48
Ecoguard Type CD 49
Ecoguard Type G 49
Ecoguard Type W5 48
Electroplated Drill Bits 47
Exhaust Hose 57

F

Flange Adapters 25
Flexible Backer Pad 51

G

Ground Fault
Circuit Interrupter 52
G-Tape 58
GV Backer Pads 51

H

HEPA Wet/Dry Vacuum 53
Hoses 56

K

Katana 24

M

Manifold System 55
Manifold System 54
Mobile Hose 57

P

PSG-125 7
Diamond Cutting Kit 9
Dust-Free Grinding Kit 9
Metal Cutting Kit 9

Q

Quad Adapters 25

R

Reznet
DA Backer Pads 33
Sanding Screen Blocks 32
Sanding Screen Discs 33
Sanding Screen Rolls 32
Rigid Backer Pad 51

S

Safety Glasses 52
Spike Disc 27

U

Ultracut
ABM Series 24
APR Series 23
GPM Series 23
Ultrazip Flap Wheel 29

V

Vacuum Brazed
Trimmer Bit 47
Vexcel Rigid Disc 30
Vextra Flat Disc 28
Vflex Sanding Disc 31
VSP-320 10

W


WDP-320 11

Product Literature Catalogs

Alpha® provides product catalogs for all products to best serve the particular needs of our customers. Catalogs are available for applications such as Hand Tooling and Large Machine Tooling, as well as for specific industries such as stone, tile, construction, industrial, automotive, composites, glass and marine.

All of our catalogs are a convenient portable of size 5.5" x 8.5", and illustrate the tools and accessories needed for Cutting, Profiling, Grinding, Drilling, Polishing and Restoring all types of materials.

To request these catalogs, or for more information about our product line, visit our website at www.alpha-tools.com or contact us at 800-648-7229



ALPHA® TOOL REPAIR

- Authorized repair centers available
- All tool repairs carry a 30-day warranty
- Quick turn-around time
- Technical support for repair and maintenance
- Order replacement tool parts directly from Alpha®
- Loaner program available



Eastern USA	Western USA
Alpha Professional Tools® 103 Bauer Drive Oakland, New Jersey 07436 Phone #: (800) 648-7229 ext. 240 E-mail: tooldesk@alpha-tools.com	A1 Industrial & eReplacementParts.com 7036 South High Tech Drive Midvale, UT 84047 Phone #: 801-285-7232 E-mail: dale@ereplacementparts.com



103 Bauer Drive • Oakland, NJ 07436
 800-648-7229 • Fax: 800-286-0114

www.alpha-tools.com

