

ALPHA®

TOOLS FOR
TILE & STONE
CONTRACTORS

CUTTING, PROFILING & POLISHING

PROVIDING BETTER
SOLUTIONS
TO THE
PROFESSIONAL



VERSION 1



WELCOME

Alpha Professional Tools® was founded in 1986 and has become a leading manufacturer of quality tools for professionals in the natural/engineered stone, porcelain, ceramic, glass, construction, marine and automotive industries. Alpha® provides the best products for cutting, drilling, shaping and polishing all types of materials.

In addition to providing the best products in the industry, Alpha Professional Tools® offers a variety of services to support their products.



*Alpha Professional Tools® product line and pricing is subject to change at any time.
Alpha® is not responsible or liable for typographical errors.*

COMPANY INFORMATION

**103 Bauer Drive
Oakland, NJ 07436**

Hours of Operation:

8:30 a.m. – 5:00 p.m. EST

Telephone Number: 201-337-3343

Toll-Free Number: 800-648-7229

Fax Number: 201-337-2216

Customer Service Fax Number: 800-286-0114

Tool Department Fax Number: 201-337-2265

Accounting Department Fax Number: 201-337-2262

E-mail orders to: orderdesk@alpha-tools.com

E-mail Spare Parts orders to: tooldesk@alpha-tools.com

Technical Support: technicalsupport@alpha-tools.com

SALES CONTACTS BY TERRITORY:

Caribbean	201-337-3343	Sales-Caribbean@alpha-tools.com
Canada	519-505-7900 / 226-931-4166 / 519-546-9861	Sales-Canada@alpha-tools.com
Central Plains	800-648-7229	Sales-CentralPlains@alpha-tools.com
Florida	786-570-4350	Sales-Florida@alpha-tools.com
International	201-337-3343	Sales-International@alpha-tools.com
Mid-Atlantic	804-382-5357	Sales-Mid-Atlantic@alpha-tools.com
Midwest	630-849-7105	Sales-Midwest@alpha-tools.com
Mountain	480-283-3729 / 602-337-3393	Sales-Mountain@alpha-tools.com
New England	860-933-6626	Sales-NewEngland@alpha-tools.com
Northern CA	925-428-1292	Sales-NorthernCA@alpha-tools.com
Northwest	510-409-9326	Sales-Northwest@alpha-tools.com
NY Metro	973-830-7681	Sales-NYMetro@alpha-tools.com
Ohio Valley	440-364-3759	Sales-OhioValley@alpha-tools.com
Pacific	800-648-7229	Sales-Pacific@alpha-tools.com
South	713-252-9851	Sales-South@alpha-tools.com
Southeast	678-977-1147	Sales-Southeast@alpha-tools.com
Southern CA	714-853-3476	Sales-SouthernCA@alpha-tools.com

Visit us on the web at:

www.alpha-tools.com

Chemical Emergency - Chemtrec:

800-424-9300

TOOLS

STONE CUTTER

- PSC-150, Pneumatic Stone Cutter2
- ECC-125, Ecocutter3
- AWS-125, Wet Stone Cutter.....4
- AWS-110, Wet Stone Cutter5

GRINDERS

- PSG-125.....7
- PSG-125 Diamond Cutting Kit8
- PSG-125 Grinding Kit8
- PSG-125 Metal Cutting Kit8

POLISHERS

- VDP-700 Variable Speed Rotary Polisher9
- VSP-320, Variable Speed Wet Polisher11
- WDP-320, Wet/Dry Polisher12
- AIR-680, Ultimate Pneumatic Polisher13
- AIR-300, Mini Pneumatic Polisher14

CUTTING

- Cutting System Overview16

DRY BLADES

- Plus17
- Quad17
- Eclipse II.....18
- Eclipse Q.....18
- Katana19
- Tuckpoint.....20
- Libero21
- Trim Master21
- Ultracut GPM Series.....22
- Ultracut APR Series.....22

WET BLADES

- Typhoon.....23
- Sonic23
- Vetro24
- Vetro for PRS24
- Porcellana25
- Porcellana for PRS.....25
- Q-Cut.....26
- Cordless Saw Blade for Ceramic Tile.....27
- Cordless Saw Blade for Glass.....27
- Vortex for Granite28
- Vortex for Marble28
- Contour for Porcelain29
- Contour for Granite & Engineered Stone30
- Contour for Marble30
- Hot-Rod.....31
- Groove Cutter.....32
- Marble Profile Wheel.....32
- BladeMaster33
- Rescue33

TABLE OF CONTENTS

BLADE ACCESSORIES

• Quad Adapters	34
• Flange Adapters	34
• Dressing Stick	34

PROFILING

• Profiler B-Series	36
• Profiler Z-Series	36
• Profiler V-Series	37
• Profiler EQ-Series	37
• Profiler E-Series	38
• Profiler F-Series	38
• Profiler Q-Series	39
• Profiler EQ-Series	39
• Concrete Profiling Wheel.....	40
• Crack Chasing Wheel.....	40

GRINDING & SANDING

SURFACE GRINDING

• Ultrazip Flap Wheels	42
• Spike Disc	43
• Vextra Flat Disc	44
• Surfacer Grinding Cup Wheel	45

EDGE GRINDING

• Vexcel Rigid Disc.....	46
• DW Style Grinding Wheel.....	47
• DS Style Grinding Wheel.....	47

SANDING

• VFlex Sanding Disc	48
• Reznert Sanding Blocks	49
• Reznert Sanding Screen Rolls	49
• Reznert DA Backer Pads.....	50
• Reznert Sanding Screen Discs	50
• Sandpaper.....	52

DRILLING

• Wet Core Bits	54
• Dry Core Bits	54
• Trimmer Bits	55
• Electroplated Drill Bits	55

POLISHING

SHAPING/HONING DISCS

• Ceramica Vitrified	57
• Ceramica Metal	57

TABLE OF CONTENTS

DIAMOND PADS

• Kirara	58
• Ceramica EX	59
• Ceramica Edge	59
• Ceramica Resin	60
• Ceramica TF	60

DRY POLISHING DISCS

• Ceramica Dry	61
• Hand Pads	61
• PVA VP	62
• PVA MS Style	63
• PVA QC Style	64

POLISHING WHEELS

• Turboshine	65
• Antique Brush Wheels	66
• Felt Wheels	66

ACCESSORIES

DUST-FREE GUARDS

• Ecoguard Type C	68
• Ecoguard Type W5	68
• Ecoguard Type M	69
• Ecoguard Type CD	69
• Ecoguard Type G	70
• Ecoguard Type EG	70
• Ecoguard Type D	71
• HEPA Wet/Dry Vacuum	72

BACKER PADS

• Rigid Backer Pads	73
• Flexible Backer Pads	73
• GV Backer Pads	73

MISCELLANEOUS

• Apron	74
• Safety Glasses	74
• GFCI (Ground Fault Circuit Interrupter)	74
• Wet Blade Cutting Kit	74
• Dust Carriage	75
• Gloss Checker	75
• Beveling Auxiliary Base	75
• Air Hose (AIR-680)	76
• Water Hose (AIR-680)	76
• Air Hose (PSC-150)	76
• Water Hose (PSC-150)	77
• Adapter Hose	77
• Mobile Hose	77
• Exhaust Hose	77
• Manifold System	78
• G-Tape	80
• Corner Nippers	81
• Corner Ruler	82
• Polishing Kits	83
• Stain Removers	84

TOOLS

High-performance tools,
designed for use in many
industries



STONE CUTTER

PSC-150

PNEUMATIC STONE CUTTER



- 2 HP Pneumatic Powered Motor with Speed Governor
- Capable of Miter Cutting 1-1/4" Material With Ease
- Kink-Free Water and Air Hoses for Easy Maneuverability and Reducing Operator Fatigue
- Great For Sink-Hole Cutting, Groove Cutting and Rodding Applications
- Comes With An Eclipse II 6" Blade and a Bottle of Rust Inhibitor Oil
- Can Be Used Wet or Dry
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	PSC-150
Air Pressure	90 PSI
Air Consumption Min	32 CFM / 1HP*
Air Consumption Max	48 CFM / 2HP
No Load RPM	8,500 RPM
Air Inlet	3/8" NPSM
Water Inlet	1/4" BSPP
Arbor	7/8" / 22mm
Max. HP	2.0HP
Cutting Disc Diameter	6" / 150mm

*To control the amount of CFM required, use the reduced flow air inlet fitting 3001-0084

ITEM	QUANTITY
Flanges	3
Bolts (M6X30 Left) / (M6x20 Left)	2
Side Handle	1
Combination Wrench (9mm)	1
Hex Wrench (5mm)	1
Open End Spanner Wrench (22mm)	1
Air Hose (15ft / 4.5m)	1
Water Hose (15ft / 4.5m)	1
Rust Inhibitor Oil (8oz / 237ml)	1
Alpha® Eclipse II 6" Blade (DEE006)	1
Reduced Flow Air Inlet Fitting (3001-0084)	1

PART NO.	SIZE	RECOMMENDED FOR	THREADS	DESCRIPTION
PSC-150	6"	Granite/Engineered Stone	7/8"	Pneumatic Stone Cutter
DEE006	6"	2.1mm	10,100	7/8", 5/8", ∅
AIR-008		Pneumatic Tools	-	Rust Inhibitor Oil 8oz (237ml)
1030-0030	15ft	PSC-150	-	Air Hose
1030-0031	15ft	PSC-150	-	Water Hose

STONE CUTTER

ECC-125

ECOCUTTER



- Virtually Dust-Free
- Portable Cutting System
- Accurate Cutting Performance
- Eliminates Downtime
- Built-in In-line circuit breaker
- Great for Grout Removal, Crack Chasing & Concrete Profiling
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA	ITEM	QUANTITY
Model	ECC-125	Dust Hose	1
Rating	110/220 Volts	Dust Gate	1
Amperage	11.2A / 5.5A	Forward Handle	1
Power	1200W	Hexagon Ring Spanner	1
Speed (Variable)	12,000 RPM	Wrench	1
Weight	9.5 lbs / 4.3 kgs	Dust Bag	1
Arbor	7/8" / 22.23mm	TT Ruler	1
Cutting Diameter	5" / 125mm	Hook & Loop Strap	2
Maximum Cutting Depth	1-1/8" / 29mm (Without Ecocutter Table)		

PART NO.	SIZE	TYPE	ARBOR(S)	DESCRIPTION
ECC-125	5"	110V	7/8", 22.23mm	Ecocutter
133544	17" x 13-1/2" x 12"	-	-	Dust Bag w/strap
ECO-CARS	-	Steel	-	Dust Bag Carriage (includes Dust Bag)

DUST BAG CARRIAGE



STONE CUTTER

AWS-125

WET STONE CUTTER



- Produces Straight and True Cuts Everytime
- Powers Through Hard Dense Materials, Such As, Porcelain, Hard Red Granites and Engineered Stone
- Water-Feed Supply Eliminates The Harmful Dust Particles
- Base Plate Allows Guides To Be Used in Multiple Ways
- Included Self-Stick Felt Strips Protects The Work Surface From Scratches
- Great for Use with Curve Cutting Blades
- One Year Warranty (*See manual for details*)



SPECIFICATION	DATA	ITEM	QUANTITY
Model	AWS-125/AWS-225	Ground Fault Circuit Interrupter	1
Rating	110/220 Volts	Water Valve and Hose	1
Amperage	11.2A / 5.5A	Water Attachment Assembly	1
Power	1200W	Spanner Wrench M22	1
Speed (Variable)	12,000 RPM	TT Ruler Guide	1
Weight	7.2 lbs / 3.3 kgs	T-Handle Wrench	1
Arbor	7/8" / 22.23mm	Extra Carbon Brush Set	1
Cutting Diameter	5" / 125mm	Self-stick Felt Strip Set	1
Maximum Cutting Depth	1-5/8" / 41mm	Side Handle	1

PART NO.	SIZE	TYPE	ARBOR(S)	DESCRIPTION
AWS-125	5"	110V	7/8", 22.23mm	Wet Stone Cutter
AWS-125	5"	220V	7/8", 22.23mm	Wet Stone Cutter

STONE CUTTER

AWS-110

WET STONE CUTTER



- Produces Straight and True Cuts Everytime
- Powers Through Hard Dense Materials, Such As, Porcelain, Hard Red Granites and Engineered Stone
- Water-Feed Supply Eliminates The Harmful Dust Particles
- Base Plate Allows Guides To Be Used in Multiple Ways
- Included Self-Stick Felt Strips Protects The Work Surface From Scratches
- Built-In GFCI (Ground Fault Circuit Interrupter)
- *One Year Warranty (See manual for details)*



SPECIFICATION	DATA	ITEM	QUANTITY
Model	AWS-110/AWS-220	Ground Fault Circuit Interrupter	1
Rating	110/220 Volts	Water Valve and Hose	1
Amperage	11.2A / 5.5A	Water Attachment Assembly	1
Power	1200W	Spanner Wrench M22	1
Speed (Variable)	13,000 RPM	TT Ruler Guide	1
Weight	6.8 lbs / 3.1 kgs	T-Handle Wrench	1
Arbor	20mm	Extra Carbon Brush Set	1
Cutting Disc Diameter	4" / 100mm, 4-1/2" / 115mm	Self-stick Felt Strip Set	1
Maximum Cutting Depth	1-1/4" / 32mm		

PART NO.	SIZE	TYPE	ARBOR(S)	DESCRIPTION
AWS-110	4-1/2"	110V	20mm	Wet Stone Cutter
AWS-220	4-1/2"	220V	20mm	Wet Stone Cutter

HIGH-PERFORMANCE PNEUMATIC GRINDER

Adjustable
rotating
exhaust

Powerful
1.4 HP motor

Oil Port

Two
auxiliary
handle
positions

**INDUSTRIAL
QUALITY**

SINKHOLE CUT-OUT



GRINDING



RODDING



FLUSH CUTTING



PSG-125

PNEUMATIC GRINDER



- Powerful 1.4 HP motor with speed control governor
- Compact ergonomic aluminum body
- Reversible safety lever throttle
- Two auxiliary handle positions
- Built-in oil port for easy maintenance
- Adjustable rotating exhaust
- Wet cutting kit available
- One Year Warranty (See manual for details)

SPECIFICATION	DATA
Model	PSG-125
Air Pressure	90 PSI
Air Consumption	33 CFM / 934L/min
Speed (No load)	12,000 RPM
Weight	4.6 lbs / 2.1 kgs
Length	11-3/4" / 298mm
Air Inlet	3/8" NPSM
Spindle	5/8"-11
Max. Disc Capacity	5" x 1/4" x 7/8"
Max. HP	1.4 HP



Wet Blade Cutting Kit

ITEM	QUANTITY
Blade Safety Guard	1
Lock Nut with 7/8" Arbor	1
Inner Flange	1
Side Handle	1
Pin Wrench	1
Double End Wrench (1" / 32mm)	1
Rust Inhibitor Oil (8oz / 237ml) (AIR-008)	1
Air Hose Assembly (15ft / 4.5m)	1



HEPA WET/DRY VACUUM

PART NO.	SIZE	ARBOR(S)	DESCRIPTION
PSG-125	5"	5/8"-11	Pneumatic Grinder

PSG-125

DIAMOND CUTTING KIT



- Fits wide kerf blades for tuck pointing, crack chasing and grout removal
- Compact ergonomic aluminum body
- Optional water feed system available
- Reversible safety lever throttle
- Two auxiliary handle positions
- One Year Tool Warranty (*See manual for details*)

PART NO.	DESCRIPTION
5480-1301	PSG-125 Diamond Cutting Kit

PSG-125

DUST-FREE GRINDING KIT



- Great for surface preparation on concrete, metal, wood, composite or other surfaces
- Compact ergonomic aluminum body
- Powerful 1.4 HP motor with speed control governor
- Reversible safety lever throttle
- Adjustable rotating exhaust
- Removable flat cover allows grinding right to the edge
- One Year Tool Warranty (*See manual for details*)

PART NO.	DESCRIPTION
5480-1302	PSG-125 Grinding Kit

PSG-125

METAL CUTTING KIT



- Includes 5" CarBite carbide blade
- Safety guard and base plate eliminate dangerous kick-back
- Powerful 1.4 HP motor with speed control governor
- Reversible safety lever throttle
- Minimizes sparks, debris and odor
- Works on ferrous and non-ferrous metals
- One Year Tool Warranty (*See manual for details*)

PART NO.	DESCRIPTION
5480-1303	PSG-125 Metal Cutting Kit

VDP-700

VARIABLE SPEED ROTARY POLISHER



VDP-700

WET/DRY VARIABLE SPEED ROTARY POLISHER



- Variable Speed 700-3500 RPM with Soft Start
- Designed For The Polishing Professional
- Heavy-Duty Precision Gear System
- Powerful 11.0 Amp (rated) Motor
- Built-in Speed Stabilizer for Constant Speed Output
- Configured with A Long-life Motor and Carbon Brushes
- 25ft. 14 AWG Electrical Power Cord
- Lightweight for Better Manueverability
- Industrial Quality Polisher
- C-Handle and Side Handle Included for User Convenience
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	VDP-700
Rating	120 Volts
Amperage	11.0A
Power	1250W (Rated), 1900W (Maximum)
No Load Speed (Variable)	700~3500 RPM
Weight	6.4 lbs / 2.9 kgs
Spindle	5/8"-11
Power Supply	Single-phase AC, 50/60Hz
Plug Type	A (120V)
Cord	25ft / 7.6m (14 AWG)
Backing Plate Size	7" / 178mm (Maximum)
Polishing Disc Size	9" / 228mm (Maximum)

ITEM	QUANTITY
Spanner Wrench	1
Hex Wrench	1
C-Handle w/Mounting Screws	1
Side Handle	1
Extra Carbon Brush Set	1



PART NO.	SIZE	MAXIMUM RPM	TYPE	DESCRIPTION
VDP-700	7"	700-3500	120V	Variable Speed Rotary Polisher

VSP-320

**VARIABLE SPEED
WET POLISHER**



- Heavy-Duty Gear System with Step-Down Transmission
- 15ft. Flexible All-Weather Water Hose
- 15ft. Electrical Power Cord Has An Inline GFCI
- EasyOn-EasyOff Sleeve Improves Maneuverability
- Adjustable Splash Guard
- Center Water-Feed System
- C-Handle and Side Handle for User Convenience
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	VSP-320
Rating	120 Volts
Amperage	7.0A
Power	800W
Speed (Variable)	700~2500 RPM
Weight	7.3 lbs / 3.3 kgs
Spindle	5/8"-11
Power Supply	Single-phase AC, 50/60Hz
Plug Type	A (120V)
Cord	15ft / 4.5m
Polishing Disc Size	4" / 100mm

PART NO.	TYPE	DESCRIPTION
VSP-320	120V	Variable Speed Wet Polisher



ITEM	QUANTITY
Ground Fault Circuit Interrupter*	1
Flexible Hose w/ Garden Hose Adapter*	1
Wrench	1
C-Handle w/ Mounting Screws*	1
Side Handle (Reversible)	1
Extra Carbon Brush Set	1
Ventilation Cap w/ Rubber Band*	1
Splash Guard w/ Clamp	1
EasyOn-EasyOff Sleeve*	1
*Factory Attached	1



WDP-320

WET/DRY VARIABLE SPEED POLISHER



- Wet/Dry Hybrid Polisher with The Ecoguard G Attached for Tile Edge Polishing Without The Typical Mess
- Heavy-Duty Gear System Includes A Step-Down Transmission
- 15ft. Water Hose Is All-Weather Flexible & Kink-Free
- Includes Side Handle for Edge Applications
- Fits 5" Discs
- Polish or Grind Right Up To The Wall
- 15ft. Electrical Power Cord Has An Inline GFCI
- One Year Warranty (See manual for details)

ITEM	QUANTITY
Ground Fault Circuit Interrupter*	1
Water Hose Assembly*	1
Water Spray Value Assembly	1
Stainless Steel Hose Band	1
Rubber Band	1
Open End Wrench	1
Pin Wrench	1
C-Handle*	1
Side Handle (reversible)	1
Extra Carbon Brush Set	1
Rubber Hose Adapter	1
Ventilation Cap*	1
Ecoguard G*	1
Flange & Lock Nut Set	1
EasyOn-EasyOff Sleeve*	1
*Factory Attached	1

SPECIFICATION	DATA
Model	WDP-320
Rating	120 Volts
Amperage	7.0A
Power	800W
Speed (Variable)	700~2500 RPM
Weight	7.3 lbs / 3.3 kgs
Spindle	5/8"-11

PART NO.	TYPE	DESCRIPTION
WDP-320	120V	Wet/Dry Variable Speed Polisher



HEPA WET/DRY VACUUM

AIR-680

ULTIMATE PNEUMATIC POLISHER



- High-Performance, Pneumatic Polishing Tool with A Central Water-Feed System
- No-Load 4,000 RPMs
- 15ft. All-Weather Hoses with Flexibility Down To -40F (or +140F)
- Oil Port for Easy Lubrication
- Lightweight and Ergonomically Designed
- Consumes 15 CFM and Requires 85 PSI
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	AIR-680
Air Pressure	85 PSI
Air Consumption	15 CFM
Speed (No load)	4,000 RPM
Weight	2.64 lbs / 1.2 kgs
Air Inlet	1/4" BSPP
Water Inlet	1/8" BSPP
Spindle	5/8"-11



ITEM	QUANTITY
Air Lead Hose (15ft. / 4.5m)	1
Water Hose (15ft. / 4.5m)	1
Side Handle (reversible)	1
Double End Wrench (19mm / 22mm)	1
Rust Inhibitor Oil (8oz / 237ml) (AIR-008)	1
Screw (w/ O- Ring Seal for Oil Port)	1
Exhaust Hose with Clamp	1



PART NO.	MAXIMUM RPM	RECOMMENDED FOR	DESCRIPTION
AIR-680	4,000	Wet Polishing, Drilling & Profiling	Pneumatic Polisher
AIR-008	-	Pneumatic Tools	Rust Inhibitor Oil 8oz (237ml)

AIR-300

MINI PNEUMATIC POLISHER



- High-Performance, Pneumatic Polishing Tool with A Central Water-Feed System
- No-Load 5,800 RPMs
- 15ft. All-Weather Hoses with Flexibility Down To -40°F or +140°F
- Lightweight and Ergonomically Design Reduces Fatigue
- Designed To Easily Maneuver in Small Areas Like Sink Rims and Bowls
- Consumes 10 CFM and Requires 87 PSI
- Only Requires 3HP Compressor
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	AIR-300
Air Pressure	87 PSI
Air Consumption	10 CFM
Speed (No load)	5,800 RPM
Weight	1.6 lbs / .731 kgs
Air Inlet	1/4" BSPT
Water Inlet	1/8" BSPT
Spindle	5/8"-11



ITEM	QUANTITY
Air Lead Hose (15ft. / 4.5m)	1
Water Hose (15ft. / 4.5m)	1
Double End Wrench (19mm / 22mm)	1
Rust Inhibitor Oil (8oz / 237ml) (AIR-008)	1
Faucet/Garden Hose Adapter	1



PART NO.	MAXIMUM RPM	RECOMMENDED FOR	DESCRIPTION
AIR-300	5,800	Wet Polishing	Mini Pneumatic Polisher
AIR-008	-	Pneumatic Tools	Rust Inhibitor Oil 8oz (237ml)

CUTTING

Premium blades for all your cutting needs.



CUTTING SYSTEM OVERVIEW

KEY: ● = Highly Recommended ○ = Recommended

DRY CUTTING BLADES							
ALPHA® BLADES	SPECIALTY	BUILDING STONE FABRICATORS	TILE CONTRACTORS	MONUMENT BUILDERS	GENERAL CONTRACTORS	SPECIALTY CONTRACTORS	HARDSCAPE CONTRACTORS
BladeMaster	Demolition/Concrete Cutting				●	○	○
Contour for Granite/Eng. Stone	Curved Applications	●	○			○	●
Contour for Marble	Curved Applications	●	○				●
Contour for Porcelain	Curved Applications	●	○			○	●
Eclipse II	General Purpose	●	○	○	●	○	○
Eclipse Q	General Purpose	●	○	○	●	○	○
Hot-Rod	Channel Cutting	●	○	○	○	○	○
Katana	All Tiles	○	●	○	○	○	●
Laminam	Laminam by Crossville® / Porcelain Panels	○	●			●	
Libero	Marble	●	●	○	○	○	
Plus	Granite & Harder Materials	●	○	●	○	○	○
PT Cutter	Hardscape & Concrete Cutting	○	●		○	○	●
Quad	Flush Cutting	●	○	●	○	○	○
Rescue Blade	General Purpose				○	●	○
Trim Master	Miter Saws	●	○			○	○
Tuck Point	Tuck Pointing				○	●	○
Ultracut ABM	Cut-Off Tools	○	○		●	○	○
Ultracut APR	Flush Cutting	○	○		●	○	○
Ultracut GPM	Metal & Composite Materials	○	○		●	○	○
Vortex for Granite	Flush Cutting	●	○	●		○	○
Vortex for Marble	Flush Cutting	●	○	●		○	○
WET CUTTING BLADES							
ALPHA® BLADES	SPECIALTY	BUILDING STONE FABRICATORS	TILE CONTRACTORS	MONUMENT BUILDERS	GENERAL CONTRACTORS	SPECIALTY CONTRACTORS	HARDSCAPE CONTRACTORS
BG	Glass Blade for Cordless Saw		●		●	●	
BT	Tile Blade for Cordless Saw		●		●	●	
Groove Cutter	Groove Cutting	●	○	○	○	○	○
Ice	Granite	●	○	●	○	○	
Knock Out	Granite	●					
Marble Profile Wheel	Cut & Profile Tile	○	●		○	○	
Numero Uno	Engineered & Natural Stone Tile	○	●		○	○	●
Porcellana	All Tiles	○	●		○	●	●
Q-Cut	Quartzite, Granite & Porcelain Paver Tiles	●	●		○	○	●
Silencer III	Granite	●	○	●	○	○	○
Silencer III	Marble	●	○	●	○	○	○
Silencer III	Porcelain/Crystallized Glass	●	○		○	○	○
Silencer III	Engineered Stone	●	○		○	○	○
Silencer III	Dekton®	●	○		○	○	○
Silencer III	Quartzite	●	○	●	○	○	○
Silencer VO for Dekton®	V/O Cutting on Dekton®/Porcelain/Crystallized Glass	●					
Silencer VO for Granite/Quartz Surfaces	V/O Cutting on Granite/Quartz Surfaces	●					
Sonic	Ceramic Tile	○	○		○	○	○
Typhoon	Ceramic & Marble Tile	○	●		○	○	○
Vetro	Glass, Tile & Stone	○	●		○	●	

Alpha® Dry Blades may also be used wet providing the specified RPM is maintained. However, Alpha® Wet Blades may not be used dry with exception of the Alpha® Sonic (part numbers TS04AL and TS05AL). In all cases, it is important that the application meet the defined use for that specific blade. Different sizes are available for various applications. Please refer to the specific product page or our website for additional product information.

PLUS

ULTIMATE DRY BLADE FOR STONE FABRICATORS



- Best Dry Cutting Turbo Blade on the Market
- Perfect for Granite and Engineered Stone
- 8mm Tall Diamond Layer for a Long Life
- Recommended for Hard Concrete
- Chip-Free Cutting on Most Demanding Applications

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
DA04A+	4"	2.1mm	14,500	20mm, 5/8"
DA05A+	4-1/2"	2.1mm	13,200	7/8", 20mm
DA05S	5"	2.1mm	12,200	7/8"
DA06A+	6"	2.1mm	10,100	7/8", 5/8", ⬅
DA07A+	7"	2.3mm	8,400	5/8", ➡
DA08A+	8"	2.3mm	7,400	5/8", ➡
DA09A+	9"	2.3mm	6,600	7/8", 5/8"
DA10A+	10	2.5mm	5,900	1", 5/8"
DA11A+	10	2.5mm	5,900	5/8"
DA12A+	12	2.5mm	6,200	1", 20mm
DA13A+	12	2.5mm	6,200	20mm

QUAD

ULTIMATE DRY FLUSH CUTTING BLADE



- Requires Quad Drive to fit High-Speed Angle Grinder
- Fits most popular High-speed Angle Grinders
- Especially Designed for Flush Cutting
- Best Dry Cutting Turbo Blade on the Market
- Chip-Free Cutting on Most Demanding Applications






PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
DA04AH	4"	2.1mm	14,500	20mm Quad Drive
DA05SH	5"	2.1mm	12,200	20mm Quad Drive
DA06AH	6"	2.1mm	10,100	20mm Quad Drive
DA07AH	7"	2.3mm	8,400	20mm Quad Drive
DA08AH	8"	2.3mm	7,400	20mm Flange with 8 holes
DA09AH	9"	2.5mm	6,600	20mm Flange with 8 holes
DA11AH	10"	2.5mm	5,900	20mm Flange with 8 holes

ECLIPSE II

HIGH PERFORMANCE DRY BLADE



- High-End General Purpose Turbo Blade for Stone Fabricators
- 8mm tall Diamond Layer for a Long Life
- Perfect for your Stone Tile Application
- Consistent Performance without Chipping
- Recommended for Hard Concrete

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
DEE004	4"	2.1mm	14,500	20mm, 5/8"
DEE045	4-1/2"	2.1mm	13,200	7/8", 20mm
DEE005	5"	2.1mm	12,200	7/8"
DEE006	6"	2.1mm	10,100	7/8", 5/8", 
DEE007	7"	2.3mm	8,400	5/8", 
DEE008	8"	2.3mm	7,400	5/8", 

ECLIPSE Q

DRY FLUSH CUTTING BLADE



- Cuts most materials without chipping or cracking.
- Maintains excellent cutting performance at the maximum cutting depth
- Great for building contractors and fabricators who work with metal and composite materials
- Fits on most popular hand-held electric power tools
- Available in 4-1/2", 5", 6", 7", 8" and 9" Sizes




PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	THREADS
DEQ004	4"	2.1mm	14,500	20mm Quad Drive	—
DEQ005	5"	2.1mm	12,200	20mm Quad Drive	—
DEQ578	5"	2.1mm	12,200	7/8" Quad Drive	—
DEQ006	6"	2.1mm	10,100	20mm Quad Drive	—
DEQ678	6"	2.1mm	10,100	7/8" Quad Drive	—
DEQ007	7"	2.3mm	8,400	20mm Quad Drive	—
DEQ008	8"	2.3mm	7,400	20mm Flange with 8 holes	—
AAH-7/8	—	Aluminum Adapter		7/8"	5/8"-11
AAH-20	—	Aluminum Adapter		20mm	5/8"-11
BAH-5/8	—	Brass Adapter		20mm	5/8"-11

KATANA

ULTIMATE DRY BLADE FOR ALL TILES



- Tile Installer's Choice for Dry Cutting
- Especially Designed for Hard Porcelain Tile
- Best Dry Cutting Tile Blade with Minimal Chipping
- Hybrid Dry Saw Blade for All Tiles
- Can Be used Wet or Dry



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
DPT100	4"	1.4mm	14,500	20mm, 5/8"
DPT115	4-1/2"	1.4mm	13,200	7/8", 20mm
DPT125	5"	1.4mm	12,200	7/8"
DPT150	6"	1.4mm	10,100	7/8", 5/8", $\langle \rangle$



ECLIPSE II



KATANA



ECLIPSE Q

TUCK POINT

HIGH PERFORMANCE DRY BLADE FOR TUCK POINTING



- Virtually Dust-Free Application with Ecoguard Type W5 and Vacuum
- Formulated for Aggressive Cutting and Long Life
- Best Tuck Pointing Blade on the Market
- Reliable Proven Performer
- Can be used wet or dry

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
TP04SP	4"	6mm	14,500	7/8", 5/8"



LIBERO

ULTIMATE DRY BLADE FOR MARBLE



- Recommended for Onyx
- Highest Quality Diamond Edge for Chip-Free Cutting
- Specially Designed for Marble and Limestone
- Best Dry Cutting Electroplated Blade on the Market
- Precise Cutting Performance on Softer Stone

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
DL04A+	4"	0.8mm	14,500	20mm, 5/8"
DL05A+	4-1/2"	0.8mm	13,200	7/8", 20mm
DL05S	5"	1.0mm	12,200	7/8"
DL06A+	6"	1.2mm	10,100	7/8", 5/8", ⚡
DL07A+	7"	1.4mm	8,400	5/8", ⚡

TRIM MASTER

DRY BLADES FOR MITER SAWS



- 8mm tall Diamond Layer for a Long Life
- Great for Back Splash Cutting
- Perfect for Granite and Engineered Stone
- Best Dry Cutting Blade for Miter Saw
- Consistent Performance with Ease of Operation



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
TM10A+	10"	2.2mm	5,900	5/8"
TM12A+	12"	2.5mm	6,200	1", 5/8"

ULTRACUT GPM SERIES

VACUUM-BRAZED DIAMOND BLADE



- Cuts most materials without chipping or cracking
- Maintains excellent cutting performance at the maximum cutting depth
- Great for building contractors and fabricators who work with metal and composite materials
- Fits on most popular hand-held electric power tools
- Available in 4", 4-1/2", 5", 6", 7", 8" and 9" Sizes

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
GPM0420	4"	1.5mm	14,500	20mm, 5/8"
GPM4578	4-1/2"	1.5mm	13,200	7/8", 20mm
GPM0578	5"	1.5mm	12,200	7/8"
GPM06UN	6"	1.9mm	10,100	7/8", 5/8", \diamond
GPM07UN	7"	1.9mm	8,400	7/8", 5/8", \diamond
GPM08UN	8"	1.9mm	7,400	7/8", 5/8", \diamond
GPM0978	9"	2.2mm	6,600	7/8", 5/8"

ULTRACUT APR SERIES

HYBRID BLADE FOR INTRICATE & FLUSH CUTTING



- Unique Design for Flush Cutting Applications
- Removes Anchor Bolts, Concrete Re-Bar and Pipe From Floors and Walls
- Cuts Angle Iron, Pipe, Electrical Conduit, Re-Bar, Metal Stud, Structural Metal, Sheet Metal, Grid, and Stainless Steel, Wood, Plastics, Composite Materials, Masonry and Concrete
- Accepts Alpha® Exclusive Quad Drive Adapter for Mounting On Angle Grinders for "Flush Cutting"
- Available in 4-1/2", 5" and 7" Sizes



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	THREADS
APR45QA	4-1/2"	1.7mm	13,200	20mm, Quad Drive	—
APR05QA	5"	1.7mm	12,200	20mm, Quad Drive	—
APR07QA	7"	1.9mm	8,400	20mm, Quad Drive	—
BAH-5/8		Brass Adapter		20mm	5/8"-11
AAH-7/8		Aluminum Adapter		7/8"	5/8"-11
AAH-20		Aluminum Adapter		20mm	5/8"-11

TYPHOON

PREMIUM WET BLADE FOR MARBLE & CERAMIC TILE



- Recommended for Ceramic and Marble Tile
- Formulated for Chip-Free Cutting and Long Life
- Best Seller for the Ceramic Tile Contractor
- Premium Quality Wet Cutting Tile Blade
- Reliable Proven Performer

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
DT06A+	6"	1.4mm	10,100	5/8"
DT08A+	8"	1.6mm	7,400	5/8"
DT10A+	10"	1.8mm	5,900	5/8"

SONIC

HIGH-QUALITY WET CUTTING BLADE FOR TILE



- Best Valued Wet Cutting Tile Blade
- Recommended for Ceramic and Marble Tile
- Formulated for Chip-Free Cutting and Long Life
- High-Quality, General-Purpose Tile Blade
- Wet Use Only

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	DEPTH
TS04AL	4"	1.4mm	14,500	20mm, 5/8"	1"
TS05AL	4-1/2"	1.4mm	13,200	7/8", 20mm	1-1/4"
TS06AL	6"	1.4mm	10,100	5/8"	1-3/4"
TS07AL	7"	1.6mm	8,400	5/8"	2-1/4"
TS08AL	8"	1.6mm	7,400	5/8"	2-3/4"
TS10AL	10"	1.6mm	5,900	5/8"	3-3/4"
TS12AL	12"	2.0mm	6,200	1"	3-5/8"
TS14AL	14"	2.0mm	4,365	1"	4-5/8"

VETRO

ULTIMATE WET BLADE FOR GLASS TILES



- Best Wet Cutting Glass Blade on the Market
- Designed for Chip-Free Cutting
- Tile Installer's Choice for Glass Tile
- Chip-Free Cutting on Most Demanding Applications
- Wet Use Only


PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
WG0438	4-3/8"	1.0mm	13,200	7/8", 20mm
WG0700	7"	1.6mm	8,400	5/8"
WG0800	8"	1.6mm	7,400	5/8"
WG1000	10"	1.6mm	5,900	5/8"

VETRO for PRS

VETRO FOR PORTABLE RAIL SAW



- Wet Use Only
- Designed for Chip-Free Cutting
- Tile Installer's Choice for Glass Tile
- Best Wet Cutting Glass Blade for Rail Saw on the Market
- Chip-Free Cutting on Most Demanding Applications



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
WG1001	10"	1.6mm	5,900	1", 5/8"

PORCELLANA

ULTIMATE WET BLADE FOR PORCELAIN TILES



- 3/8" (10mm) Tall Diamond Layer for Long Life
- Tile Installer's Choice for Chip Free Wet Cutting
- Recommended for Granite, Marble, Porcelain, Engineered Stone, Travertine and Ceramic Tiles
- Best Wet Cutting Tile Blade on the Market
- Hybrid Wet Saw Blade for All Tiles

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
PT04A+	4-3/8"	1.4mm	13,200	7/8", 20mm
PT05S	5"	1.4mm	12,200	7/8"
PT07A+	7"	1.6mm	8,400	5/8"
PT08A+	8"	1.6mm	7,400	5/8"
PT10A+	10"	1.6mm	5,900	5/8"

PORCELLANA for PRS

ULTIMATE WET BLADE FOR PORTABLE RAIL SAWS



- 3/8" (10mm) Tall Diamond Layer for Long Life
- Tile Installer's Choice for Chip-Free Wet Cutting
- Recommended for Granite, Marble, Porcelain, Engineered Stone, Travertine and Ceramic Tiles
- Best Wet Cutting Tile Blade for Rail Saw on the Market
- Hybrid Wet Saw Blade for All Tiles
- Porcellana for Portable Rail Saw



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
PT0801	8"	1.6mm	7,400	1", 7/8", 5/8"
PT1001	10"	1.6mm	5,900	1", 5/8"

Q-CUT

THE ULTIMATE WET BLADE FOR QUARTZITE/GRANITE TILE



- Formulated To Cut Hard Tiles Such As Quartzite/ Granite
- Tile Installer's Choice for Stone Tile
- Designed for Fast, Precision Chip-Free Cutting
- Perfect for 2cm Porcelain Paver Tile



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
QZ4578	4-1/2"	1.6mm	13,200	7/8", 20mm
QZ0578	5"	1.6mm	12,200	7/8"
QZ0658	6"	1.4mm	10,100	5/8"
QZ0758	7"	1.6mm	8,400	5/8"
QZ0858	8"	1.6mm	7,400	5/8"
QZ1058	10"	2.0mm	5,900	5/8"

CORDLESS SAW BLADE

WET/DRY SAW BLADE FOR CERAMIC TILE



- Can Be Used Wet or Dry
- Ideal for Switch Box Cut-Out and Trimming
- Perfect for Ceramic and Stone Tiles
- Specially Designed for Cordless Saw
- Chip-Free Wet/Dry Cutting for Tile
- Cordless Saw Blade for Tile

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
BT03AL	3-3/8"	1.2mm	1,500	15mm




CORDLESS SAW BLADE

WET/DRY SAW BLADE FOR GLASS



- Wet Use Only
- Ideal for Switch Box Cut-Out and Trimming
- Perfect for Mirror, Glass and Glass Tile
- Specially Designed for Cordless Saw
- Chip-Free Wet Cutting for Glass Tile and Sheet Glass
- Cordless Saw Blade for Glass

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
BG03AL	3-3/8"	0.9mm	1,500	15mm



FLUSH CUTTING BLADE

VORTEX

INTRICATE & FLUSH CUTTING BLADE FOR GRANITE



- Requires Quad Drive to fit High-Speed Angle Grinder
- Perfect for Granite and Engineered Stone
- Specially Designed for Flush Cutting
- Stone Fabricator's Choice
- Chip-Free Cutting on Most Demanding Applications
- Side Protection Segments Help Cutting Straight



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
FCD40AH	4"	2.5mm	14,500	20mm Quad Drive
FCD50AH	5"	2.5mm	12,200	20mm Quad Drive
BAH-5/8		Brass Adapter		20mm

VORTEX

INTRICATE & FLUSH CUTTING BLADE FOR MARBLE



- Requires Quad Drive to fit High-Speed Angle Grinder
- Specially Designed for Marble and Lime Stone
- Specially Designed for Flush Cutting
- Stone Fabricator's Choice
- Chip-Free Cutting on Most Demanding Application



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
FCM50AH	5"	1.6mm	12,200	20mm Quad Drive
BAH-5/8		Brass Adapter		20mm

CONTOUR

**CURVE CUTTING ON
PORCELAIN / CRYST. GLASS**

CONTOUR FOR PORCELAIN

Curve Cutting on Porcelain,
Crystallized Glass and
Ultra Compact Surfaces



- Designed Specifically for Cutting Porcelain and Ultra Compact Surfaces
- Fits On The AWS-125 Wet Stone Cutter
- Cuts Curved Areas Cleanly, Accurately and Safely While Allowing A Wider Kerf
- Direct Sintered Diamond Segments On Steel Core Prevents Undercutting
- Fits On Cnc Router with Cutting Head
- Can Be Used Either Wet or Dry

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	DEPTH
CCP004	4"	4.0mm	14,500	7/8"	3/4"
CCP045	4-1/2"	4.0mm	13,200	7/8"	1-1/4"
CCP005	4"	4.0mm	12,200	7/8"	3/4"

CURVE CUTTING BLADE

CONTOUR

CURVE CUTTING BLADE ON GRANITE AND ENG. STONE



- Design Specifically Developed for Cutting Granite Sinkholes
- Best Seller for Sinkhole Application
- Works Very Well On Engineered Stone and Harder Types of Marble
- Cuts Curved Areas Cleanly, Accurately and Safely While Allowing A Wider Kerf
- Direct Sintered Diamond Segments On Steel Core Prevents Undercutting
- Fits On CNC Router with Cutting Head
- Can Be Used Either Wet or Dry

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	DEPTH
CCB004	4"	4.0mm	14,500	20mm	3/4"
CCB045	4-1/2"	4.0mm	13,200	7/8"	3/4"
CCB005	5"	4.0mm	12,200	7/8"	1-1/4"
CCB006	6"	4.0mm	10,100	7/8"	1-5/8"

CONTOUR

CURVE CUTTING ON MARBLE



- Design Specifically Developed for Cutting Marble and Limestone Sinkholes
- Fits On The AWS-125 Wet Stone Cutter
- Cuts Curved Areas Cleanly, Accurately and Safely While Allowing A Wider Kerf
- Electroplated Diamonds on Both Sides of the Steel Core
- Can Be Used Either Wet or Dry



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	DEPTH
CCM005	5"	1.4mm	12,200	7/8"	1-1/4"

HOT-ROD

CHANNEL CUTTING BLADE



- Perfect for Channel Cutting with Stone Cutter
- Great for Grout Removal with Ecocutter
- Fabricator's Choice for Rodding on Granite
- Reliable Proven Performer
- Can Be Used Wet or Dry

ROD SIZE



GROUT WIDTH



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	RECOMENDED FOR
HT03A+	3"	4.2mm	14,500	7/8", 20mm	1/8" Rod
HQ03A+	3"	5.5mm	14,500	7/8", 20mm	3/16" Rod
HR03A+	3"	7.0mm	14,500	7/8", 20mm	1/4" Rod
HW03A+	3"	11.5mm	14,500	7/8"	3/8" Threaded Rod
HS03A+*	3"	4.6mm	14,500	7/8", 20mm	1/8" Rod
HM03A+*	3"	6.5mm	14,500	7/8", 20mm	1/4" Rod
HT04A+	4"	4.2mm	14,500	7/8", 20mm	1/8" Rod
HR04A+	4"	7.0mm	14,500	7/8", 20mm	1/4" Rod

*For Use on Marble

CHANNEL CUTTING BLADE

GROOVE CUTTER

WET GROOVE CUTTING BLADE FOR JOINT SEAMING



- Requires Universal Safety Guard Kit
- Perfect for Granite and Engineered Stone
- Specially Designed for 1-1/4" (3cm) Countertop
- Create Strongest Joint Seam
- Consistent Performance with Ease of Operation

PART NO.	THICKNESS	MAXIMUM RPM	ARBOR(S)	RECOMMENDED FOR	FOR USE ON
GCW258	4.2mm	14,500	5/8"-11 Threaded	3/4" Slab	Granite
GCW358	7.5mm	14,500	5/8"-11 Threaded	1-1/4" Slab	Granite
MCW258	4.6mm	14,500	5/8"-11 Threaded	3/4" Slab	Marble
GCWKIT	Universal Safety Guard Kit				
PFBNG01	Nylon Guide				



UNIVERSAL SAFETY GUARD KIT

MARBLE PROFILE WHEEL

WET CUTTING MARBLE PROFILE WHEEL



- Cut and Profile Marble Tile in One Pass
- Fits Tub and Tile Saws
- Ideal Tool for Cutting and Profiling Tile Baseboards
- High-Quality Diamonds and Matrix Best Suited for Wet Cutting Marble and Agglomerated Marble Tile
- Save Time, Money and Reduce Waste

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)
DPM638	6"	6,000	5/8"

BLADEMASTER

HIGH-SPEED DIAMOND BLADE FOR DEMOLITION / CONCRETE



- High-Quality Laser-Welded Segmented Blades for High-Speed Demolition Saws
- Slices Through Materials with Ease
- Works On Concrete with Re-Bar, Steel, Stone, Metal, Wood, Glass and Rubberized Materials
- Fits Masonry Saws & Road Cutters
- Can Be Used Wet or Dry
- Available in 12", 14" and 16" Diameter

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
BML1214	12"	2.9mm	6,200	1" w/pin hole
BML1414	14"	3.0mm	5,360	1" w/pin hole
BML1614	16"	3.1mm	4,700	1" w/pin hole

RESCUE

DEMOLITION BLADE CUTS IT ALL



- Slices Through Materials with Ease
- Works on Concrete with Re-Bar, Steel, Stone, Metal, Wood, Glass and Rubberized Materials
- Proven Winner for Firefighters, Police Officers and Construction Professionals
- Gas-Powered Cut-Off Saw
- Available in 9", 12", 14" and 16" Diameters

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
RB09A+	9"	2.8mm	8,300	7/8"
RB12A+	12"	3.0mm	6,200	1", 7/8", 20mm w/ Pin Hole
RB14A+	14"	3.2mm	5,360	1", 7/8", 20mm w/ Pin Hole
DR14A+	14"	3.4mm	5,360	1", 7/8", 20mm
DR16A+	16"	3.4mm	4,700	1", 7/8", 20mm



QUAD ADAPTERS



- Designed for Flush Cutting Blades with Four Mounting Holes
- Made Of Durable High-Quality Brass or Aluminum
- Easily Mounted To Any Quad Drive Blade
- Available in Various Thread Sizes

PART NO.	TYPE	ARBOR(S)	THREADS
AAH-7/8	Aluminum	7/8"	5/8"-11
AAH-20	Aluminum	20mm	5/8"-11
BAH-5/8	Brass	20mm	5/8"-11
BAH-M10Q	Brass	20mm	M10 - 1.25
BAH-M14	Brass	20mm	M14-2

FLANGE ADAPTERS



- Designed for Blades That Are Eight Inches or Larger with Eight Mounting Holes
- Made Of Durable High-Quality Steel
- Easily Mounted To Any Large Flush Cutting Blade
- Available in 5/8"-11 and M14-2 Thread Sizes

PART NO.	TYPE	THREADS
FAH-5/8	Adapter	5/8"-11
FAH-M14	Adapter	M14-2

SPIKE RULER



- Designed As A Precision Ruler That Will Not Move On Thin Porcelain Tiles or Panels with Texturized Surfaces
- Secures Ruler To The Material
- Convenient and Easy To Use
- Made Of Aluminum with A Wood Base

PART NO.	SIZE
SPR100	3'4" (1m)

DRESSING STICK




- Designed To Expose New Cutting Surfaces or Re-Open Glazed Diamond Blades and Grinding Wheels
- Removes Sinter Bond From Cutting Edge
- Can Be Used To Ease Sharp Corners
- Bond Type: Silicon Carbide


PART NO.	SIZE	GRIT
290006	8" x 1.5" x 1.5"	60

PROFILING


Perfect round over edges



Demi-Bullnose



Straight Edge




Full Bullnose




For Drop-in Sinks



Hollywood Bevel



Ogee Edge



Recessed Base



Reversed Bevel

PROFILER B-SERIES

CREATES PERFECT DEMI-BULLNOSE EDGE




Demi-Bullnose

- Create A Perfect Demi-Bullnose/Roundover Edge Treatment
- Use On Granite, Engineered Stone, Marble, Concrete, Crystallized Glass and Porcelain Slabs
- Nylon Guide and Rotary Touchier Assures The Proper Depth Of Cut Is Achieved
- Equipped with A 5/8"-11 Female Thread and Internal Water Passage Holes
- Fits On All Popular Water-Fed Polishers

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	SHAPE
PFB051	3/16" (0.5cm)	3,500	5/8"-11 Threaded	Demi-Bullnose
PFB101	3/8" (1cm)	3,500	5/8"-11 Threaded	Demi-Bullnose
PFB131	1/2" (1.3cm)	3,500	5/8"-11 Threaded	Demi-Bullnose
PFB201	3/4" (2cm)	3,500	5/8"-11 Threaded	Demi-Bullnose
PFBNG01	Nylon Guide			

PROFILER Z-SERIES

PERFECT 90-DEGREE EDGE GRINDING




Straight Edge

- Vertical Grinding On All Types Of Materials
- Never Loses Shape for True Zero Tolerance
- Nylon Guide and Rotary Touchier Assures Uniformity
- Equipped with A 5/8"-11 Female Thread and Internal Water Passage Holes
- Fits On All Popular Water-Fed Polishers

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	SHAPE
PFZ301	1-1/4" (3cm)	3,500	5/8"-11 Threaded	Straight
PFZ401	1-1/2" (4cm)	3,500	5/8"-11 Threaded	Straight
PFBNG01	Nylon Guide			

PROFILER V-SERIES

CREATES PERFECT BULLNOSE EDGE



Full Bullnose

- Create A Perfect Bullnose/Roundover Edge Treatment
- Use On Granite, Engineered Stone, Marble, Limestone, Concrete, Crystallized Glass and Porcelain Slabs
- Eliminate The Time-Consuming Calibration Process for Seamed Pieces
- Nylon Guide and Rotary Touchier Assures The Edges Are Uniform
- Equipped with A 5/8"-11 Female Thread and Internal Water Passage Holes
- Fits On All Popular Water-Fed Polishers

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	SHAPE
PFV301	1-1/4" (3cm)	3,500	5/8"-11 Threaded	Full Bullnose
PFV401	1-1/2" (4cm)	3,500	5/8"-11 Threaded	Full Bullnose
PFBNG01	Nylon Guide			

PROFILER EQ-SERIES

CREATE PLATFORM FOR A DROP-IN SINK



For Drop-in-Sinks

- Creates A 45 Degree Beveled Edge and A Flat Recessed Edge To Fit Drop-In-Sinks
- Perfect for Edging Countertops, Sink Rims, Window Sills, Steps and Door Saddles
- Great for Granite, Engineered Stone, Marble, Concrete, Porcelain and Crystallized Glass Slabs
- Nylon Guide and Rotary Touchier Assures Uniformity
- Equipped with A 5/8"-11 Female Thread and Internal Water Passage Holes
- Fits On All Popular Water-Fed Polishers

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	SHAPE
PEQ201	1/4"	3,500	5/8"-11 Threaded	Drop-in Sink
PFBNG01	Nylon Guide			

PROFILER E-SERIES

CREATE A HOLLYWOOD BEVELED EDGE



Hollywood Bevel

- Creates A Hollywood Bevel Profile (1" - 20 Degree Bevel)
- Perfect for Edging Countertops, Sink Rims, Window Sills, Steps and Door Saddles
- Use On All Types of Granite and Engineered Stones, Marble, Concrete and Crystallized Glass Slabs
- Nylon Guide and Rotary Touchier Assures Uniformity
- Equipped with A 5/8"-11 Female Thread and Internal Water Passage Holes
- Fits On All Popular Water-Fed Polishers

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	SHAPE
PFE001	1"	3,500	5/8"-11 Threaded	20 Degree Bevel
PFBNG01	Nylon Guide			

PROFILER F-SERIES

CREATE AN OGEE BEVELED EDGE




- Create A Perfect Ogee Edge Treatment
- Unique Two-Step Process To Make Your Operation Easier
- Works Great On Granite, Engineered Stone, Concrete, Marble and Porcelain Slab
- Fits On All Popular Water-Fed Polishers
- Nylon Guide and Rotary Touchier Assures The Proper Depth of Cut Is Achieved
- Equipped with A 5/8"-11 Female Thread and Internal Water Passage Holes

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	SHAPE
PFF200	3/4" (2cm)	3,500	5/8"-11 Threaded	Breaker-Position 0
PFF201	3/4" (2cm)	3,500	5/8"-11 Threaded	Ogee-Position 1
PFF300	1-1/4" (3cm)	3,500	5/8"-11 Threaded	Breaker-Position 0
PFF301	1-1/4" (3cm)	3,500	5/8"-11 Threaded	Ogee-Position 1
PFBNG01	Nylon Guide			

PROFILER Q-SERIES

CREATE RECESSED DRAIN HOLES



Recessed Base

- Create A Perfect Bullnose/Roundover Edge Treatment
- Use On Granite, Engineered Stone, Marble, Limestone, Concrete, Crystallized Glass and Porcelain Slabs
- Eliminate The Time-Consuming Calibration Process for Seamed Pieces
- Nylon Guide and Rotary Touchier Assures The Edges Are Uniform
- Equipped with A 5/8"-11 Female Thread and Internal Water Passage Holes
- Fits On All Popular Water-Fed Polishers

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	SHAPE
PFQ061	1/4"	3,500	5/8"-11 Threaded	90 degree recess
PFBNG01	Nylon Guide			

PROFILER RE-SERIES

CREATE 45 DEGREE INTERNAL BEVEL



Reversed Bevel

- Produce A Flawless 45 Degree Corner Piece
- Use On Granite, Engineered Stone, Marble, Limestone and Porcelain Tiles
- Nylon Guide and Rotary Touchier Assures Uniformity
- Equipped with A 5/8"-11 Female Thread and Internal Water Passage Holes
- Fits On All Popular Water-Fed Polishers

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	SHAPE
PIB101	3/8" (1cm)	3,500	5/8"-11 Threaded	Reverse Bevel
PFBNG01	Nylon Guide			

CONCRETE PROFILING WHEEL

DECORATIVE CONCRETE EDGE PROFILING WHEEL



- Designed for Architectural Scoring On Concrete
- Creates A Demi-Bullnose Edge Treatment
- Available in 3-3/8"
- Combine with The Ecocutter for A Virtually Dust-Free Portable Solution




PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)
CPE445	3-3/8"	14,500	7/8"

CRACK CHASING WHEEL

V-CUT STYLE WHEEL FOR CONCRETE REPAIR



- Great for Re-Filling or Re-Caulking Cracks
- V-Cut Wheel Style Produces A 1/2 Inch Wide, 70-Degree, V-Shaped Groove
- Available in 4"
- Combine with The Ecocutter for A Virtually Dust-Free Portable Solution



PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)
DCC478	4"	14,500	7/8"

GRINDING & SANDING

Surface Preparation at its best




ULTRAZIP FLAP WHEEL

DESIGNED FOR FAST MATERIAL REMOVAL



- Designed for Fast Removal Of Material Including Delicate Materials That May Get Damaged Using A Metal Bond Grinding Cup Wheel
- Constructed with A Combination Of Diamond and Silicon Carbide Flaps On A Reinforced Plastic Backer Pad To Offer Excellent Cost Performance
- The Flaps Are Arranged in A Dense Overlapping Layout To Provide Long Life
- The Flexibility Of The Diamond Flap Wheel Is Advantageous for Smoothing Curved Surfaces
- Can Be Used Wet or Dry
- Use At High-Speed or Low-Speed

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	GRIT	COLOR
DFW45060	4-1/2"	13,200	7/8"	60	Green
DFW45100	4-1/2"	13,200	7/8"	100	Blue
DFW45200	4-1/2"	13,200	7/8"	200	Yellow
DFW4506H	4-1/2"	13,200	5/8"-11	60	Green
DFW4510H	4-1/2"	13,200	5/8"-11	100	Blue
DFW4520H	4-1/2"	13,200	5/8"-11	200	Yellow



SPIKE DISC

COATING REMOVAL MADE EASY



- Designed for Thick Coating Removal Of Epoxy, Urethane, Glue and Adhesives
- Unique Open-Mesh Layout Reduces Clogging and Head Build-Up
- Optimized Diamond Grits Provide A Consistent Performance
- Sandwiched-Rubber Cushioned Light-Weight Body Reduces Noise and Vibration
- Each Diamond Bead Has Multiple Diamond Grits To Maintain A Sharp Cutting Capability for A Long Time
- Can Be Used On Steel, Wood, Glass Fiber Reinforced Polymer and Carbon Fiber Reinforced Polymer.
- Available in 4.5", 5" and 7" with 7/8" Arbor or with 5/8"-11 Zinc Hub and A Square Arbor for Spring Load Systems
- Combine with The Ecoguard G for A Virtually Dust-Free Solution

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	GRIT
VCS4535	4-1/2"	13,200	7/8"	35
VCS453H	4-1/2"	13,200	5/8"-11	35
VCS4550	4-1/2"	13,200	7/8"	50
VCS455H	4-1/2"	13,200	5/8"-11	50
VCS5035	5"	13,200	7/8"	35
VCS503H	5"	12,200	5/8"-11	35
VCS503Q	5"	12,200	Sq Arbor	35
VCS5050	5"	12,200	7/8"	50
VCS505H	5"	12,200	5/8"-11	50
VCS7035	7"	8,400	7/8"	35
VCS703H	7"	8,400	5/8"-11	35
VCS7050	7"	8,400	7/8"	50
VCS705H	7"	8,400	5/8"-11	50



close-up of diamonds



sandwich construction


VEXTRA FLAT DISC

GENERAL PURPOSE FLAT GRINDING DISC



- Aggressive Grinding Wheel Specially Formulated for Natural Stone Products
- Turbo Design Provides Fast Stock Removal
- Premium Choice for Any Grinding, Shaping or Beveling Work
- Available in 4" and 6" Diameters
- Coarse and Medium Grits Available
- Can Be Used Wet or Dry

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	GRIT
VDD4535	4-1/2"	13,200	7/8"	35
VDD453H	4-1/2"	13,200	5/8"-11	35
VDD4550	4-1/2"	13,200	7/8"	50
VDD455H	4-1/2"	13,200	5/8"-11	50
VDD4580	4-1/2"	13,200	7/8"	80
VDD458H	4-1/2"	13,200	5/8"-11	80
VDD5035	5"	12,200	7/8"	35
VDD503H	5"	12,200	5/8"-11	35
VDD5050	5"	12,200	7/8"	50
VDD505H	5"	12,200	5/8"-11	50
VDD5080	5"	12,200	7/8"	80
VDD508H	5"	12,200	5/8"-11	80
VDD7035	7"	8,400	7/8"	35
VDD703H	7"	8,400	5/8"-11	35
VDD7050	7"	8,400	7/8"	50
VDD705H	7"	8,400	5/8"-11	50
VDD7080	7"	8,400	7/8"	80
VDD708H	7"	8,400	5/8"-11	80



sandwich construction

open-mesh

**SURFACER GRINDING
CUP WHEEL**

**GRINDING CUP WHEEL
FOR FLAT SURFACES**

ALPHA[®] SURFACER

ADD THE FINAL TOUCH!



- Quick Solution for Undersides of Counters
- Fast Material Removal



Coarse Finish

Fine Finish

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	GRIT
SG4C11	4"	14,500	7/8", 5/8"-11 Threaded	Coarse
SG4F11	4"	14,500	7/8", 5/8"-11 Threaded	Fine

VEXCEL RIGID DISC

GENERAL PURPOSE RIGID GRINDING DISC



- Recommended for Ceramic and Marble Tile
- Formulated for Chip-Free Cutting and Long Life
- Best Seller for the Ceramic Tile Contractor
- Premium Quality Wet Cutting Tile Blade
- Reliable Proven Performer

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	GRIT
VDR4525	4-1/2"	13,200	7/8"	25
VDR452H	4-1/2"	13,200	5/8"-11	25
VDR4535	4-1/2"	13,200	7/8"	35
VDR453H	4-1/2"	13,200	5/8"-11	35
VDR4550	4-1/2"	13,200	7/8"	50
VDR455H	4-1/2"	13,200	5/8"-11	50
VDR4580	4-1/2"	13,200	7/8"	80
VDR458H	4-1/2"	13,200	5/8"-11	80
VDR5025	5"	12,200	7/8"	25
VDR502H	5"	12,200	5/8"-11	25
VDR5035	5"	12,200	7/8"	35
VDR503H	5"	12,200	5/8"-11	35
VDR5050	5"	12,200	7/8"	50
VDR505H	5"	12,200	5/8"-11	50
VDR5080	5"	12,200	7/8"	80
VDR508H	5"	12,200	5/8"-11	80
VDR7025	7"	8,400	7/8"	25
VDR702H	7"	8,400	5/8"-11	25
VDR7035	7"	8,400	7/8"	35
VDR703H	7"	8,400	5/8"-11	35
VDR7050	7"	8,400	7/8"	50
VDR705H	7"	8,400	5/8"-11	50
VDR7080	7"	8,400	7/8"	80
VDR708H	7"	8,400	5/8"-11	80



DW STYLE

DESIGNED FOR NATURAL & ENGINEERED STONE



- Aggressive Grinding Wheel Specially Formulated for Natural Stone Products
- Turbo Design Provides Fast Stock Removal
- Premium Choice for Any Grinding, Shaping or Beveling Work
- Available in 4" and 6" Diameters
- Coarse and Medium Grits Available
- Can Be Used Wet or Dry

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	GRIT
DW4C11	4"	14,500	5/8" -11 Threaded	Coarse
DW4M11	4"	14,500	5/8" -11 Threaded	Medium
DW6C11	6"	10,100	5/8" -11 Threaded	Coarse
DW6M11	6"	10,100	5/8" -11 Threaded	Medium

DS STYLE

DESIGNED FOR NATURAL & ENGINEERED STONE



- Perfect for Lightweight Grinding and Shaping Work
- Works Well On Marbles and Granites
- Exclusive "No Bounce" Construction Reduces Operator Fatigue and Improves Control
- Fits On Most Common Angle Grinders and Wet Polishers
- Can Be Used Wet or Dry At Low or High-Speeds
- Versatile and Long Lasting
- Great for Shaping Delicate Edges

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	GRIT
DS4C11	4"	14,500	5/8"-11 Threaded	Coarse

VFLEX SANDING DISC

GENERAL PURPOSE FLEXIBLE SANDING DISC



- Perfect for paint, coating, oxide and rust removal, grinding burr and chamfering on the edge of steel, stainless steel and contoured surfaces
- For use on: Cast Iron, Steel, Stainless Steel, Stone, Ceramic & Composite Materials
- Flexible Sandwich Construction Reduces Noise and Vibration
- Ideal for shaping natural/engineered stone and glass
- Available in 5" and 7" with 7/8" arbor or with 5/8"-11 zinc hub

PART NO.	SIZE	MAX RPM	ARBOR(S)	GRIT
VDF5035	5"	5,000	7/8"	35
VDF503H	5"	5,000	5/8"-11	35
VDF5050	5"	5,000	7/8"	50
VDF505H	5"	5,000	5/8"-11	50
VDF5080	5"	5,000	7/8"	80
VDF508H	5"	5,000	5/8"-11	80
VDF7035	7"	5,000	7/8"	35
VDF703H	7"	5,000	5/8"-11	35
VDF7050	7"	5,000	7/8"	50
VDF705H	7"	5,000	5/8"-11	50
VDF7080	7"	5,000	7/8"	80
VDF708H	7"	5,000	5/8"-11	80



flexible sandwich construction

REZNET

SANDING SCREEN BLOCKS



- Designed for Use with Reznet Sanding Pads
- Designed with Comfort in Mind for The Longest and Toughest Jobs
- Virtually-Dust Free Application When Used with A Vacuum
- Hook & Loop Backing
- Available in 5", 8" & 16"



PART NO.	SIZE	TYPE	BOND TYPE
RB275005	5" x 2-3/4" (125mm x 70mm)	Hook & Loop Block	Hard
RB275008	8" x 2-3/4" (200mm x 70mm)	Hook & Loop Block	Hard
RB275016	16" x 2-3/4" (400mm x 70mm)	Hook & Loop Block	Hard
VH91100	3/4" x 144" (20mm x 3.6m)	Hose for Sanding Blocks	

REZNET

SANDING SCREEN ROLLS



- Unique Multi-Purpose Sanding Made with A High-Quality Abrasive Grit
- Maintains Cool Cutting During The Toughest Applications
- Use with Reznet Sanding Blocks
- Perfect for Most Materials
- Hook & Loop Backing

PART NO.	SIZE	GRIT	QTY	BOND TYPE
RS7100040	2-3/4"x10yds (70mm x 9.1m)	40	1	Aluminum Oxide
RS7100080	2-3/4"x10yds (70mm x 9.1m)	80	1	Aluminum Oxide
RS7100120	2-3/4"x10yds (70mm x 9.1m)	120	1	Aluminum Oxide
RS7100180	2-3/4"x10yds (70mm x 9.1m)	180	1	Aluminum Oxide
RS7100240	2-3/4"x10yds (70mm x 9.1m)	240	1	Aluminum Oxide
RS7100320	2-3/4"x10yds (70mm x 9.1m)	320	1	Aluminum Oxide
RS7100400	2-3/4"x10yds (70mm x 9.1m)	400	1	Aluminum Oxide

REZNET

DA BACKER PADS



- Industrial Quality Backer Pads for The Toughest Jobs
- Fits Most Popular Electric Dual-Action Sanders and Pneumatic Dual-Action Sanders
- Use with Reznet Discs and Standard Abrasive Products with A Hook & Loop System
- Creates A Virtually Dust-Free Application To Ensure A Cool Sanding Application When Used with A Vacuum
- Pur-Molded for Premium Durability and Flexibility
- Creative Dust Cover Design
- Smart Mounting System for Festool, Rupes & Makita Sanders



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	THREADS	DESCRIPTION
RDA50010	5" (125mm)	12mm	12,000	Makita® / Porter-Cable	Pattern 8+8+1
RDA60516	6" (150mm)	12mm	12,000	5/16"	Pattern 8+8+1
RDA60517	6" (150mm)	12mm	12,000	5/16"	Pattern 8+6/8+1
RDA68516	6" (150mm)	12mm	12,000	M8+5/16"	Pattern 8+8+1
RDA68517	6" (150mm)	12mm	12,000	M8+5/16"	Pattern 8+6/8+1

REZNET

SANDING SCREEN DISCS



- Unique Multi-Purpose Sanding Made with A High-Quality Abrasive Grit
- Maintains Cool Cutting During The Toughest Applications
- Designed for Dual Action/Orbital Action/Gear Action Sanders
- Comes in Packs of 50 for 5" & 6" and Packs of 10 for 8" & 9"
- Grits Available: 40, 80, 100, 120, 180, 240, 320, 400, 600, 1000, 1200, 1500, 2000 & 3000

REZNET

SANDING SCREEN DISCS

PART NO.	SIZE	TYPE	GRIT	QTY	BOND TYPE
RA500040	5"	Hook & Loop	40	50	Aluminum Oxide
RA500080	5"	Hook & Loop	80	50	Aluminum Oxide
RA050120	5"	Hook & Loop	120	50	Aluminum Oxide
RA500120	5"	Hook & Loop	180	50	Aluminum Oxide
RA500240	5"	Hook & Loop	240	50	Aluminum Oxide
RA500320	5"	Hook & Loop	320	50	Aluminum Oxide
RA500400	5"	Hook & Loop	400	50	Aluminum Oxide
RA500600	5"	Hook & Loop	600	50	Aluminum Oxide
RA501000	5"	Hook & Loop	1000	50	Aluminum Oxide
RA501200	5"	Hook & Loop	1200	50	Aluminum Oxide
RA501500	5"	Hook & Loop	1500	50	Aluminum Oxide
RA502000	5"	Hook & Loop	2000	50	Aluminum Oxide
RA503000	5"	Hook & Loop	3000	50	Aluminum Oxide
RA600040					
RA600040	6"	Hook & Loop	40	50	Aluminum Oxide
RA600080	6"	Hook & Loop	80	50	Aluminum Oxide
RA600120	6"	Hook & Loop	120	50	Aluminum Oxide
RA600180	6"	Hook & Loop	180	50	Aluminum Oxide
RA600240	6"	Hook & Loop	240	50	Aluminum Oxide
RA600320	6"	Hook & Loop	320	50	Aluminum Oxide
RA600400	6"	Hook & Loop	400	50	Aluminum Oxide
RA600600	6"	Hook & Loop	600	50	Aluminum Oxide
RA601000	6"	Hook & Loop	1000	50	Aluminum Oxide
RA601200	6"	Hook & Loop	1200	50	Aluminum Oxide
RA601500	6"	Hook & Loop	1500	50	Aluminum Oxide
RA602000	6"	Hook & Loop	2000	50	Aluminum Oxide
RA603000	6"	Hook & Loop	3000	50	Aluminum Oxide
RBP60516	6"	Double Hook Loop	-	1	Flexible Interface Pad
RA800040					
RA800040	8"	Hook & Loop	40	10	Aluminum Oxide
RA800080	8"	Hook & Loop	80	10	Aluminum Oxide
RA800120	8"	Hook & Loop	120	10	Aluminum Oxide
RA800180	8"	Hook & Loop	180	10	Aluminum Oxide
RA800240	8"	Hook & Loop	240	10	Aluminum Oxide
RA800320	8"	Hook & Loop	320	10	Aluminum Oxide
RA800400	8"	Hook & Loop	400	10	Aluminum Oxide
RA800600	8"	Hook & Loop	600	10	Aluminum Oxide
RA801000	8"	Hook & Loop	1000	10	Aluminum Oxide
RA801200	8"	Hook & Loop	1200	10	Aluminum Oxide
RA801500	8"	Hook & Loop	1500	10	Aluminum Oxide
RA802000	8"	Hook & Loop	2000	10	Aluminum Oxide
RA803000	8"	Hook & Loop	3000	10	Aluminum Oxide
RA900040					
RA900040	9"	Hook & Loop	40	10	Aluminum Oxide
RA900060	9"	Hook & Loop	60	10	Aluminum Oxide
RA900080	9"	Hook & Loop	80	10	Aluminum Oxide
RA900100	9"	Hook & Loop	100	10	Aluminum Oxide
RA900120	9"	Hook & Loop	120	10	Aluminum Oxide
RA900150	9"	Hook & Loop	150	10	Aluminum Oxide
RA900180	9"	Hook & Loop	180	10	Aluminum Oxide

SANDPAPER

CONCRETE AND MARBLE POLISHING



- Waterproof Hook and Loop Backed Silicon Carbide Abrasive
- Resists Clogging When Used Wet
- Use On Marbles and Softer Types of Natural Stone
- Very Adaptable To Onsite Work and Easy To Use
- Can Also Be Used To Polish Glass, Metal and Wood



HOOK AND LOOP		4"	5"
GRIT	QUANTITY	PART NO.	PART NO.
80	50	MP40080	MP50080
120	50	MP40120	MP50120
240	50	MP40240	MP50240
320	50	MP40320	MP50320
400	50	MP40400	MP50400
500	50	MP40500	MP50500
600	50	MP40600	MP50600
Assortment	50	MP40KIT	MP50KIT

DRILLING

Versatile and can be adapted for use in construction trades wherever holes are needed.



WET CORE BITS

ULTIMATE WET CORE DRILLING BIT



- Designed for Drilling The Faucet-Mounting Holes in Countertops and Vanities
- Very Fast Cutting On Granite and Engineered Stone
- Make Clean Rounded Corners for Square or Rectangular Sinkholes
- Versatile and Adaptable in Many Industries for Water, Gas and Electrical Piping
- Fits On Most Popular Water-Fed Polishers and Grinders

PART NO.	DIAMETER	MAXIMUM RPM	ARBOR(S)
DCB00380	3/8"	3,500	5/8"-11 Threaded
DCB00500	1/2"	3,500	5/8"-11 Threaded
DCB00750	3/4"	3,500	5/8"-11 Threaded
DCB01000	1"	3,500	5/8"-11 Threaded
DCB01250	1-1/4"	3,500	5/8"-11 Threaded
DCB01375	1-3/8"	3,500	5/8"-11 Threaded
DCB01500	1-1/2"	3,500	5/8"-11 Threaded
DCB02000	2"	3,500	5/8"-11 Threaded
DCB02500	2-1/2"	3,500	5/8"-11 Threaded

DRY CORE BITS

HIGH-SPEED DRY CORE BIT FOR GRANITE/ENG. STONE



- Designed for Jobsite Drilling Of Faucet-Mounting Holes in Countertops and Vanities
- Very Fast Cutting On Granite and Engineered Stone
- Convenient Dry Application
- Make Clean Rounded Corners for Square or Rectangular Sinkholes
- Versatile and Adaptable in Many Industries for Water, Gas and Electrical Piping
- Fits On Most Popular High-Speed Grinders

PART NO.	DIAMETER	MAXIMUM RPM	ARBOR(S)
DRB00500	1/2"	12,000	5/8"-11 Threaded
DRB00750	3/4"	12,000	5/8"-11 Threaded
DRB01000	1"	12,000	5/8"-11 Threaded
DRB01250	1-1/4"	12,000	5/8"-11 Threaded
DRB01375	1-3/8"	12,000	5/8"-11 Threaded
DRB01500	1-1/2"	12,000	5/8"-11 Threaded
DRB02000	2"	12,000	5/8"-11 Threaded

VACUUM BRAZED TRIMMER BIT

DRY CUTTING OF LARGE HOLES OR CURVED LINES



- Great For Use In Construction Trades Wherever Non-Standard Shaped Cutouts
- Perfect For Electrical Receptacles, Water-Valve Holes, Drains, Shower Knobs, Etc.
- Vacuum Brazed Technology Provides An Extended Life
- Use On Granites, Engineered And Natural Stones, Porcelain And Ceramic Tiles
- Can Be Used Wet Or Dry
- Fits On A High-Speed Trimmer Tools

PART NO.	DIAMETER	MAXIMUM RPM
DTB00250	1/4"	33,000

ELECTROPLATED DRILL BITS

PREMIUM DRILL BITS FOR ANCHOR HOLES



- Designed for Drilling Holes in Tile and Stone for Pre-Installation or Post-Installation Placement
- Works Great On Marble, Granite, Engineered Stone, Ceramic, Porcelain and Glass Tile and Panels
- Can Be Used On A Standard 3/8" or Larger Drill
- Can Fit On Water-Fed Polishers with 5/8"-11 Spindles Using The Drill Bit Adapter
- Ideal for Drilling Holes for Anchors for Bathroom Fixtures, Faucet and Plumbing Pipes
- Available in 3/16", 1/4", 5/16", 3/8", 1/2", 1-3/8" and 1-1/2" Sizes
- A Must-Have for The Tile Installer's Tool Box

PART NO.	DIAMETER	MAXIMUM RPM	TYPE
CH7205	3/16"	3,500	3/8" Shank
CH7206	1/4"	3,500	3/8" Shank
CH7208	5/16"	3,500	3/8" Shank
CH7210	3/8"	3,500	3/8" Shank
CH7212	1/2"	3,500	3/8" Shank
CH7235	1-3/8"	3,500	3/8" Shank
CH7240	1-1/2"	3,500	3/8" Shank
CH1058	10mm to 5/8"		Adapter for VSP-320

POLISHING

Full range of Superior Wet and Dry Diamond polishing pads



CERAMICA VITRIFIED

PREPARATION STAGE FOR WET GRANITE POLISHING



- Designed To Handle The Hard Job of Removing Saw and Grinding Marks
- Ideal for The Bullnose or Profiled Edge
- Fabricators Love The Aggressiveness, Ease of Use and Long Life
- Excellent Results On A Consistent Basis
- Available in Grits of 60, 150 and 300
- Cost-Effective Investment



HOOK AND LOOP		3"	4"	5"
GRIT	COLOR	PART NO.	PART NO.	PART NO.
60	Blue	GP30060V	GP40060V	GP50060V
150	Yellow	GP30150V	GP40150V	GP50150V
300	Orange	GP30300V	GP40300V	GP50300V

CERAMICA METAL

PREPARATION STAGE FOR WET GRANITE POLISHING




- Produces A High-Quality Polish That Matches The Edge To The Slab Surface
- Extremely Flexible with Consistent Performance
- Use On Popular Hand-Held Wet Polishers
- Hook & Loop Backed for Quick Grit Changes
- Works Very Well in Tight Curved Areas



HOOK AND LOOP		3"	4"
GRIT	COLOR	PART NO.	PART NO.
60	Blue	FD30060M	FD40060M
150	Yellow	FD30150M	FD40150M
300	Orange	FD30300M	FD40300M

KIRARA PADS

EASY THREE-STEP MAINTENANCE SYSTEM




- Restore The Polish Of Marble, Limestone & Concrete Surfaces
- Great For Difficult To Polish Marble and Limestone, Such As Nero Maquina (Black Marble)
- Fast, Consistent, High-Quality Results
- Easy 3-Step Maintenance System
- Minimal Water Needed When Used Wet
- Can Be Used On A Typical Floor Buffers with 175 RPM or 300 RPM

PART NO.	SIZE	MAX RPM	TYPE	RECOMMENDED FOR	GRIT	COLOR
KWD4001	4"	4,000	Hook & Loop	Marble/Limestone/Concrete	Pos 1	Red
KWD4002	4"	4,000	Hook & Loop	Marble/Limestone/Concrete	Pos 2	Light Green
KWD4003	4"	4,000	Hook & Loop	Marble/Limestone/Concrete	Pos 3	Blue



Can also be used on a **Driver Pad** for Floor Polishing!



CERAMICA EX

WET POLISHING FOR ALL STONES



- Produces A High-Quality Shine
- Polishes On All Materials
- Ideal for Polishing Inside Corners and A Tight Radius
- Works Very Well On Tough Materials Including Tough To Polish Black and Green Marbles
- Extremely Flexible



HOOK AND LOOP		3"	4"	5"
GRIT	COLOR	PART NO.	PART NO.	PART NO.
200	Yellow	EX30200R	EX40200R	EX50200R
500	Red	EX30500R	EX40500R	EX50500R
1000	Dark Green	EX31000R	EX41000R	EX51000R
2000	Light Green	EX32000R	EX42000R	EX52000R
3000	Brown	EX33000R	EX43000R	EX53000R
ALL	Assortment (1 each)	—	EX40KIT	—

CERAMICA EDGE

FLEXIBLE DIAMOND EDGE POLISHING DISC




- Produces A High-Quality Polish That Matches The Edge To The Slab Surface
- Extremely Flexible with Consistent Performance
- Use On Popular Hand-Held Wet Polishers
- Hook & Loop Backed for Quick Grit Changes
- Works Very Well in Tight Curved Areas



PART NO.	SIZE	GRIT	COLOR
CE40080R	4"	80	Blue
CE40150R	4"	150	Yellow
CE40300R	4"	300	Orange
CE40500R	4"	500	Red
CE41000R	4"	1000	Dark Green
CE42000R	4"	2000	Light Green
CE43000R	4"	3000	Brown
CE40KIT	4"	ALL	Assortment (1 each)

CERAMICA RESIN

ULTIMATE POLISHING PADS FOR GRANITE



- High-Performance Discs Provide The Best Possible Polish
- Extremely Flexible with Consistent Performance
- Best in The Industry and Very Cost-Effective
- Designed for Wet Granite Hand Polishing
- Fabricators Achieve Excellent Results Consistently
- Works Extremely Well in Tight Curved Areas Such as Inside Sinkholes
- Available in 3", 4" and 5" Size Discs



HOOK AND LOOP		3"	4"	5"
GRIT	COLOR	PART NO.	PART NO.	PART NO.
150	Yellow	GP30150R	GP40150R	GP50150R
300	Orange	GP30300R	GP40300R	GP50300R
500	Red	GP30500R	GP40500R	GP50500R
1000	Dark Green	GP31000R	GP41000R	GP51000R
2000	Light Green	GP32000R	GP42000R	GP52000R
3000	Brown	GP33000R	GP43000R	GP53000R

CERAMICA TF

FOR TEXTURED FINISH



- Create Textured Finishes On Engineered Stone/ Quartz Surfaces
- Extremely Flexible Disc Reaches Tight Corners Comfortably
- Hook & Loop Backed for Quick Grit Changes
- Use On Popular Hand-Held Wet Polishers
- Use with Undersized Backer Pads for Internal Corners and Sink Rims



PART NO.	SIZE	TYPE	GRIT	COLOR
TFR4000	4"	Hook & Loop	Pos. 0	Orange
TFR4001	4"	Hook & Loop	Pos. 1	Red
TFR4002	4"	Hook & Loop	Pos. 2	Dark Green
TFR4003	4"	Hook & Loop	Pos. 3	Light Green
TF40KIT	4"	Hook & Loop	1 each	Assortment

CERAMICA DRY

WET POLISHING FOR ALL STONES




- Dry Polish All Natural Stones and Cement-Based Composites
- For Use On Sanders and Polishers
- Thick Diamond Layer for Better Quality Results
- Hook & Loop Backed for Quick Grit Changes
- Use On Popular Hand-Held Wet Polishers



HOOK AND LOOP		4"	5"
GRIT	COLOR	PART NO.	PART NO.
60	Blue	CD40060R	CD50060R
200	Yellow	CD40200R	CD50200R
500	Red	CD40500R	CD50500R
1000	Dark Green	CD41000R	CD51000R
2000	Light Green	CD42000R	CD52000R
3000	Brown	CD43000R	CD53000R
ALL	Assortment (1 each)	CD40KIT	CD50KIT

HAND PADS

HAND POLISHING PADS



- Convenient, On-Site Polishing, On Materials
- Use On Glass, Ceramics, Marble, Granite, Concrete, Terrazzo and Quartz Surfaces
- Two Bond Types To Provide The Best Possible Finish
- Available in Electroplated and Resin Grits



PART NO.	GRIT	COLOR	BOND TYPE
DHP0060	60	Blue	Electroplated
DHP0150	150	Yellow	Electroplated
DHP0300	300	Orange	Electroplated
DHP0500	500	Red	Electroplated
DHP1000	1000	Dark Green	Resin
DHP2000	2000	Light Green	Resin
DHP3000	3000	Brown	Resin
DHPKIT			Set of 7

PVA VP STYLE

VERSATILE, HIGH-SPEED DRY POLISHING SYSTEM



- Designed To Polish Stone, Ceramics, Metals and Woods
- Can Be Used On Polishers, Sanders and Grinders At Any RPM
- Recommended for Paint, Coating, Mill Scale and Rust Removal
- Versatile, High-Speed and Long Lasting
- 4-1/2" Discs Do Not Clog
- Formulated with A Silicon Carbide Abrasive and A Polyvinyl Alcohol Bond
- Grits Range From Extra Coarse To Extra Fine
- Available with A Straight 7/8" Arbor or A 5/8"-11 Disposable Zinc Hub

PART NO.	SIZE	GRIT	ARBOR	FINISH
SPVA45W	4-1/2"	40	7/8"	Extra Coarse
SPVA45R	4-1/2"	80	7/8"	Coarse
SPVA45B	4-1/2"	220	7/8"	Medium
SPVA45G	4-1/2"	400	7/8"	Fine
SPVA45Y	4-1/2"	600	7/8"	Extra Fine
SPVA45WH	4-1/2"	40	5/8"-11	Extra Coarse
SPVA45RH	4-1/2"	80	5/8"-11	Coarse
SPVA45BH	4-1/2"	220	5/8"-11	Medium
SPVA45GH	4-1/2"	400	5/8"-11	Fine
SPVA45YH	4-1/2"	600	5/8"-11	Extra Fine

PVA VP Polishing Disc without Hub



PVA VP Polishing Disc with Hub



PVA M5 STYLE

MARBLE EDGE POLISHING SYSTEM



- Best Polishing Solution for Glass Tile
- Ideal for Baseboard, Corner and Countertop Edge Applications
- Fast Working, Long Lasting At An Affordable Price
- 4" Discs Can Also Be Used for Paint Removal, As The Material Will Not Clog
- Works Well On Most Common High-Speed Grinders
- Grits Range From Extra Coarse To Extra Fine
- Available with A 5/8"-11 Arbor
- Very Effective On Contours, Edges and Irregular Surfaces
- Polishes Stainless Steel to a mirror-like finish

PART NO.	SIZE	ARBOR	GRIT	FINISH	QUANTITY
PVAMSW	4"	5/8"-11	40	Extra Coarse	10
PVAMSR	4"	5/8"-11	80	Coarse	10
PVAMSB	4"	5/8"-11	220	Medium	10
PVAMSG	4"	5/8"-11	400	Fine	10
PVAMSY	4"	5/8"-11	600	Extra Fine	10
PVAMSK	4"	5/8"-11	Assortment	All	10
SPVAMSW	4"	5/8"	40	Extra Coarse	1
SPVAMSR	4"	5/8"	80	Coarse	1
SPVAMSB	4"	5/8"	220	Medium	1
SPVAMSG	4"	5/8"	400	Fine	1
SPVAMSY	4"	5/8"	600	Extra Fine	1



10 pieces per box



ALSO AVAILABLE
IN SINGLE PACK

PVA QC STYLE

MARBLE EDGE POLISHING SYSTEM



- Best Polishing Solution for Glass Tile
- Ideal for Baseboard, Corner and Countertop Edge Applications
- “Quick Change” Process Saves Time, Increases Productivity
- Works Well On Most Common Low Speed Polishing Tools
- 4” Discs Can Also Be Used for Paint Removal, As The Material Will Not Clog
- Fast Working, Long Lasting At An Affordable Price
- Grits Range From Extra Coarse To Extra Fine
- Polishes Stainless Steel To A Mirror-Like Finish

PART NO.	SIZE	MAXIMUM RPM	ARBOR	GRIT	FINISH	QUANTITY
PVAQCW	4"	4,000	—	40	Extra Coarse	5
PVAQCR	4"	4,000	—	80	Coarse	5
PVAQCB	4"	4,000	—	220	Medium	5
PVAQCG	4"	4,000	—	400	Fine	5
PVAQCY	4"	4,000	—	600	Extra Fine	5
PVAQCK	4"	4,000	—	Assortment	All	5
SPVAQCW	4"	4,000	—	40	Extra Coarse	1
SPVAQCR	4"	4,000	—	80	Coarse	1
SPVAQCB	4"	4,000	—	220	Medium	1
SPVAQCG	4"	4,000	—	400	Fine	1
SPVAQCY	4"	4,000	—	600	Extra Fine	1
PVA-5/8	4"		5/8"-11			



5 pieces per box



ALSO AVAILABLE
IN SINGLE PACK

TURBOSHINE

POLISHING AND SCRATCH REMOVAL SYSTEM



- Designed for Polishing Seamless Countertops and Scratch Removal for Natural and Engineered Stones
- Utilizes Dual Adapter System for Reduced Vibration
- Quick Disc Type and Grit Changes Reduces Downtime
- Comes in Rigid and Flexible Discs
- Provides The Best Results On Granite, Engineered Stone/ Quartz Surfaces, and Difficult Marbles Such As Green and Black
- Final Polishing Wheel Achieves The Highest Possible Shine
- Unique #2000 Grit Disc Designed for Engineered Stone and Quartz Surfaces
- Works Great On Crystallized Glass and Concrete Slabs

PART NO.	SIZE	TYPE	THREADS	GRIT	COLOR
TSR30100R	3"	Rigid	Dual Adapter System	100	Blue
TSR30200R	3"	Rigid	Dual Adapter System	200	Yellow
TSR30500R	3"	Rigid	Dual Adapter System	500	Red
TSR31000R	3"	Rigid	Dual Adapter System	1000	Dark Green
TSR32000R	3"	Rigid	Dual Adapter System	2000	Light Green
TSR33000R	3"	Rigid	Dual Adapter System	3000	Brown
TSR3BLACK	3"	Rigid	Dual Adapter System	Buff	Black
TSR3WHITE	3"	Rigid	Dual Adapter System	Buff	White
TSF30100R	3"	Flexible	Dual Adapter System	100	Blue
TSF30200R	3"	Flexible	Dual Adapter System	200	Yellow
TSF30500R	3"	Flexible	Dual Adapter System	500	Red
TSF31000R	3"	Flexible	Dual Adapter System	1000	Dark Green
TSF32000R	3"	Flexible	Dual Adapter System	2000	Light Green
TSF33000R	3"	Flexible	Dual Adapter System	3000	Brown
TSF3BLACK	3"	Flexible	Dual Adapter System	Buff	Black
TSF3WHITE	3"	Flexible	Dual Adapter System	Buff	White
TSE32000R	3"	Flexible	Dual Adapter System	2000	Light Green
DAS35/8PD	3"	Adapter	5/8"-11 Thread		
TSM30060M	3"	Grinding Wheel	5/8"-11 Thread	60	Blue
TSM30120M	3"	Grinding Wheel	5/8"-11 Thread	120	Yellow

ANTIQUE BRUSH WHEELS

BRUSH WHEELS FOR TEXTURED FINISHES



- Create A Textured Finish On The Edge and Surface Of Engineered Stone/Quartz Surfaces
- Developed with TYNEX®, A Filament From Dupont, To Ensure Safety and Exceptional Performance
- Utilizes A Snail Lock Adapter (SFAT)
- Fits Most Popular Edge Polishing Machines, Hand-Held Sanders and Polishers
- Grits Sequence of #24, #36, #60, #120, #240 and #320
- Can Be Used On Other Stone Such As Granite

SNAIL LOCK			4"	5"
GRIT	BOND TYPE	MAXIMUM RPM	PART NO.	PART NO.
24	Resin	4,000	AB4024	AB5024
36	Resin	4,000	AB4036	AB5036
60	Resin	4,000	AB4060	AB5060
120	Resin	4,000	AB4120	AB5120
240	Resin	4,000	AB4240	AB5240
320	Resin	4,000	AB4320	AB5320
Adapter		4,000	PVA-5/8	SFAT-5/8

FELT WHEELS

FOR USE WITH POLISHING POWDERS



- Designed for Use with Polishing Powders, Pastes or Bars
- Very Durable - Holds Up To Acidic Compounds and Heat Generated During Final Polishing
- Hook and Loop Backed Buffing Wheels
- 1/4" Thick with The Perfect Degree Of Hardness Versus Softness
- Very Popular Material for The Final Buff Process with Fabricators and Monumentalists
- Can Be Used for Floor Polishing Applications

PART NO.	SIZE	TYPE
FW30250	3"	Hook & Loop
FW40250	4"	Hook & Loop
FW50250	5"	Hook & Loop

ACCESSORIES

Exclusively from Alpha® for the most popular tools



ECOGUARD TYPE C

HYBRID DUST COLLECTION COVER FOR CUTTING



- Designed for Collecting Dust When Using A High-Speed Angle Grinder
- Accepts Up To 5" Diameter Blades
- Can Be Used with or Without A Vacuum
- Rugged Construction for Heavy-Duty Applications
- More Than 90% Of Dust Removal Rate
- Fits On Selected 4-1/2"- 5" High-Speed Angle Grinders
- Straight Precise Cuts Using Foot Plate
- Adjustable Cutting Depth

PART NO.	SIZE	DESCRIPTION
ECOGRDCT	5"	Dust Collection Cover Type C
201549	-	Dust Bag
500026	18"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")

ECOGUARD TYPE W5

DUST COLLECTION COVER FOR WIDER KERF CUTTING



Type C



Type W5

- Designed for Collecting Debris When Using A High-Speed Angle Grinder
- Perfect for Tuckpointing and Crack Chasing
- Accepts Up To 5" Diameter Blades
- More Than 90% Of Dust Removal Rate
- Rugged Construction for Heavy-Duty Applications
- Straight Precise Cuts Using Foot Plate
- Easy Installation and Blade Changes
- Fits On Selected 4-1/2" and 5" High-Speed Angle Grinders
- Adjustable Cutting Depth
- Must Be Used with A Vacuum

PART NO.	SIZE	DESCRIPTION
ECOGRDW5	5"	Dust Collection Cover Type C
500026	18"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
ECOW5KIT	5"	Ecoguard W5 & Connector Hose Kit

ECOGUARD TYPE M

GRINDER SOLUTION FOR METAL CUTTING



- Designed for Collecting Debris When Using A Variable-Speed Angle Grinder
- Eliminates The Dangerous Kick-Back On Hand-Held Grinders As Well As Minimizes Sparks, Debris and Odor
- Rugged Construction for Heavy-Duty Applications
- More Than 90% Of Dust Removal Rate
- Accepts Up To 5" Diameter Blades
- Fits On Selected 4-1/2", 5" and 6" Variable-Speed Angle Grinders
- Straight Precise Cuts
- Can Be Used with or Without A Vacuum

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	DESCRIPTION
ECOGRDSB	5"	-	-	-	Ecoguard Type M (Spark Buster)
TCT4530	4-1/2"	1.6mm	13,000	7/8"	CarBite Carbide Blade
TCT5030	5"	1.6mm	9,600	7/8"	CarBite Carbide Blade
ECOM45KIT	4-1/2"	1.6mm	13,000	7/8"	Ecoguard M/CarBite Blade Kit
ECOM50KIT	5"	1.6mm	9,600	7/8"	Ecoguard M/CarBite Blade Kit

ECOGUARD TYPE CD

DUST AND WATER GUARD FOR CORE DRILLING



- Wet/Dry Shroud for Drilling and Core Drilling Applications
- Fits Most Vacuum Dust Hoses
- Contains Dust and Water When Drilling with Up To A 2-1/2" Bit
- Can Be Secured On Horizontal and Vertical Surfaces with Vacuum During
- Cost-Effective Dust Removal Solution
- Prevents Splashing When Used with Water

PART NO.	SIZE	RECOMMENDED FOR	DESCRIPTION
ECOGRDCCD	5"	Core Drilling	Dust Collection Cover Type CD

ECOGUARD TYPE G

DUST COLLECTION COVER FOR GRINDING



- Designed for Collecting Dust When Using A High-Speed Angle Grinder
- Accepts Up To 5" Diameter Grinding Wheels
- Rugged Construction for Heavy-Duty Applications
- More Than 90% Of Dust Removal Rate
- Perfect for Grinding and Sanding Concrete or Surface Preparation Work
- Removable Cover Allows Grinding To The Edge
- Clear Cover for Better Visibility
- Easy Installation and Wheel Changes
- Fits On Selected 4-1/2" - 5" High-Speed Angle Grinders
- Must Be Used with A Vacuum

PART NO.	SIZE	DESCRIPTION
ECOGRDGR	5"	Dust Collection Cover Type G
500026	18"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
ECOGKIT	5"	Ecoguard G & Connector Hose Kit

ECOGUARD TYPE EG

ECONOMY DUST COLLECTION COVER FOR LARGER GRINDERS



- Efficient, Side Pick-Up Design for Dust Shrouds
- Eliminates The Problem Of Pinching Off The Hose Clamp
- Adapts To Both 1" and 1-1/2" Hoses
- Over 2" Of Vertical Adjustment
- Flexible To -20° and Will Not Crack
- Fits Most Grinders

PART NO.	SIZE	DESCRIPTION
ECOGRDEG	8"	Ecoguard Dust Collection Cover Type EG

ECOGUARD TYPE D

DUST AND WATER GUARD FOR CORE DRILLING



- Collects Dust & Debris with Ease While Using Drills/ Hammer Drills
- Convenient and Easy to Use
- Eliminates Clean-Up and Downtime on the Jobsite
- Fits Most Popular Drills and Hammer Drills
- Made for: Makita® BHR202Z, Bosch RHH180, DeWalt DCH253, Milwaukee 2605-20, Hilti TE4-A18



Optional Side Handle

PART NO.	SIZE	RECOMMENDED FOR	DESCRIPTION
ECOGRDDL	≥ 6"	Long Drill Bits	Dust Collection Cover Type DL
ECOGRDDS	≤ 6"	Short Drill Bits	Dust Collection Cover Type DS
803172	-	Ecoguard Type D	Universal Handle for Hammer Drills

DUST-FREE KITS



Ecoguard W5 Kit (ECOW5KIT)

Kit includes:

ECOGRDW5 - Ecoguard Dust Collection Cover for Wider Kerfs

Components: 2 Additional Connectors for Most 5" Grinders, 1 Collar, 1 Set Flange and Lock Nut Set for Selected Grinders, 1 Hex Wrench, 1 Rubber Hose Connector, 1 Stainless Steel Hose Clamp and 1 Instructional Manual 500026 - Flexible Connector Hose - 18"



Ecoguard M Kit (ECOMKIT)

Kit includes:

ECOGRDSB - Ecoguard Type M a.k.a. Spark Buster

Components: 3 Additional Connectors for Most 5" Grinders, 2 Collars, 1 Set Flange and Lock Nut Set for Selected Grinders, 2 Spacers, 1 Set Side Plates & Washer Set, 1 Pin Wrench, 1 Hex Wrench and 1 Instructional Manual TCT4530 - 4-1/2" Carbide Carbide Blade



Ecoguard G Kit (ECOGKIT)

Kit includes:

ECOGRDGR - Ecoguard Dust Collection Cover for Grinding

Applications

Components: 2 Additional Connectors for Most 5" Grinders, 2 Collars, 1 Set Flange and Lock Nut Set for Selected Grinders, 1 Hex Wrench, 1 Rubber Hose Adapter, 4 Spacers, 1 Stainless Steel Hose Clamp and 1 Instructional Manual 500026 - Flexible Connector Hose - 18"

HEPA WET/DRY VACUUM

HEAVY DUTY VACUUM FOR ELECTRIC & PNEUMATIC TOOLS



HEAVY DUTY WORKHORSE

for all your needs!

- Triple Layer Filtering System
- Heavy Duty 15 Gal. Stainless Steel Tank
- Designed for Wet/Dry Cleanup
- 95 CFM Air Flow Rate
- 10' & 54" Crushproof Hoses Included
- 50' Power Cord



On Board Electric On/Off Switch

On Board Air On/Off Switch

Cargo Basket For Tools and Consumables

*Air Couplers Sold Separately

*Grinder not Included



PART NO.	SIZE	TYPE	DESCRIPTION
HWD2120	15-Gal	120V	HEPA Wet/Dry Vacuum
HWD2240	15-Gal	240V	HEPA Wet/Dry Vacuum

RIGID BACKER PADS



- High-Quality Backer Pad Is Super Rigid and Flat
- Eliminates The Wavy Finish When Polishing
- Hook and Loop Backed
- The Rigidness Of The Pad Enables Work in Small Areas Such As Corners or Staircases
- Accepts Polishing Pads, Sandpaper and Felt Wheels

PART NO.	SIZE	MAX RPM	THREAD
GP35/8RG	3"	6,000	5/8"-11
GP45/8RG	4"	6,000	5/8"-11
GP55/8RG	5"	6,000	5/8"-11
GP3M14RG	3"	6,000	M14
GP4M14RG	4"	6,000	M14
GP5M14RG	5"	6,000	M14
GP3M16RG	3"	6,000	M16
GP4M16RG	4"	6,000	M16
GP5M16RG	5"	6,000	M16
RGSPACER	-	-	Spacer

FLEXIBLE BACKER PADS



- High-Quality Backer Pad Is Extremely Flexible
- Ideal for Tough Contours and Inside Curves
- Hook and Loop Backed
- Highly Resistant To The Rigors Of Daily Use Provides A Long Life
- Accepts Polishing Pads, Sandpaper and Felt Wheels

PART NO.	SIZE	MAX RPM	THREAD
GP25/8PD	2"	6,000	5/8"-11
GP35/8PD	3"	6,000	5/8"-11
GP45/8PD	4"	6,000	5/8"-11
GP55/8PD	5"	6,000	5/8"-11
GP3M14PD	3"	6,000	M14
GP4M14PD	4"	6,000	M14
GP5M14PD	5"	6,000	M14
GP3M16PD	3"	6,000	M16
GP4M16PD	4"	6,000	M16
GP5M16PD	5"	6,000	M16

GV BACKER PADS



- High-Quality Backer Pad Is Rigid and Flat, But Provides Just The Right Amount Of Flexibility
- Ideal for Bullnosed Edges and Flat Surfaces.
- Hook and Loop Backed
- Accepts Polishing Pads, Sandpaper and Felt Wheels
- Fits On Makita® Gv5000 Sander

PART NO.	SIZE	MAXIMUM RPM	DESCRIPTION
GV4MPPD	4"	4,500	M8-1.25 Male
GV5MPPD	5"	4,500	M8-1.25 Male

APRON



- D900 Oxford / PU Coated Material Makes It Waterproof
- Straps Hang The Apron On The Shoulders
- Bright Neon Yellow Color Provides Greater Visibility
- Perfect for Wet or Dry Environments
- Reduces Fatigue When Used for Long Hours Compared with Traditional Styles

PART NO.	DESCRIPTION
APRON1000	Waterproof Apron (One Size Fits All)

SAFETY GLASSES



- Designed for Safety and Comfort
- A Lightweight Frame with Padded Temples
- Adjustable Side Arms
- Soft Rubber Nose Bridge
- Clear Anti-Scratch Lenses
- Available in a single pair or 12-pack
- Complies with standard # BS EN 166:2001

PART NO.	DESCRIPTION
173002	Safety Glasses (Box of 12)
173008	Safety Glasses (Single Pair)

GROUND FAULT CIRCUIT INTERRUPTER



- Protect Polishing Personnel From Lethal Ground Current Loads
- Highly Recommended Piece Of Equipment
- Rated for 15 Amps

PART NO.	DESCRIPTION
GFCI-1	Ground Fault Circuit Interrupter

WET BLADE CUTTING KIT



- Designed To Convert A High-Speed Angle Grinder Into A Wet Tool
- Can Be Used On Most Grinders with Minimal Alterations
- Includes Water Feed Supplies, Plus GFCI

PART NO.	DESCRIPTION
WBCKIT	Wet Blade Cutting Kit
WBC5KIT	Wet Blade Cutting Kit 5"
WBC6KIT	Wet Blade Cutting Kit 6"

DUST CARRIAGE

DUST CONTROL CARRIAGE SYSTEM



- Designed As A Support To Hold The Dust Bag When Cutting or Grinding
- Conveniently Pulls Behind The Tool So As Not To Interfere with The Job
- Front Swivel Wheels Allows for Easy Maneuvering
- Dust Bag Is Easily Secured To The Dust Carriage with Ties
- Recommended for Flat Surfaces

PART NO.	SIZE	TYPE	DESCRIPTION
ECO-CARS	5"	110V	Dust Bag Carriage (includes Dust Bag)
801392	16" x 13-1/2" X 8"		Dust Bag

GLOSS CHECKER



- Portable Gloss Meter Designed To Measure The Reflective Index Of Light
- Enables Quick, Accurate Measurements Of Gloss On Flat, Polished Surfaces
- Ensures Quality Control and Assists Setting Standards
- Detachable Meter for Difficult To Reach Areas
- Great for Demonstrating Before and After Results
- Can Be Used Across Multiple Industries

PART NO.	DESCRIPTION
IG-331	Gloss Meter

BEVELING AUXILIARY BASE



- Transforms Any Polisher or Grinder Into a Precision Straight and Beveled Edge Polishing Tool!
- Grind & Polish from 15° Hollywood Bevel to 45° Beveled Edge
- Excellent for Preparing Surfaces for Seamless Countertop Installations
- Designed to fit Various Polishers/ Sanders/Variable-Speed Grinders with 5/8"- 11 Spindle
- Exterior Water-Feed System Included

PART NO.	DESCRIPTION
BAB1590	Beveling Auxiliary Base
BAB0650	Surface Protection Tape
5480-2100	Beveling Base w/Surface Tape Kit*

Turboshine System
 PERFECT COMPANION WITH BEVELING AUXILIARY BASE




HOSES

- All-Weather Flexibility From -40°F to +200°F
- Kink-Free Under Pressure
- Lightweight and Abrasion Resistant
- Zero Memory Allowing It To Lay-Flat
- Made Of A Premium Hybrid Polymer Material
- Comes in Many Lengths
- Pneumatic and Water Hoses Available
- Many Connectors Available



AIR HOSE
(FOR AIR-680)




PART NO.	SIZE	DIAMETER	THREADS
1030-0002	15ft./4.5m	1/4"	1/4" NPSM x 1/4" NPT(Female Swivel)
1030-0010	20ft./6.0m	1/4"	1/4" NPSM x 1/4" NPT(Female Swivel)

Available Hose sizes: 25ft, 30ft, 35ft & 40ft. Call for Custom sizes or for more information.



WATER HOSE
(FOR AIR-680)




PART NO.	SIZE	DIAMETER	THREADS
1030-0003	15ft./4.5m	1/4"	1/8" NPSM x 3/4" 11GHT(GHT)
1030-0011	20ft./6.0m	1/4"	1/8" NPSM x 3/4" 11GHT(GHT)

Available Hose sizes: 25ft, 30ft, 35ft & 40ft. Call for Custom sizes or for more information.



AIR HOSE
(FOR PSC-150)




PART NO.	SIZE	DIAMETER	THREADS
1030-0031	15ft./4.5m	1/4"	3/8" NPSM x 1/4" NPT(Female Swivel)
1030-0033	20ft./6.0m	1/4"	3/8" NPSM x 1/4" NPT(Female Swivel)

Available Hose sizes: 25ft, 30ft, 35ft & 40ft. Call for Custom sizes or for more information.



WATER HOSE (FOR PSC-150)



PART NO.	SIZE	DIAMETER	THREADS
1030-0032	15ft./4.5m	1/4"	1/4" NPSM x 3/4" 11GHT(GHT)
1030-0030	20ft./6.0m	1/4"	1/4" NPSM x 3/4" 11GHT(GHT)

Available Hose sizes: 25ft, 30ft, 35ft & 40ft. Call for Custom sizes or for more information.



ADAPTER HOSE (FOR MANIFOLD SYSTEMS)

PART NO.	SIZE	DIAMETER	THREADS
1030-0025	1ft./0.3m	1/2"	1/2" NPT Swivel
1030-0026	2ft./0.6m	1/2"	1/2" NPT Swivel
1030-0027	3ft./0.9m	1/2"	1/2" NPT Swivel



MOBILE HOSE (FOR MANIFOLD SYSTEMS)

PART NO.	SIZE	DIAMETER	THREADS
1030-0050	15ft./4.5m	1/2"	1/2" NPT Swivel w/Hose Protector
1030-0052	20ft./6.0m	1/2"	1/2" NPT Swivel w/Hose Protector

Available Hose sizes: 25ft, 30ft, 35ft & 40ft....Custom sizes also available. Call for more information.



EXHAUST HOSE (SPECIALTY)

PART NO.	SIZE	DIAMETER	THREADS
VH91100	12ft./3.6m	3/4"	1-1/4" O.D. threaded x 2-1/4" standard


MANIFOLD SYSTEM

FILTER REGULATOR MANIFOLD SYSTEMS



- Protects Your Tools From Contaminants
- Helps Prevent Pressure Drops When Using A Large Volume Of Air
- Adapts To The Existing Shop Piping and Increases The Life Of The Tools
- Makes It Easy To Get The Maximum Performance From Your Pneumatic Tools
- Comes in Two Sizes (53 CFM and 106 CFM)

Can be easily **CUSTOMIZED** to your shop requirements!




1 Complete System

PART NO.	DESCRIPTION	ADAPTER BLOCK	CFM	PORT	PLUGS INCLUDED
1030-0021	3/8" Filter/Regulator Manifold	3/8" NPT	53	3 Couplers	(3) 1/4" Female NPT
1030-0022	3/8" Filter/Regulator Manifold	1/2" NPT	53	3 Couplers	(3) 1/4" Female NPT
1030-0023	1/2" Filter/Regulator Manifold	1/2" NPT	106	4 Couplers	(3) 1/4" Female NPT + (1) 3/8" Female NPT
1030-0024	1/2" Filter/Regulator Manifold	3/4" NPT	106	4 Couplers	(3) 1/4" Female NPT + (1) 3/8" Female NPT

Filter/Regulator

MANIFOLD SYSTEM




2 Filter Regulator Kits

PART NO.	SIZE	TYPE	THREADS	DESCRIPTION
1030-0070	53 CFM	3/8" Filter/Regulator Kit	1/2" IN-1/2" OUT	Filter/Regulator, Adapter Blocks & T-Clamps
1030-0071	53 CFM	3/8" Filter/Regulator Kit	1/2" IN-1/2" OUT	Filter/Regulator, Adapter Blocks & T-Clamps
1030-0072	53 CFM	3/8" Filter/Regulator Kit	1/2" IN-1/2" OUT	Filter/Regulator, Adapter Blocks & T-Clamps
1030-0073	106 CFM	1/2" Filter/Regulator Kit	3/4" IN-3/4" OUT	Filter/Regulator, Adapter Blocks & T-Clamps
1030-0074	106 CFM	1/2" Filter/Regulator Kit	3/4" IN-3/4" OUT	Filter/Regulator, Adapter Blocks & T-Clamps
1030-0075	106 CFM	1/2" Filter/Regulator Kit	3/4" IN-3/4" OUT	Filter/Regulator, Adapter Blocks & T-Clamps

G-TAPE

ALL PURPOSE PROTECTION & REPAIR TAPE

MULTI-PURPOSE, HARD SURFACE PROTECTION AND REPAIR TAPE



Features:

- Hand Tearing-Straight & Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Repositionable
- Highly Weather/UV Resistant
- Good Surface Protection
- Great for Quick Repairs

PART NO.	COLOR	SIZE	RECOMMENDED FOR
GT1009GR	Green	2" x 163'	Multi-Purpose - All Surfaces
GT1008SW	White	2" x 163'	Extra UV Protection
GT1006TG	Black & Yellow	2" x 82'	Caution Areas
BAB0650	Black	6" x 164'	Large Surface Protection

MULTI-PURPOSE APPLICATIONS



CORNER NIPPERS

CUT GLASS CORNERS EASILY



- Designed To Chop The Corner of Sheet Glass Without Breakage
- Made with Tungsten Carbide Tips and Sharpened By A Diamond Wheel
- Ideal for Quickly Making Round Corners in Preparation for Final Edge Polishing
- Three Sizes Available: 3/8" (10mm), 3/4" (20mm) and 1-1/4" (30mm) Radius
- Also Works On Porcelain and Other Ceramic Tiles

CNP010
3/8" Radius



Designed for 3mm-15mm Sheet Glass

CNP020
3/4" Radius



Designed for 4mm-15mm Sheet Glass

CNP030
1-1/4" Radius



Designed for 4mm-15mm Sheet Glass

CNC030
Continuous



Designed for 4mm-15mm Sheet Glass

PART NO.	SIZE	DESCRIPTION
CNP010	3/8" (10mm) Radius	Carbide Tip Corner Nipper
CNP020	3/4" (20mm) Radius	Carbide Tip Corner Nipper
CNP030	1-1/4" (30mm) Radius	Carbide Tip Corner Nipper
CNC030	Universal	Carbide Tip Continuous Corner Nipper

CORNER RULER

UNIQUE TOOLS FOR FABRICATING CORNERS



- Mark, Cut and Grind The Square Corners of Glass, Tile, Stone, Steel, Plastic and Wood
- Sets Comes with Either Two Radiuses or Two 45-Degree Straight Lines
- Makes for Quick and Easy Preparation Time
- Sets Come in A Stainless Steel Case for Organization



PART NO.	DESCRIPTION
CRR1075	Ruler Straight 3/8"+3"
CRR1570	Ruler Straight 5/8"+2-3/4"
CRR2065	Ruler Straight 3/4"+2-5/8"
CRR2560	Ruler Straight 1"+2-1/2"
CRR3055	Ruler Straight 1-1/4"+2-3/8"
CRR3550	Ruler Straight 1-3/8"+2"
CRR4045	Ruler Straight 1-1/2"+1-3/4"
CRRSET7	Ruler Straight Set w/Case
CRS1075	Ruler Straight 3/8"+3"
CRS1570	Ruler Straight 5/8"+2-3/4"
CRS2065	Ruler Straight 3/4"+2-5/8"
CRS2560	Ruler Straight 1"+2-1/2"
CRS3055	Ruler Straight 1-1/4"+2-3/8"
CRS3550	Ruler Straight 1-3/8"+2"
CRS4045	Ruler Straight 1-1/2"+1-3/4"
CRSSET7	Ruler Straight Set w/Case
CRSET14	Ruler Combo Set

SCRATCH REMOVAL KIT

COMPLETE SCRATCH REMOVAL SYSTEM



- Designed for Scratch Removal and Seam Polishing in The Field
- Polishes Flat Surfaces Without The Wavy Finish
- Comes with a C-Handle Designed To Improve Stability
- Has Everything You Need For The Proper Scratch Removal Technique
- Great Tool for Adding A Post-Installation Service
- Kit Contains: VSP-320 Polisher, Turboshine Rigid System, Dual Adapter and Apron
- One Year Tool Warranty* (*See manual for details)



PART NO.	DESCRIPTION
5480-1570	Scratch Removal Kit (VSP-320)

TILE BULLNOSE KIT

CREATES A FACTORY FINISH EASILY



- Designed To Create A Bullnose Edge On Tile or Stone and Polish It To A Factory Quality Finish
- Goof-Proof Hand-Held Application
- Quality Finish Without The Factory
- Save Time and Money
- Has Everything You Need Including An Instructional DVD
- Kit Contains: VSP-320 Polisher, Profiler B, 4" Ceramica EX Polishing Discs, 4" Flexible Backer Pad, Apron and DVD
- One Year Tool Warranty* (*See manual for details)



PART NO.	DESCRIPTION
5480-1400	Tile Bullnose Kit (VSP-320)



STAIN REMOVERS

RSR-2000

RUST STAIN REMOVER IN GEL FORM



PART NO.	SIZE	CONTAINER
RSR-400G	14 oz. (400g)	Tube
RSR-040G	1.4 oz. (40g)	Bottle

- Removes Common Rust Stains From Natural Stone Surfaces, Concrete, Brick, Terra Cotta, Mexican Tile, or Other Hard Porous Surfaces
- Specially Formulated To Work Extremely Fast
- Non-Hazardous Chemical Is Safe To Use and Will Not Harm The Environment
- Use On Floors, Countertops, Vertical Surfaces and Exterior Areas
- Available in 14oz Tube or Trial Size 4oz Bottle
- Tube Covers Approximately 4sqft

STAIN REMOVER (POULTICE)

STAIN REMOVER IN POWDER FORM



PART NO.	DESCRIPTION
ADGSR-05	Organic Based Oil, Coffee, Tea, Food
ADRSR-05	Metal Based Iron, Rust, Copper, Bronze

- Removes Common Stains From Natural Stone Surfaces, Concrete, Brick, Terra Cotta, Mexican Tile, or Other Hard Porous Surfaces
- Premixed Poultices Designed for Easy Application
- Draws The Stain From The Stone As It Dries
- Use On Floors, Countertops, Vertical Surfaces and Exterior Areas
- Available in Two Types Based On Stain Origin (Organic Vs. Ferrous Oxide (Rust))
- Non-Hazardous Chemical Is Safe To Use and Will Not Harm The Environment
- Covers Approximately 15sqft

INDEX

A

Adapter Hose 77
AIR-300 14
AIR-680 13
Air Hose 76
Antique Brush Wheels 66
Apron 74
AWS-110 5
AWS-125 4

B

Beveling Auxiliary Base 75
Blademaster 33

C

Ceramica Dry 61
Ceramica Edge 59
Ceramica EX 59
Ceramica Metal 57
Ceramica Resin 60
Ceramica TF 60
Ceramica Vitrified 57
Concrete Profiling Wheel 40
Contour
 Granite & Eng. Stone 30
 Marble 30
 Porcelain 29
Cordless Saw Blade
 Ceramic Tile 27
 Glass 27
Corner Nippers 81
Corner Ruler 82
Crack Chasing Wheel 40

D

Dressing Stick 34
Dry Core Bits 54
DS Style 47
Dust Carriage 75
Dust-Free Kits 71
DW Style 47

E

ECC-125 3
Eclipse II 18
Eclipse Q 18
Ecoguard Type C 68
Ecoguard Type CD 69
Ecoguard Type D 71
Ecoguard Type EG 70
Ecoguard Type G 70
Ecoguard Type M 69
Ecoguard Type W5 68
Electroplated Drill Bits 55
Exhaust Hose 77

F

Felt Wheels 66
Flexible Backer Pad 73

G

Gloss Checkers 75
Groove Cutter 32
Ground Fault
 Circuit Interrupter 74
G-Tape 80
GV Backer Pads 73

H

Hand Pads 61
HEPA Wet/Dry Vacuum 72
Hoses 76
Hot-Rod 31

K

Katana 19
Kirara Pads 58

M

Manifold System 78-79
Marble Profile Wheel 32
Mobile Hose 77

P

Plus 17
Porcellana 25
 For Portable Rail Saw 25
Profiler
 B-Series 36
 EQ-Series 37
 E-Series 38
 F-Series 38
 Q-Series 39
 RE-Series 39
 V-Series 37
 Z-Series 36
PSC-150 2
PSG-125 7
PSG-125 Diamond Cutting Kit 8
PSG-125 Grinding Kit 8
PSG-125 Metal Cutting Kit 8
PVA MS Style 63
PVA QC Style 64
PVA VP Style 62

Q

Q-Cut 26
Quad 17
Quad Adapters 34

R

Rescue 33
Reznet
 DA Backer Pads 50
 Sanding Screen Blocks 49
 Sanding Screen Discs 50
 Sanding Screen Rolls 49
Rigid Backer Pad 73
RSR-2000 84

S

Safety Glasses 74
Sandpaper 52
Scratch Removal Kit 83
Sonic 23
Spike Disc 43
Spike Ruler 34
Stain Remover (Poultice) 84
Surfacer Grinding Cup Wheel 45

T

Tile Bullnose Kit 83
Trim Master 21
Tuck Point 20
Turboshine 65
Typhoon 23

U

Ultracut
 APR Series 22
 GPM Series 22
Ultrazip Flap Wheel 42

V

Vacuum Brazed
Trimmer Bit 55
VDP-700 9
Vetro 24
 For Portable Rail Saw 24
Vexcel Rigid Disc 46
Vextra Flat Disc 44
Vflex Sanding Disc 48
Vortex
 For Granite 28
 For Marble 28
VSP-320 11

W

Water Hose 77
WDP-320 12
Wet Blade Cutting Kit 74
Wet Core Bits 54

Product Literature

Catalogs

Alpha® provides product catalogs for all products to best serve the particular needs of our customers. Catalogs are available for applications such as Hand Tooling and Large Machine Tooling, as well as for specific industries such as stone, tile, construction, industrial, automotive, composites, glass and marine.

All of our catalogs are a convenient portable of size 5.5" x 8.5", and illustrate the tools and accessories needed for Cutting, Profiling, Grinding, Drilling, Polishing and Restoring all types of materials.

To request these catalogs, or for more information about our product line, visit our website at www.alpha-tools.com or contact us at 800-648-7229.



ALPHA® TOOL REPAIR

- Authorized repair centers available
- All tool repairs carry a 30-day warranty
- Quick turn-around time
- Technical support for repair and maintenance
- Order replacement tool parts directly from Alpha®
- Loaner program available

Visit our website to find a local center



Let's get social...



We are ready to connect with you on your favorite social media sites... Join Us Today!

 **Alpha Professional Tools®**

103 Bauer Drive • Oakland, NJ 07436
800-648-7229 • Fax: 800-286-0114

www.alpha-tools.com

