

ALPHA®

TOOLS FOR

AUTO INDUSTRY

MAINTENANCE AND RESTORATION

PROVIDING BETTER
SOLUTIONS
TO THE
PROFESSIONAL



VERSION 5



W E L C O M E

Alpha Professional Tools® was founded in 1986 and has become a leading manufacturer of quality tools for professionals in the natural/engineered stone, porcelain, ceramic, glass, construction, marine and automotive industries. Alpha® provides the best products for cutting, drilling, shaping and polishing all types of materials.

In addition to providing the best products in the industry, Alpha Professional Tools® offers a variety of services to support their products.



*Alpha Professional Tools® product line and pricing is subject to change at any time.
Alpha® is not responsible or liable for typographical errors.*

COMPANY INFORMATION

**103 Bauer Drive
Oakland, NJ 07436**

Hours of Operation:

8:30 a.m. – 5:00 p.m. EST

Telephone Number: 201-337-3343

Toll-Free Number: 800-648-7229

Fax Number: 201-337-2216

Customer Service Fax Number: 800-286-0114

Tool Department Fax Number: 201-337-2265

Accounting Department Fax Number: 201-337-2262

E-mail orders to: orderdesk@alpha-tools.com

E-mail Spare Parts orders to: tooldesk@alpha-tools.com

Technical Support: technicalsupport@alpha-tools.com

SALES CONTACTS BY TERRITORY:

Caribbean	201-337-3343	Sales-Caribbean@alpha-tools.com
Canada	519-505-7900 / 226-931-4166 / 519-546-9861	Sales-Canada@alpha-tools.com
Central Plains	800-648-7229	Sales-CentralPlains@alpha-tools.com
Florida	786-570-4350	Sales-Florida@alpha-tools.com
International	201-337-3343	Sales-International@alpha-tools.com
Mid-Atlantic	804-382-5357	Sales-Mid-Atlantic@alpha-tools.com
Midwest	630-849-7105	Sales-Midwest@alpha-tools.com
Mountain	480-283-3729 / 602-337-3393	Sales-Mountain@alpha-tools.com
New England	860-933-6626	Sales-NewEngland@alpha-tools.com
Northern CA	925-428-1292	Sales-NorthernCA@alpha-tools.com
Northwest	510-409-9326	Sales-Northwest@alpha-tools.com
NY Metro	973-830-7681	Sales-NYMetro@alpha-tools.com
Ohio Valley	440-364-3759	Sales-OhioValley@alpha-tools.com
Pacific	800-648-7229	Sales-Pacific@alpha-tools.com
South	713-252-9851	Sales-South@alpha-tools.com
Southeast	678-977-1147	Sales-Southeast@alpha-tools.com
Southern CA	714-853-3476	Sales-SouthernCA@alpha-tools.com

Visit us on the web at:

www.alpha-tools.com

Chemical Emergency - Chemtrec:

800-424-9300

TABLE OF CONTENTS

TOOLS

CUT-OFF TOOLS

- COTE-04, Pneumatic Extended Cut-off Tool 7
- COTR-03, Reversible Cut-off Tool 8

SANDERS/POLISHERS

- GDSA-06, 6" Pneumatic Gear Action Sander/Polisher 9
- GDSA-08, 8" Pneumatic Gear Action Sander/Polisher 10
- GDSP-05, 5" Pneumatic Gear Action Sander/Polisher 11
- ROPS-056, 6" Palm Sander 12

POLISHERS

- VDP-700, Variable Speed Rotary Polisher 13
- AIR-300 Mini Pneumatic Polisher 15
- AIR-680, Ultimate Pneumatic Polisher 16

GRINDERS

- PSG-125 17
- PSG-125 Grinding Kit 18
- PSG-125 Metal Cutting Kit 19

CUTTING

METAL CUTTING BLADES

- Ultracut GPM Series 22
- Ultracut APR Series 22
- Ultracut ABM Series 23

BLADE ACCESSORIES

- Quad Adapters 24
- Flange Adapters 24
- Dressing Stick 24

GRINDING

SURFACE GRINDING

- Spike Disc 26
- Vextra Flat Disc 27

EDGE GRINDING

- Vexcel Rigid Disc 28

SANDING

- Vflex Sanding Disc 29
- Reznet Sanding Blocks 30
- Reznet Sanding Screen Rolls 30
- Reznet DA Backer Pads 31
- Reznet Sanding Screen Discs 31
- Sandpaper 33
- Antique Brush Wheels 34

POLISHING

HAND POLISHING

- Diamond Face Foam Pads 36
- Microfiber Pads 37
- Wool Pads 37
- Rotary Backer Pads 38
- Cermica Resin 39
- Palm Sanding Block 39
- Diamond Hand Pads 40

DRY POLISHING

- PVA VP Style 41

ACCESSORIES

DUST-FREE GUARDS

- Ecoguard Type M 43
- Ecoguard Type W5 44
- Ecoguard Type G 44
- 44

BACKER PADS

- Rigid Backer Pads 45
- Flexible Backer Pads 45
- GV Backer Pads 45

MISCELLANEOUS

- HEPA Wet/Dry Vacuum 46
- Apron 47
- Safety Glasses 47
- GFCI (Ground Fault Circuit Interrupter) 47
- Gloss Checker 47
- Manifold System 48
- Air Hose (AIR-680) 50
- Water Hose (AIR-680) 50
- Adapter Hose 51
- Mobile Hose 51
- Exhaust Hose 51
- G-Tape 52

TOOLS

High-performance tools,
designed for use in the
Automotive industry



COTE-04

PNEUMATIC EXTENDED CUT-OFF TOOL



- Built-In Spindle Lock
- Rear Exhaust
- Built-In Cushion Grip
- Push to Adjust Safety Guard
- 11 Position Adjustable Swivel Guard (126° Adjustable Range)
- Powerful Motor (1.0 HP/0.7KW)
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	COTE-04
Free Speed	14,000 RPM
Cutting Disc Dimensions	4" (100mm) x 3/8" (10mm)
Air Inlet	1/4" NPT
Hose Size ID	3/8" (10mm)
Air Consumption	4 CFM (113L/min)
Length	14-3/4" (377mm)
Weight	3.7 lbs (1.7 kgs)

Includes:

ITEM	QUANTITY
Ultracut ABM 4" (Part No. ABM0438)	1
Hex. Key Wrench (4mm)	1



PART NO.	SIZE	MAXIMUM RPM	TYPE	ARBOR(S)
COTE-04	4"	14,000	Pneumatic	3/8" (10mm)

COTR-03

REVERSIBLE CUT-OFF TOOL



- Special Hub Allows for Left or Right Turning/Cutting Action
- Collar Operated Easy Directional Change
- Safety Throttle Lever
- Rear Exhaust
- Powerful Motor (0.85HP/0.63 KW)
- One Year Warranty (See manual for details)

SPECIFICATION	DATA
Model	COTR-03
Free Speed	20,000 RPM
Cutting Disc Dimensions	3" (75mm)
Air Inlet	1/4" NPT
Hose Size ID	3/8" (10mm)
Air Consumption	4 CFM (113L/min)
Length	8-1/16" (204mm)
Weight	2.0 lbs (0.9 kgs)
Noise Level	83 dB(A)
Recommended Air Pressure	90 PSI (6.2 Bar)

Includes:

ITEM	QUANTITY
Ultracut ABM 3" (Part no. ABM0338)	1
Double Ended Spanner (14mm-19mm)	2
Hex. Key Wrench (4mm)	1



PART NO.	SIZE	MAXIMUM RPM	TYPE	ARBOR(S)
COTR-03	3"	20,000	Pneumatic	3/8" (10mm)

SANDERS/POLISHERS

GDSA-06

6" PNEUMATIC GEAR ACTION SANDER/POLISHER



- Low-Speed High-Torque
- Central Vacuum System
- Random Orbital Fine Polishing and Sanding
- One Year Warranty (See manual for details)



HEPA WET/DRY VACUUM

SPECIFICATION	DATA
Model	GDSA-06
Free Speed	900 RPM
Pad Size	6" (150mm)
Air Inlet	1/4" NPT
Hose Size ID	3/8" (10mm)
Air Consumption	3.5 CFM (99L/min)
Length	11-3/4" (298mm)
Weight	4.2 lbs (1.9 kgs)
Recommended Air Pressure	90 PSI (6.2 Bar)
Orbit Diameter	3/16" (5mm)



* The above attachments must be used with the GDSA-06 Gear Action Sander and the Alpha® HEPA Wet/Dry Vacuum

PART NO.	SIZE	ORBIT DIAMETER	MAXIMUM RPM	TYPE	THREADS
GDSA-06	6" (150mm)	3/16" (5mm)	900	Pneumatic	3/8" (10mm)
EH-610HCGY		Connector ID 1.5"X5" - Grey			
EH-6133CSUB		Air/Exhaust Hose Assembly			
HEP110021		Air/Exhaust Hose Adapter			

GDSA-08

8" PNEUMATIC GEAR ACTION SANDER/POLISHER



- Low-Speed High-Torque
- Central Vacuum System
- Random Orbital Fine Polishing and Sanding
- One Year Warranty (See manual for details)



* The above attachments must be used with the GDSA-08 Gear Action Sander and the Alpha® HEPA Wet/Dry Vacuum

SPECIFICATION	DATA
Model	GDSA-08
Free Speed	900 RPM
Pad Size	8" (203mm)
Air Inlet	1/4" NPT
Hose Size ID	3/8" (10mm)
Air Consumption	16 CFM (453L/min)
Length	12-3/8" (315mm)
Weight	4.4 lbs (2.0 kgs)
Recommended Air Pressure	90 PSI (6.2 Bar)
Orbit Diameter	3/16" (5mm)



PART NO.	SIZE	ORBIT DIAMETER	MAXIMUM RPM	TYPE	THREADS
GDSA-08	8" (203mm)	3/16" (5mm)	900	Pneumatic	3/8" (10mm)
EH-610HCGY		Connector ID 1.5"X5" Grey			
EH-6133CSUB		Air/Exhaust Hose Assembly			
HEP110021		Air/Exhaust Hose Adapter			

GDSP-05

5" PNEUMATIC GEAR ACTION SANDER/POLISHER



- Low-Speed High-Torque
- Random Orbital Fine Polishing and Sanding
- One or Two-Handed Operation
- Lightweight
- Low Noise
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	GDSP-05
Free Speed	1,300 RPM
Pad Size	5" (125mm)
Air Inlet	1/4" NPT
Hose Size ID	3/8" (10mm)
Air Consumption	3.0 CFM (85L/min)
Length	10" (254mm)
Weight	2.2 lbs (1.0 kgs)
Recommended Air Pressure	90 PSI (6.2 Bar)
Orbit Diameter	3/16" (5mm)
Noise Level	84 dB(A)



PART NO.	SIZE	ORBIT DIAMETER	MAXIMUM RPM	TYPE	THREADS
GDSP-05	5" (125mm)	3/16" (5mm)	1,300	Pneumatic	3/8" (10mm)

ROPS-056

6" PALM SANDER



- Composite Motor Housing
- Well-Balanced Design
- Low Vibration
- Lightweight
- Low Noise
- One Year Warranty (See manual for details)



* The above attachments must be used with the ROPS-056 Gear Action Sander and the Alpha® HEPA Wet/Dry Vacuum

SPECIFICATION	DATA
Model	ROPS-056
Free Speed	12,000 RPM
Pad Size	6" (150mm)
Air Inlet	1/4" NPT
Hose Size ID	3/8" (10mm)
Air Consumption	2 CFM (57L/min)
Length	7-3/4" (196mm)
Weight	1.5 lbs (0.7 kgs)
Recommended Air Pressure	90 PSI (6.2 Bar)
Orbit Diameter	3/16" (5mm)
Spindle Thread	5/16" - 24
Noise Level	7/8 dB(A)




HEPA WET/DRY VACUUM

PART NO.	SIZE	ORBIT DIAMETER	MAXIMUM RPM	TYPE	THREADS
ROPS-056	6" (150mm)	3/16" (5mm)	12,000	Pneumatic	5/16" - 24
EH-610HCGY	Connector ID 1.5"X5" Grey				
EH-6133CSUB	Air/Exhaust Hose Assembly				
HEP110021	Air/Exhaust Hose Adapter				

VDP-700

VARIABLE SPEED ROTARY POLISHER



VDP-700

VARIABLE SPEED ROTARY POLISHER



*Backer and Pad Not Included

- Variable Speed 700-3500 RPM with Soft Start
- Designed For The Polishing Professional
- Heavy-Duty Precision Gear System
- Powerful 11.0 Amp (rated) Motor
- Built-in Speed Stabilizer for Constant Speed Output
- Configured with A Long-life Motor and Carbon Brushes
- 25ft. 14 AWG Electrical Power Cord
- Lightweight for Better Manueverability
- Industrial Quality Polisher
- C-Handle & Side Handle for User Convenience
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	VDP-700
Rating	120 Volts
Amperage	11.0A
Power	1250W (Rated), 1900W (Maximum)
No Load Speed (Variable)	700~3500 RPM
Weight	6.4 lbs (2.9 kgs)
Spindle	5/8"-11
Power Supply	Single-phase AC, 50/60Hz
Plug Type	A (120V)
Cord	25ft (7.6m) (14 AWG)
Backing Plate Size	7" (178mm) (Maximum)
Polishing Disc Size	9" (228mm) (Maximum)

ITEM	QUANTITY
Spanner Wrench	1
Hex Wrench	1
C-Handle w/Mounting Screws	1
Side Handle	1
Extra Carbon Brush Set	1



*Backer and Pad Not Included

PART NO.	SIZE	MAXIMUM RPM	TYPE	DESCRIPTION
VDP-700	7"	700-3500	120V	Variable Speed Rotary Polisher

AIR-300

MINI PNEUMATIC POLISHER



- High-Performance, Pneumatic Polishing Tool with A Central Water-Feed System
- No-Load 5,800 RPMs
- Lightweight and Ergonomically Design Reduces Fatigue
- Designed To Easily Maneuver in Small Areas Like Sink Rims and Bowls
- Consumes 10 CFM and Requires 87 PSI
- Only Requires 3HP Compressor
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	AIR-300
Air Pressure	87 PSI (0.6Mpa (6 bar))
Air Consumption	10 CFM (280L/Min)
No Load Speed	5,800 RPM
Weight	1.6 lbs (.731 kgs)
Air Inlet	1/4" BSPT
Water Inlet	1/4" BSPP
Spindle	5/8"-11



ITEM	QUANTITY
Air Hose (10ft / 3m)	1
Water Hose (10ft / 3m)	1
Faucet/Garden Hose Adapter	1
Wrench (17mm)	1
Rust Inhibitor Oil (1oz / 30cc) (Replace with: AIR-008)	1



PART NO.	MAXIMUM RPM	RECOMMENDED FOR	DESCRIPTION
AIR-300	5,800	Wet Polishing	Mini Pneumatic Polisher
AIR-008		Pneumatic Tools	Rust Inhibitor Oil 8oz (237ml)

AIR-680

ULTIMATE PNEUMATIC POLISHER



- High-Performance, Pneumatic Polishing Tool with A Central Water-Feed System
- No-Load 4,000 RPMs
- 15ft. All-Weather Hoses with Flexibility Down To -40F (or +140F)
- Oil Port for Easy Lubrication
- Lightweight and Ergonomically Designed
- Consumes 15 CFM and Requires 85 PSI
- Enhanced Spindle Shaft for Easy Tool Removal (Wrench Included)
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	AIR-680
Air Pressure	85 PSI
Air Consumption	15 CFM
No load Speed	4,000 RPM
Weight	2.64 lbs (1.2 kgs)
Air Inlet	1/4" BSPP
Water Inlet	1/8" BSPP
Spindle	5/8"-11

ITEM	QUANTITY
Air Lead Hose (15ft. / 4.5m)	1
Water Hose (15ft. / 4.5m)	1
Side Handle (reversible)	1
Double End Wrench (19mm / 22mm)	1
Rust Inhibitor Oil (8oz / 237ml) (AIR-008)	1
Screw (w/ O-Ring Seal for Oil Port)	1
Exhaust Hose with Clamp	1



RUST INHIBITOR OIL

PART NO.	MAXIMUM RPM	RECOMMENDED FOR	DESCRIPTION
AIR-680	4,000	Wet Polishing, Drilling & Profiling	Pneumatic Polisher
AIR-008		Pneumatic Tools	Rust Inhibitor Oil 8oz (237ml)

HIGH-PERFORMANCE PNEUMATIC GRINDER



**INDUSTRIAL
QUALITY**

**INCLUDES
15' AIR HOSE**



PSG-125

PNEUMATIC GRINDER



- Powerful 1.4 HP motor with speed control governor
- Compact ergonomic aluminum body
- Reversible safety lever throttle
- Two auxiliary handle positions
- Built-in oil port for easy maintenance
- Adjustable rotating exhaust
- Wet cutting kit available
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	PSG-125
Air Pressure	90 PSI
Air Consumption	33 CFM (934L/min)
No Load Speed	12,000 RPM
Weight	4.6 lbs (2.1 kgs)
Length	11-3/4" (298mm)
Air Inlet	3/8" NPSM
Spindle	5/8"-11
Max. Disc Capacity	5" x 1/4" x 7/8"
Max. HP	1.4 HP



Wet Blade Cutting Kit

ITEM	QUANTITY
Blade Safety Guard	1
Lock Nut with 7/8" Arbor	1
Inner Flange	1
Side Handle	1
Pin Wrench	1
Double End Wrench (1" (32mm))	1
Rust Inhibitor Oil (8oz (237ml)) (AIR-008)	1
Air Hose Assembly (15ft / 4.5m)	1



HEPA WET/DRY VACUUM

PSG-125

DUST-FREE
GRINDING KIT

- Great for surface preparation on concrete, metal, wood, composite or other surfaces
- Compact ergonomic aluminum body
- Powerful 1.4 HP motor with speed control governor
- Reversible safety lever throttle
- Adjustable rotating exhaust
- Removable flat cover allows grinding right to the edge
- One Year Tool Warranty (See manual for details)

ITEM	QUANTITY
PSG-125 Pneumatic Grinder	1
Ecoguard G Assembly/Connector	1
Lock Nut with 7/8" Arbor	1
Flange	1
Side Handle	1
Height Adjustment Spacer	1
Hex Wrench (1/4")	1
Pin Wrench	1
Rubber Hose Connector	1
Stainless Steel Hose Band	1
Rust Inhibitor Oil (8oz / 237ml) (AIR-008)	1



HEPA WET/DRY VACUUM

PART NO.	DESCRIPTION
5480-1302	PSG-125 Grinding Kit

PSG-125

METAL CUTTING KIT




- Unique industrial angle grinder cutting kit
- Includes 5" CarBite carbide blade
- Safety guard and base plate eliminate dangerous kick-back
- Powerful 1.4 HP motor with speed control governor
- Reversible safety lever throttle
- Minimizes sparks, debris and odor
- Compact ergonomic aluminum body
- Works on ferrous and non-ferrous metals
- Cuts angle iron, c-channel, conduit, spiral duct, metal studs, rebar, stainless steel, aluminum plates and bars, steel palates, threaded rods, unistrut, etc.
- Adjustable rotating exhaust
- Built-in oil port for easy maintenance
- Kit Contains PSG-125 and Ecoguard M with Connector
- One Year Tool Warranty (*See manual for details*)

ITEM	QUANTITY
PSG-125 Pneumatic Grinder	1
Ecoguard M Assembly/Connector	1
Lock Nut with 7/8" Arbor	1
Flange	1
Spacer / T4.0mm	1
Collar	1
Pin Wrench	1
Handle Bracket	1
Hex Bolt (M12x16)	1
Spring Washer (M12)	1
Rubber Hose Connector	1
Side Plates & Washer Set	1
Rust Inhibitor Oil (8oz / 237ml) (AIR-008)	1

PART NO.	DESCRIPTION
5480-1303	PSG-125 Metal Cutting Kit

CUTTING

Premium blades for all your cutting needs.



ULTRACUT GPM SERIES

VACUUM-BRAZED DIAMOND BLADE



- Cuts most materials without chipping or cracking
- Maintains excellent cutting performance at the maximum cutting depth
- Great for building contractors and fabricators who work with metal and composite materials
- Fits on most popular hand-held electric power tools
- Available in 4", 4-1/2", 5", 6", 7", 8" and 9" Sizes

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
GPM0420	4"	1.5mm	14,500	20mm, 5/8"
GPM4578	4-1/2"	1.5mm	13,200	7/8", 20mm
GPM0578	5"	1.5mm	12,200	7/8"
GPM06UN	6"	1.9mm	10,100	7/8", 5/8", \diamond
GPM07UN	7"	1.9mm	8,400	7/8", 5/8", \diamond
GPM08UN	8"	1.9mm	7,400	7/8", 5/8", \diamond
GPM0978	9"	2.2mm	6,600	7/8", 5/8"

ULTRACUT APR SERIES

HYBRID BLADE FOR INTRICATE & FLUSH CUTTING



- Unique Design for Flush Cutting Applications
- Removes Anchor Bolts, Concrete Re-Bar and Pipe From Floors and Walls
- Cuts Angle Iron, Pipe, Electrical Conduit, Re-Bar, Metal Stud, Structural Metal, Sheet Metal, Grid, and Stainless Steel, Wood, Plastics, Composite Materials, Masonry and Concrete
- Accepts Alpha® Exclusive Quad Drive Adapter for Mounting On Angle Grinders for "Flush Cutting"
- Available in 4-1/2", 5" and 7" Sizes



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	THREADS
APR45QA	4-1/2"	1.7mm	13,200	20mm, Quad Drive	
APR05QA	5"	1.7mm	12,200	20mm, Quad Drive	
APR07QA	7"	1.9mm	8,400	20mm, Quad Drive	
BAH-5/8			Brass Adapter	20mm	5/8"-11
AAH-20			Aluminum Adapter	20mm	5/8"-11

ULTRACUT ABM SERIES


EXCLUSIVELY FOR PNEUMATIC CUT-OFF TOOLS



- Designed for Use On Most Popular Pneumatic Cut-Off Tools
- Has Bi-Directional Rotation
- Maintains Excellent Cutting Performance and The Maximum Cutting Depth Throughout Its Life
- Perfect for Automotive Body Shops and Other Industrial Manufacturing Facilities
- Made with The Highest Quality Diamond Grits
- Cuts Angle Iron, Pipe, Electrical Conduit, Re-Bar, Metal Stud, Structural Metal, Sheet Metal, Grid, and Stainless Steel, Wood, Plastics, Composite Materials, Masonry and Concrete
- Available in 3" and 4" Sizes

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
ABM0338	3"	1.5mm	20,000	3/8" (10mm)
ABM0438	4"	1.5mm	18,000	3/8" (10mm)

ULTRACUT ABM SERIES



BLADE ACCESSORIES

QUAD ADAPTERS



- Designed for Flush Cutting Blades with Four Mounting Holes
- Made Of Durable High-Quality Brass or Aluminum
- Easily Mounted To Any Quad Drive Blade
- Available in Various Thread Sizes

PART NO.	TYPE	ARBOR(S)	THREADS
AAH-7/8	Aluminum	7/8"	5/8"-11
AAH-20	Aluminum	20mm	5/8"-11
BAH-5/8	Brass	20mm	5/8"-11
BAH-M10Q	Brass	20mm	M10 - 1.25
BAH-M14	Brass	20mm	M14-2

FLANGE ADAPTERS



- Designed for Blades That Are Eight Inches or Larger with Eight Mounting Holes
- Made Of Durable High-Quality Steel
- Easily Mounted To Any Large Flush Cutting Blade
- Available in 5/8"-11 and M14-2 Thread Sizes

PART NO.	TYPE	THREADS
FAH-5/8	Adapter	5/8"-11
FAH-M14	Adapter	M14-2

DRESSING STICK




- Designed To Expose New Cutting Surfaces or Re-Open Glazed Diamond Blades and Grinding Wheels
- Removes Sinter Bond From Cutting Edge
- Can Be Used To Ease Sharp Corners
- Bond Type: Silicon Carbide

PART NO.	SIZE	GRIT
290006	8" x 1.5" x 1.5"	60

GRINDING

Surface Preparation at its best



SPIKE DISC

COATING REMOVAL MADE EASY



- Designed for Thick Coating Removal Of Epoxy, Urethane, Glue and Adhesives
- Unique Open-Mesh Layout Reduces Clogging and Heat Build-Up
- Optimized Diamond Grits Provide A Consistent Performance
- Sandwiched-Rubber Cushioned Light-Weight Body Reduces Noise and Vibration
- Each Diamond Bead Has Multiple Diamond Grits To Maintain A Sharp Cutting Capability for A Long Time
- Can Be Used On Steel, Wood, Glass Fiber Reinforced Polymer and Carbon Fiber Reinforced Polymer.
- Available in 4-1/2", 5" and 7" with 7/8" Arbor or with 5/8"-11 Zinc Hub and A Square Arbor for Spring Load Systems
- Combine with The Ecoguard G for A Virtually Dust-Free Solution

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	GRIT
VCS4535	4-1/2"	13,200	7/8"	35
VCS453H	4-1/2"	13,200	5/8"-11	35
VCS4550	4-1/2"	13,200	7/8"	50
VCS455H	4-1/2"	13,200	5/8"-11	50
VCS5035	5"	13,200	7/8"	35
VCS503H	5"	12,200	5/8"-11	35
VCS503Q	5"	12,200	Sq Arbor	35
VCS5050	5"	12,200	7/8"	50
VCS505H	5"	12,200	5/8"-11	50
VCS7035	7"	8,400	7/8"	35
VCS703H	7"	8,400	5/8"-11	35
VCS7050	7"	8,400	7/8"	50
VCS705H	7"	8,400	5/8"-11	50



close-up of diamonds



sandwich construction


VEXTRA FLAT DISC

GENERAL PURPOSE FLAT GRINDING DISC



- Designed To Grind Steel, Stainless Steel and Non-Ferrous Metals
- Great for Removing Rust, Burrs, Mill Scale, Paint On Metal Surfaces Without Clogging The Grinding Surface
- Optimized Diamond Grits for Consistent Performance
- Sandwich Construction Reduces Noise and Vibration
- Works Well When Eliminating Epoxy, Glues and Adhesives
- Can Be Used On Natural Stones, Engineered Stone/ Quartz Surface, Wood and Rubber

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	GRIT
VDD4535	4-1/2"	13,200	7/8"	35
VDD453H	4-1/2"	13,200	5/8"-11	35
VDD4550	4-1/2"	13,200	7/8"	50
VDD455H	4-1/2"	13,200	5/8"-11	50
VDD4580	4-1/2"	13,200	7/8"	80
VDD458H	4-1/2"	13,200	5/8"-11	80
VDD5035	5"	12,200	7/8"	35
VDD503H	5"	12,200	5/8"-11	35
VDD5050	5"	12,200	7/8"	50
VDD505H	5"	12,200	5/8"-11	50
VDD5080	5"	12,200	7/8"	80
VDD508H	5"	12,200	5/8"-11	80
VDD7035	7"	8,400	7/8"	35
VDD703H	7"	8,400	5/8"-11	35
VDD7050	7"	8,400	7/8"	50
VDD705H	7"	8,400	5/8"-11	50
VDD7080	7"	8,400	7/8"	80
VDD708H	7"	8,400	5/8"-11	80



open-mesh

sandwich construction

VEXCEL RIGID DISC

GENERAL PURPOSE RIGID GRINDING DISC



- Designed for Heavy-Duty Material Removal Applications
- Use On Cast Iron, Steel, Stainless Steel, Non-Ferrous Metals, Metal Alloys, Carbon Fiber Reinforcement Plastic (CFRP), Glass Fiber Reinforcement Plastic (GFRP), Natural and Engineered Stones
- Fluoric Rubber Backing To Reduce Noise and Vibration
- Highly Recommended for Grinding of Cast Iron and Welding Beam
- Very Aggressive and A Long Life

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	GRIT
VDR4525	4-1/2"	13,200	7/8"	25
VDR452H	4-1/2"	13,200	5/8"-11	25
VDR4535	4-1/2"	13,200	7/8"	35
VDR453H	4-1/2"	13,200	5/8"-11	35
VDR4550	4-1/2"	13,200	7/8"	50
VDR455H	4-1/2"	13,200	5/8"-11	50
VDR4580	4-1/2"	13,200	7/8"	80
VDR458H	4-1/2"	13,200	5/8"-11	80
VDR5025	5"	12,200	7/8"	25
VDR502H	5"	12,200	5/8"-11	25
VDR5035	5"	12,200	7/8"	35
VDR503H	5"	12,200	5/8"-11	35
VDR5050	5"	12,200	7/8"	50
VDR505H	5"	12,200	5/8"-11	50
VDR5080	5"	12,200	7/8"	80
VDR508H	5"	12,200	5/8"-11	80
VDR7025	7"	8,400	7/8"	25
VDR702H	7"	8,400	5/8"-11	25
VDR7035	7"	8,400	7/8"	35
VDR703H	7"	8,400	5/8"-11	35
VDR7050	7"	8,400	7/8"	50
VDR705H	7"	8,400	5/8"-11	50
VDR7080	7"	8,400	7/8"	80
VDR708H	7"	8,400	5/8"-11	80



VFLEX SANDING DISC

GENERAL PURPOSE FLEXIBLE SANDING DISC



- Perfect for paint, coating, oxide and rust removal, grinding burr and chamfering on the edge of steel, stainless steel and contoured surfaces
- For use on: Cast Iron, Steel, Stainless Steel, Stone, Ceramic & Composite Materials
- Flexible Sandwich Construction Reduces Noise and Vibration
- Ideal for shaping natural/engineered stone and glass
- Available in 5" and 7" with 7/8" arbor or with 5/8"-11 zinc hub

PART NO.	SIZE	MAX RPM	ARBOR(S)	GRIT
VDF5035	5"	5,000	7/8"	35
VDF503H	5"	5,000	5/8"-11	35
VDF5050	5"	5,000	7/8"	50
VDF505H	5"	5,000	5/8"-11	50
VDF5080	5"	5,000	7/8"	80
VDF508H	5"	5,000	5/8"-11	80
VDF7035	7"	5,000	7/8"	35
VDF703H	7"	5,000	5/8"-11	35
VDF7050	7"	5,000	7/8"	50
VDF705H	7"	5,000	5/8"-11	50
VDF7080	7"	5,000	7/8"	80
VDF708H	7"	5,000	5/8"-11	80



rubber
layer

stainless
steel shank

flexible sandwich construction

REZNET

SANDING SCREEN BLOCKS



- Designed for Use with Reznet Sanding Pads
- Designed with Comfort in Mind for The Longest and Toughest Jobs
- Virtually-Dust Free Application When Used with A Vacuum
- Hook & Loop Backing
- Available in 5", 8" & 16"

PART NO.	SIZE	TYPE	BOND TYPE
RB275005	5" x 2-3/4" (125mm x 70mm)	Hook & Loop Block	Hard
RB275008	8" x 2-3/4" (200mm x 70mm)	Hook & Loop Block	Hard
RB275016	16" x 2-3/4" (400mm x 70mm)	Hook & Loop Block	Hard
VH91100	3/4" x 144" (3.6m)	Hose for Sanding Blocks	

REZNET

SANDING SCREEN ROLLS



- Unique Multi-Purpose Sanding Made with A High-Quality Abrasive Grit
- Maintains Cool Cutting During The Toughest Applications
- Use with Reznet Sanding Blocks
- Perfect for Most Materials
- Hook & Loop Backing

PART NO.	SIZE	GRIT	QTY	BOND TYPE
RS7100040	2-3/4"x10yds (70mm x 9.1m)	40	1	Aluminum Oxide
RS7100080	2-3/4"x10yds (70mm x 9.1m)	80	1	Aluminum Oxide
RS7100120	2-3/4"x10yds (70mm x 9.1m)	120	1	Aluminum Oxide
RS7100180	2-3/4"x10yds (70mm x 9.1m)	180	1	Aluminum Oxide
RS7100240	2-3/4"x10yds (70mm x 9.1m)	240	1	Aluminum Oxide
RS7100320	2-3/4"x10yds (70mm x 9.1m)	320	1	Aluminum Oxide
RS7100400	2-3/4"x10yds (70mm x 9.1m)	400	1	Aluminum Oxide

REZNET

DA BACKER PADS



- Industrial Quality Backer Pads for The Toughest Jobs
- Fits Most Popular Electric Dual-Action Sanders and Pneumatic Dual-Action Sanders
- Use with Reznet Discs and Standard Abrasive Products with A Hook & Loop System
- Creates A Virtually Dust-Free Application To Ensure A Cool Sanding Application When Used with A Vacuum
- Pur-Molded for Premium Durability and Flexibility
- Creative Dust Cover Design
- Smart Mounting System for Festool, Rupes & Makita Sanders



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	THREADS	DESCRIPTION
RDA50010	5" (125mm)	12mm	12,000	Makita® /Porter-Cable	Pattern 8+8+1
RDA60516	6" (150mm)	12mm	12,000	5/16"	Pattern 8+8+1
RDA60517	6" (150mm)	12mm	12,000	5/16"	Pattern 8+6/8+1
RDA68516	6" (150mm)	12mm	12,000	M8+5/16"	Pattern 8+8+1
RDA68517	6" (150mm)	12mm	12,000	M8+5/16"	Pattern 8+6/8+1

REZNET

SANDING SCREEN DISCS



- Unique Multi-Purpose Sanding Made with A High-Quality Abrasive Grit
- Maintains Cool Cutting During The Toughest Applications
- Designed for Dual Action/Orbital Action/Gear Action Sanders
- Comes in Packs of 50 for 5" & 6" and Packs of 10 for 8" & 9"
- Grits Range From 40 to 3000

REZNET

SANDING SCREEN DISCS

PART NO.	SIZE	TYPE	GRIT	QTY	BOND TYPE
RA500040	5"	Hook & Loop	40	50	Aluminum Oxide
RA500080	5"	Hook & Loop	80	50	Aluminum Oxide
RA050120	5"	Hook & Loop	120	50	Aluminum Oxide
RA500180	5"	Hook & Loop	180	50	Aluminum Oxide
RA500240	5"	Hook & Loop	240	50	Aluminum Oxide
RA500320	5"	Hook & Loop	320	50	Aluminum Oxide
RA500400	5"	Hook & Loop	400	50	Aluminum Oxide
RA500600	5"	Hook & Loop	600	50	Aluminum Oxide
RA501000	5"	Hook & Loop	1000	50	Aluminum Oxide
RA501200	5"	Hook & Loop	1200	50	Aluminum Oxide
RA501500	5"	Hook & Loop	1500	50	Aluminum Oxide
RA502000	5"	Hook & Loop	2000	50	Aluminum Oxide
RA503000	5"	Hook & Loop	3000	50	Aluminum Oxide
REZNET 6" DISCS					
RA600040	6"	Hook & Loop	40	50	Aluminum Oxide
RA600080	6"	Hook & Loop	80	50	Aluminum Oxide
RA600120	6"	Hook & Loop	120	50	Aluminum Oxide
RA600180	6"	Hook & Loop	180	50	Aluminum Oxide
RA600240	6"	Hook & Loop	240	50	Aluminum Oxide
RA600320	6"	Hook & Loop	320	50	Aluminum Oxide
RA600400	6"	Hook & Loop	400	50	Aluminum Oxide
RA600600	6"	Hook & Loop	600	50	Aluminum Oxide
RA601000	6"	Hook & Loop	1000	50	Aluminum Oxide
RA601200	6"	Hook & Loop	1200	50	Aluminum Oxide
RA601500	6"	Hook & Loop	1500	50	Aluminum Oxide
RA602000	6"	Hook & Loop	2000	50	Aluminum Oxide
RA603000	6"	Hook & Loop	3000	50	Aluminum Oxide
RBP60516	6"	Double Hook Loop	-	1	Flexible Interface Pad
REZNET 8" DISCS					
RA800040	8"	Hook & Loop	40	10	Aluminum Oxide
RA800080	8"	Hook & Loop	80	10	Aluminum Oxide
RA800120	8"	Hook & Loop	120	10	Aluminum Oxide
RA800180	8"	Hook & Loop	180	10	Aluminum Oxide
RA800240	8"	Hook & Loop	240	10	Aluminum Oxide
RA800320	8"	Hook & Loop	320	10	Aluminum Oxide
RA800400	8"	Hook & Loop	400	10	Aluminum Oxide
RA800600	8"	Hook & Loop	600	10	Aluminum Oxide
RA801000	8"	Hook & Loop	1000	10	Aluminum Oxide
RA801200	8"	Hook & Loop	1200	10	Aluminum Oxide
RA801500	8"	Hook & Loop	1500	10	Aluminum Oxide
RA802000	8"	Hook & Loop	2000	10	Aluminum Oxide
RA803000	8"	Hook & Loop	3000	10	Aluminum Oxide
REZNET 9" DISCS					
RA900040	9"	Hook & Loop	40	10	Aluminum Oxide
RA900060	9"	Hook & Loop	60	10	Aluminum Oxide
RA900080	9"	Hook & Loop	80	10	Aluminum Oxide
RA900100	9"	Hook & Loop	100	10	Aluminum Oxide
RA900120	9"	Hook & Loop	120	10	Aluminum Oxide
RA900150	9"	Hook & Loop	150	10	Aluminum Oxide
RA900180	9"	Hook & Loop	180	10	Aluminum Oxide

SANDPAPER

WATERPROOF SANDPAPER



- Multi-purpose Sanding for Bondo, Premier & Paint
- Waterproof Hook and Loop Backed Silicon Carbide Abrasive
- Resists Clogging When Used Wet
- Grit Indication is U.S. Cami Grit System
- Very Adaptable To Onsite Work and Easy To Use
- Can Also Be Used To Polish Glass, Metal and Wood



HOOK & LOOP		4"	5"
GRIT	QUANTITY	PART NO.	PART NO.
80	50	MP40080	MP50080
120	50	MP40120	MP50120
240	50	MP40240	MP50240
320	50	MP40320	MP50320
400	50	MP40400	MP50400
500	50	MP40500	MP50500
600	50	MP40600	MP50600
Assortment	50	MP40KIT	MP50KIT



ANTIQUE BRUSH WHEELS

BRUSH WHEELS FOR COATING REMOVAL



- Designed for Coating Removal of Paint & Rust
- Fits Most Popular, Hand-Held Sanders and Polishers
- Developed with TYNEX®, A Filament From Dupont, To Ensure Safety and Exceptional Performance
- Utilizes A Snail Lock Adapter (SFAT)
- Grits Sequence of #24, #36, #60, #120, #240 and #320
- Can Be Used On Other materials Such As Granite



SNAIL LOCK			4"	5"
GRIT	BOND TYPE	MAXIMUM RPM	PART NO.	PART NO.
24	Resin	4,000	AB4024	AB5024
36	Resin	4,000	AB4036	AB5036
60	Resin	4,000	AB4060	AB5060
120	Resin	4,000	AB4120	AB5120
240	Resin	4,000	AB4240	AB5240
320	Resin	4,000	AB4320	AB5320
Snail Lock Adapter		4,000	PVA-5/8	
Snail Lock Adapter		2,000		SFAT-5/8

POLISHING

Full range of Superior Wet and Dry Diamond polishing pads



DIAMOND FACE FOAM PADS

DESIGNED FOR BOTH
ROTARY & DA POLISHER



DIAMOND FACE FOAM PADS

- DESIGNED FOR BOTH ROTARY & DA POLISHERS
- REDUCED POLISH SPLASH AND HEAT BUILD-UP
- SMOOTHER HANDLING AND REDUCED VIBRATION
- CAN WITHSTAND HIGH TEMPERATURES AND WATER WASH
- GREAT FOR USE ON SCRATCH RESISTANT/CERAMIC PAINTS


PART NO.	SIZE	TYPE	COLOR	RECOMMENDED FOR	GRIT
FPG04120	4"x1"	Hook & Loop	Green	High Cutting	T120
FPG06120	6"x1"	Hook & Loop	Green	High Cutting	T120
FPG07120	7"x1"	Hook & Loop	Green	High Cutting	T120
FPY04080	4"x1"	Hook & Loop	Yellow	Medium Cutting	T80
FPY06080	6"x1"	Hook & Loop	Yellow	Medium Cutting	T80
FPY07080	7"x1"	Hook & Loop	Yellow	Medium Cutting	T80
FPB04020	4"x1"	Hook & Loop	Black	Finishing/Polishing	T20
FPB06020	6"x1"	Hook & Loop	Black	Finishing/Polishing	T20
FPB07020	7"x1"	Hook & Loop	Black	Finishing/Polishing	T20
FPR04010	4"x1"	Hook & Loop	Red	Finishing/Finessing	T10
FPR06010	6"x1"	Hook & Loop	Red	Finishing/Finessing	T10
FPR07010	7"x1"	Hook & Loop	Red	Finishing/Finessing	T10

MICROFIBER PADS

RESTORES SURFACE TO MIRROR GLOSS FINISH



- Restores Surface to Mirror Gloss Finish
- Made of 100% Nano Microfiber
- For Use on DA Polishers



PART NO.	SIZE	TYPE	RECOMMENDED FOR	MATERIAL	GRIT
MF003T05	3"	Hook & Loop	Mirror Gloss Finishing	Microfiber	T05
MF005T05	5"	Hook & Loop	Mirror Gloss Finishing	Microfiber	T05
MF006T05	6"	Hook & Loop	Mirror Gloss Finishing	Microfiber	T05

WOOL PADS

REMOVES DEEP SCRATCHES WITH EASE



- Removes Deep Scratches, Overspray & Severe Swirl Marks With Ease
- Premium Performance and Heat-Resistant
- Smoother Handling and Reduced Vibration
- For Use on Rotary Polishers
- Great for Heavy Oxidation

PART NO.	SIZE	TYPE	RECOMMENDED FOR	MATERIAL	GRIT
WP003160	3"	Hook & Loop	Heavy Cutting	High-Nap Knitted Wool	T160
WP006160	6"	Hook & Loop	Heavy Cutting	High-Nap Knitted Wool	T160
WP007160	7"	Hook & Loop	Heavy Cutting	High-Nap Knitted Wool	T160


ROTARY BACKER PAD

FOR USE ON ROTARY POLISHERS



- Soft Molded Urethane With Flexible Edge
- Urethane Backing Makes for Greater Flexibility and Excellent Polishing
- Ideal for Contour Polishing
- For Use with Foam, Wool & Microfiber Pads
- Hook & Loop Allows for Fast Pad Changes
- Well Balanced for Smooth Polishing
- Absorbs Vibrations and Has Great Rebound Performance

PART NO.	SIZE	TYPE	RECOMMENDED FOR	THREADS
MP358HL	3"	Hook & Loop	Foam, Wool & Microfiber Pads	5/8"-11
MP558HL	5"	Hook & Loop	Foam, Wool & Microfiber Pads	5/8"-11
MP658HL	6"	Hook & Loop	Foam, Wool & Microfiber Pads	5/8"-11
MP858HL	8"	Hook & Loop	Foam, Wool & Microfiber Pads	5/8"-11
MP858GL	8"	Adhesive	Foam, Wool & Microfiber Pads	5/8"-11



CERAMICA RESIN

QUALITY INSPECTION SURFACE PAD



- High-Performance Discs Provide The Best Possible Polish
- Extremely Flexible with Consistent Performance
- Best in The Industry and Very Cost-Effective
- Designed for Wet Granite Hand Polishing
- Fabricators Achieve Excellent Results Consistently
- Works Extremely Well in Tight Curved Areas Such As Inside Sinkholes

PART NO.	DIAMETER	GRIT	COLOR	TYPE
GP50500R	5"	500	Red	Hook & Loop

PALM SANDING BLOCK

PERFECT FOR DETAIL SANDING




- Perfect for Detail Sanding Where Power Sanding Is Not An Option
- Accepts Standard 5" & 6" Hook and Loop Discs
- Ergonomic Dome-Shaped Grip is Made of Semi-Rigid Foam for Comfort
- Can Be Used with an Interface Pad for More Flexibility
- Works with Reznert, Ceramica Resin, and Sandpaper Discs



PART NO.	DIAMETER	DESCRIPTION	COLOR	TYPE
SB05HL	5"	Semi-Rigid Foam	Yellow	Hook & Loop
SB06HL	6"	Semi-Rigid Foam	Yellow	Hook & Loop

HAND PADS

HAND POLISHING PADS



- Convenient, On-Site Polishing, On Materials
- Use On Glass, Ceramics, Marble, Granite, Concrete, Terrazzo and Quartz Surfaces
- Two Bond Types To Provide The Best Possible Finish
- Available in Electroplated and Resin Grits



ELECTROPLATED GRITS:

This type of pad uses nickel plating technology to hold each individual diamond in place and is available in 60, 150, 300 and 500 grits.



RESIN GRITS:

This type has a finer diamond grit than electroplated pads. The resin bond is coated on a special backing material and is available in 1000, 2000 and 3000 grits best suited for honing to polishing.



PART NO.	GRIT	COLOR	BOND TYPE
DHP0060	60	Blue	Electroplated
DHP0150	150	Yellow	Electroplated
DHP0300	300	Orange	Electroplated
DHP0500	500	Red	Electroplated
DHP1000	1000	Dark Green	Resin
DHP2000	2000	Light Green	Resin
DHP3000	3000	Brown	Resin
DHPKIT			Set of 7

PVA VP STYLE

VERSATILE, HIGH-SPEED DRY POLISHING SYSTEM



- Designed To Polish Aluminum and Stainless Steel
- Recommended for Paint, Coating, Mill Scale and Rust Removal
- Can Be Used On Polishers, Sanders and Grinders At Any RPM
- Versatile, High-Speed and Long Lasting
- 4-1/2" Discs Do Not Clog
- Formulated with A Silicon Carbide Abrasive and A Polyvinyl Alcohol Bond
- Grits Range From Extra Coarse To Extra Fine
- Available with A Straight 7/8" Arbor or A 5/8"-11 Disposable Zinc Hub

PART NO.	SIZE	GRIT	ARBOR	FINISH
SPVA45W	4-1/2"	40	7/8"	Extra Coarse
SPVA45R	4-1/2"	80	7/8"	Coarse
SPVA45B	4-1/2"	220	7/8"	Medium
SPVA45G	4-1/2"	400	7/8"	Fine
SPVA45Y	4-1/2"	600	7/8"	Extra Fine
SPVA45WH	4-1/2"	40	5/8"-11	Extra Coarse
SPVA45RH	4-1/2"	80	5/8"-11	Coarse
SPVA45BH	4-1/2"	220	5/8"-11	Medium
SPVA45GH	4-1/2"	400	5/8"-11	Fine
SPVA45YH	4-1/2"	600	5/8"-11	Extra Fine

PVA VP Polishing Disc without Hub



PVA VP Polishing Disc with Hub



ACCESSORIES

Exclusively from Alpha® for the most popular tools



ECOGUARD TYPE M

GRINDER SOLUTION FOR METAL CUTTING



- Designed for Collecting Debris When Using A Variable-Speed Angle Grinder
- Eliminates The Dangerous Kick-Back On Hand-Held Grinders As Well As Minimizes Sparks, Debris and Odor
- Rugged Construction for Heavy-Duty Applications
- Accepts Up To 5" Diameter Blades
- Fits On Selected 4-1/2", 5" and 6" Variable-Speed Angle Grinders
- Straight Precise Cuts

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	DESCRIPTION
ECOGRDSB	5"	-	-	-	Ecoguard Type M (Spark Buster)
TCT4530	4-1/2"	1.6mm	13,000	7/8"	CarBite Carbide Blade
TCT5030	5"	1.6mm	9,600	7/8"	CarBite Carbide Blade
ECOM45KIT	4-1/2"	1.6mm	13,000	7/8"	Ecoguard M/CarBite Blade Kit
ECOM50KIT	5"	1.6mm	9,600	7/8"	Ecoguard M/CarBite Blade Kit



AVAILABLE 4-1/2" & 5"

Kit Includes:

Ecoguard Type M a.k.a. Spark Buster Collection Cover and a CarBite Blade

ECOGUARD TYPE M KIT

ECOGUARD TYPE W5

DUST COLLECTION COVER FOR WIDER KERF CUTTING



Type C



Type W5

- Designed for Collecting Dust/Debris When Using A High-Speed Angle Grinder
- Perfect for Tuckpointing and Crack Chasing
- Accepts Up To 5" Diameter Blades
- More Than 90% Of Dust Removal Rate
- Rugged Construction for Heavy-Duty Applications
- Straight Precise Cuts Using Support Base
- Easy Installation and Blade Changes
- Fits On Selected 4-1/2" and 5" High-Speed Angle Grinders
- Adjustable Cutting Depth
- Must Be Used with A Vacuum

PART NO.	SIZE	DESCRIPTION
ECOGRDW5	5"	Dust Collection Cover Type W5
500026	18"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
500073	54"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
ECOW5KIT	5"	Ecoguard W5 & 18" Connector Hose Kit

ECOGUARD TYPE G


DUST COLLECTION COVER FOR GRINDING



- Designed for Collecting Dust When Using A High-Speed Angle Grinder
- Accepts Up To 5" Diameter Grinding Wheels
- Rugged Construction for Heavy-Duty Applications
- More Than 90% Of Dust Removal Rate
- Perfect for Grinding and Sanding Concrete or Surface Preparation Work
- Removable Cover Allows Grinding To The Edge
- Clear Cover for Better Visibility
- Easy Installation and Wheel Changes
- Fits On Selected 4-1/2"- 5" High-Speed Angle Grinders
- Must Be Used with A Vacuum

PART NO.	SIZE	DESCRIPTION
ECOGRDGR	5"	Dust Collection Cover Type G
500026	18"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
500073	54"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
ECOGKIT	5"	Ecoguard G & 18" Connector Hose Kit

RIGID BACKER PADS



- High-Quality Backer Pad Is Super Rigid and Flat
- Eliminates The Wavy Finish When Polishing
- Hook and Loop Backed
- The Rigidity Of The Pad Enables Work in Small Areas Such As Corners or Staircases
- Accepts Polishing Pads, Sandpaper and Felt Wheels

PART NO.	SIZE	MAX RPM	THREADS
GP35/8RG	3"	6,000	5/8"-11
GP45/8RG	4"	6,000	5/8"-11
GP55/8RG	5"	6,000	5/8"-11
RGSPACER			Spacer

FLEXIBLE BACKER PADS



- High-Quality Backer Pad Is Extremely Flexible
- Ideal for Tough Contours and Inside Curves
- Hook and Loop Backed
- Highly Resistant To The Rigors Of Daily Use Provides A Long Life
- Accepts Polishing Pads, Sandpaper and Felt Wheels

PART NO.	SIZE	MAX RPM	THREADS
GP25/8PD	2"	6,000	5/8"-11
GP35/8PD	3"	6,000	5/8"-11
GP45/8PD	4"	6,000	5/8"-11
GP55/8PD	5"	6,000	5/8"-11

GV BACKER PADS



- High-Quality Backer Pad Is Rigid and Flat, But Provides Just The Right Amount Of Flexibility
- Ideal for Bullnosed Edges and Flat Surfaces.
- Hook and Loop Backed
- Accepts Polishing Pads, Sandpaper and Felt Wheels
- Fits On Makita® GV5000 & GV5010 Sanders

PART NO.	SIZE	MAXIMUM RPM	DESCRIPTION
GV4MPPD	4"	4,500	M8-1.25 Male
GV5MPPD	5"	4,500	M8-1.25 Male

HEPA WET/DRY VACUUM

HEAVY DUTY VACUUM FOR ELECTRIC & PNEUMATIC TOOLS

HEAVY DUTY WORKHORSE

for all your needs!

- Triple Layer Filtering System
- Heavy Duty 15 Gal. Stainless Steel Tank
- Designed for Wet/Dry Cleanup
- 95 CFM Air Flow Rate
- 10' & 54" Crushproof Hoses Included
- 50' Power Cord



Floor Cleaning Accessories are Included



On Board Electric On/Off Switch

On Board Air On/Off Switch

Cargo Basket For Tools and Consumables

Easy Glide Cart



*Air Couplers Sold Separately

PART NO.	SIZE	TYPE	DESCRIPTION
HWD2120	15-Gal	120V	HEPA Wet/Dry Vacuum
HWD2240	15-Gal	240V	HEPA Wet/Dry Vacuum

APRON



- D900 Oxford / PU Coated Material Makes It Waterproof
- Straps Hang The Apron On The Shoulders
- Bright Neon Yellow Color Provides Greater Visibility
- Perfect for Wet or Dry Environments
- Dual-Adjustable Clips Makes For A Perfect Fit
- Overall size: 48" L x 41" W

PART NO.	DESCRIPTION
APRON1000	Waterproof Apron (One Size Fits All)

SAFETY GLASSES



- Designed for Safety and Comfort
- A Lightweight Frame with Padded Temples
- Adjustable Side Arms
- Soft Rubber Nose Bridge
- Clear Anti-Scratch Lenses
- Available in a single pair or 12-pack
- Complies with standard # BS EN 166:2001

PART NO.	DESCRIPTION
173002	Safety Glasses (Box of 12)
173008	Safety Glasses (Single Pair)

GROUND FAULT CIRCUIT INTERRUPTER



- Protect Polishing Personnel From Lethal Ground Current Loads
- Highly Recommended Piece Of Equipment
- Rated for 15 Amps

PART NO.	DESCRIPTION
GFCI-1	Ground Fault Circuit Interrupter

GLOSS CHECKER




- Portable Gloss Meter Designed To Measure The Reflective Index Of Light
- Enables Quick, Accurate Measurements Of Gloss On Flat, Polished Surfaces
- Ensures Quality Control and Assists Setting Standards
- Detachable Meter for Difficult To Reach Areas

PART NO.	DESCRIPTION
IG-331	Gloss Meter


Filter/Regulator

MANIFOLD SYSTEM



Eliminate potential issues with air systems and increase the life of the air tools!

Can be easily **CUSTOMIZED** to your shop requirements!



MANIFOLD SYSTEM

**FILTER REGULATOR
MANIFOLD SYSTEMS**



- Protects Your Tools From Contaminants
- Helps Prevent Pressure Drops When Using A Large Volume Of Air
- Adapts To The Existing Shop Piping and Increases The Life Of The Tools
- Makes It Easy To Get The Maximum Performance From Your Pneumatic Tools
- Comes in Two Sizes (53 CFM and 106 CFM)

1 Complete System for Multiple Tools

PART NO.	DESCRIPTION	ADAPTER BLOCK	CFM	PORT	PLUGS INCLUDED
1030-0021	3/8" Filter/Regulator Manifold	3/8" NPT	53	3 Couplers	(3) 1/4" Female NPT
1030-0022	3/8" Filter/Regulator Manifold	1/2" NPT	53	3 Couplers	(3) 1/4" Female NPT
1030-0023	1/2" Filter/Regulator Manifold	1/2" NPT	106	4 Couplers	(3) 1/4" Female NPT + (1) 3/8" Female NPT
1030-0024	1/2" Filter/Regulator Manifold	3/4" NPT	106	4 Couplers	(3) 1/4" Female NPT + (1) 3/8" Female NPT

2 Filter Regulator Kits for a Single Tool


PART NO.	SIZE	TYPE	THREADS	DESCRIPTION
1030-0070	53 CFM	3/8" Filter/Regulator Kit	1/2" IN-1/2" OUT	Filter/Regulator, Adapter Blocks & T-Clamps
1030-0071	53 CFM	3/8" Filter/Regulator Kit	1/2" IN-1/2" OUT	Filter/Regulator, Adapter Blocks & T-Clamps
1030-0072	53 CFM	3/8" Filter/Regulator Kit	1/2" IN-1/2" OUT	Filter/Regulator, Adapter Blocks & T-Clamps
1030-0073	106 CFM	1/2" Filter/Regulator Kit	3/4" IN-3/4" OUT	Filter/Regulator, Adapter Blocks & T-Clamps
1030-0074	106 CFM	1/2" Filter/Regulator Kit	3/4" IN-3/4" OUT	Filter/Regulator, Adapter Blocks & T-Clamps
1030-0075	106 CFM	1/2" Filter/Regulator Kit	3/4" IN-3/4" OUT	Filter/Regulator, Adapter Blocks & T-Clamps

HOSES

- All-Weather Flexibility From -40°F to +200°F
- Kink-Free Under Pressure
- Lightweight and Abrasion Resistant
- Zero Memory Allowing It To Lay-Flat
- Made Of A Premium Hybrid Polymer Material
- Comes in Many Lengths
- Pneumatic and Water Hoses Available
- Many Connectors Available



AIR HOSE (FOR AIR-680)




PART NO.	SIZE	DIAMETER	THREADS
1030-0002	15ft./4.5m	1/4"	1/4" NPSM x 1/4" NPT(Female Swivel)
1030-0010	20ft./6.0m	1/4"	1/4" NPSM x 1/4" NPT(Female Swivel)

Available Hose sizes: 25ft, 30ft, 35ft & 40ft. Call for Custom sizes or for more information.




WATER HOSE (FOR AIR-680)



PART NO.	SIZE	DIAMETER	THREADS
1030-0003	15ft./4.5m	1/4"	1/8" NPSM x 3/4" 11GHT(GHT)
1030-0011	20ft./6.0m	1/4"	1/8" NPSM x 3/4" 11GHT(GHT)

Available Hose sizes: 25ft, 30ft, 35ft & 40ft. Call for Custom sizes or for more information.

MANIFOLD SYSTEMS



ADAPTER HOSE
(FOR MANIFOLD SYSTEMS)



PART NO.	SIZE	DIAMETER	THREADS
1030-0025	1ft./0.3m	1/2"	1/2" NPT Swivel
1030-0026	2ft./0.6m	1/2"	1/2" NPT Swivel
1030-0027	3ft./0.9m	1/2"	1/2" NPT Swivel



MOBILE HOSE
(FOR MANIFOLD SYSTEMS)

PART NO.	SIZE	DIAMETER	THREADS
1030-0050	15ft./4.5m	1/2"	1/2" NPT Swivel w/Hose Protector
1030-0052	20ft./6.0m	1/2"	1/2" NPT Swivel w/Hose Protector

Available Hose sizes: 25ft, 30ft, 35ft & 40ft....Custom sizes also available. Call for more information.



EXHAUST HOSE
(SPECIALTY)



PART NO.	SIZE	DIAMETER	THREADS
VH91100	12ft./3.6m	3/4"	1-1/4" O.D. threaded x 2-1/4" standard

G-TAPE

ALL PURPOSE
PROTECTION & REPAIR TAPE



G-Tape

INNOVATIVE
SOLUTIONS

- LDPE film _____
- HDPE cloth _____
- LDPE film _____
- Acrylic PSA layer _____



All G-Tape™ products feature a patented combination of solvent acrylic adhesive with an advanced backing substrate that results in unmatched performance.



MULTI-PURPOSE APPLICATIONS





Multi-Purpose Tape

Multi-Purpose Surface Protection and Repair Tape

- Hand Tearing-Straight and Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Repositionable
- Highly Weather/UV Resistant
- Good Surface Protection
- Great for Quick Repairs

PART NO.	COLOR	SIZE	RECOMMENDED FOR
GT1009GR	Green	2" x 163'	Multi-Purpose - All Surfaces



Extra UV Protection

Multi-Purpose Surface Protection and Repair Tape

- Hand Tearing-Straight and Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Repositionable
- Highly Weather/UV Resistant
- Good Surface Protection
- Great for Quick Repairs

PART NO.	COLOR	SIZE	RECOMMENDED FOR
GT1008SW	White	2" x 163'	Extra UV Protection



HVAC Tape

Multi-Purpose Surface Protection and Repair Tape

- Perfect for Seaming and Splicing Tape for Insulation and HVAC
- Hand Tearing-Straight and Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Repositionable Without Wrinkles
- Highly Weather/UV Resistant
- Safer tape as edge is not as sharp as aluminum foil
- Complies with ASTM E84 (UL723) : Class 1, Flame Spread Index 0, Smoke Developed Index 0

PART NO.	COLOR	SIZE	RECOMMENDED FOR
GT2010AL	Silver	2" x 82'	HVAC and Insulation



Caution Area Tape

Multi-Purpose Surface Protection and Repair Tape

- Hand Tearing-Straight and Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Repositionable
- Highly Weather/UV Resistant
- Good Surface Protection
- Great for Quick Repairs

PART NO.	COLOR	SIZE	RECOMMENDED FOR
GT1006TG	Black & Yellow	2" x 82'	Caution Areas



Acrylic Flashing Tape

High Adhesion Acrylic Flashing Tape

- Waterproof
- Hand Tearing-Straight and Easy
- All-Weather Usage (-40°F to +200°F)
- Highly Weather/UV Resistant
- Great Performance and Ease of Use
- Cleanly Removes from Face-to-Face Adhesive Contact
- Available as a single roll or by the case Perfect Flashing for Windows, Doors, & Deck Beams

**Permanent Adhesion*

PART NO.	COLOR	SIZE	RECOMMENDED FOR
GT3040BK02	Black	2" x 65'	Acrylic/Flashing- All Surfaces
GT3040BK04	Black	4" x 65'	Acrylic/Flashing- All Surfaces
GT3040BK06	Black	6" x 65'	Acrylic/Flashing- All Surfaces
GT3040BK09	Black	9" x 65'	Acrylic/Flashing- All Surfaces
GT3040BK12	Black	12" x 65'	Acrylic/Flashing- All Surfaces



Surface Protection

Repositionable Waterproof Surface Protection Tape

- Protects Surfaces from Scratches, Stains and Etching
- Applicable for All Stone Faces Including Marble and Limestone
- Can Be Used for Wet and Dry applications
- Easily Mark Tape with Ball Point Pen, Permanent Marker, China Marker, etc.

PART NO.	COLOR	SIZE	RECOMMENDED FOR
BAB0650	Black	6" x 164'	Large Surface Protection

Index

A

Adapter Hose 51
AIR-300 15
AIR-680 16
Antique Brush Wheels 34
Apron 47

C

Ceramica Resin 39
Cut-Off Tools
 COTE-04 7
 COTR-03 8

D

Diamond Face Foam Pads 36
Dressing Stick 24

E

Ecoguard Type G 44
Ecoguard Type M 43
Ecoguard Type W5 44
Exhaust Hose 51

F

Flexible Backer Pad 45
Flange Adapters 24

G

Gloss Checker 47
Ground Fault
 Circuit Interrupter 47
G-Tape 52
GV Backer Pads 45

H

Hand Pads 40
Hepa Wet/Dry Vacuum 46
Hoses 50

M

Manifold System 48
Microfiber Pads 37
Mobile Hose 51

P

Palm Sanding Block 39
PSG-125 17
PSG-125 Dust-Free Grinding Kit 19
PSG-125 Metal Cutting Kit 20
PVA VP Style 41

Q

Quad Adapters 24

R

Reznet
 DA Backer Pads 31
 Sanding Screen Blocks 30
 Sanding Screen Discs 31
 Sanding Screen Rolls 30
Rigid Backer Pad 45
Rotary Backer Pad 38

S

Safety Glasses 47
Sanders/Polishers
 GDSA-06 9
 GDSA-08 10
 GDSP-05 11
 ROPS-056 12
Sandpaper 33
Spike Disc 26

U

Ultracut
 ABM Series 23
 APR Series 22
 GPM Series 22

V

VDP-700 13
Vexcel Rigid Disc 28
Vextra Flat Disc 27
Vflex Sanding Disc 29

W

Wool Pads 37

Product Literature Catalogs

Alpha® provides product catalogs for all products to best serve the particular needs of our customers. Catalogs are available for applications such as Hand Tooling and Large Machine Tooling, as well as for specific industries such as stone, tile, construction, industrial, automotive, composites, glass and marine.

All of our catalogs are a convenient portable of size 5.5" x 8.5", and illustrate the tools and accessories needed for Cutting, Profiling, Grinding, Drilling, Polishing and Restoring all types of materials.

To request these catalogs, or for more information about our product line, visit our website at www.alpha-tools.com or contact us at 800-648-7229.



ALPHA® TOOL REPAIR

- Authorized repair centers available
- All tool repairs carry a 30-day warranty
- Quick turn-around time
- Technical support for repair and maintenance
- Order replacement tool parts directly from Alpha®
- Loaner program available

Visit our website to find a local center



Let's get social...



We are ready to connect with you on your favorite social media sites... Join Us Today!

 **Alpha Professional Tools®**

103 Bauer Drive • Oakland, NJ 07436
800-648-7229 • Fax: 800-286-0114

www.alpha-tools.com

